

<i>Samples</i>	<i>Total</i>	<i>Without Residues</i>		<i>With residues below MRL</i>		<i>Exceeding MRL</i>		<i>Non Compliant</i>	
				<i>%</i>		<i>%</i>		<i>%</i>	
Animal products	43	43	100%	0	0.0%	0	0.0%	0	0.0%
Baby food	32	32	100%	0	0.0%	0	0.0%	0	0.0%
Cereals	51	43	84%	8	16%	0	0.0%	0	0.0%
Processed products	271	230	85%	41	15%	0	0.0%	0	0.0%
Sum of fruits and nuts, vegetables, other plant products	1979	1196	60%	706	36%	77	3.9%	43	2.2%
	<b>2376</b>	<b>1544</b>	<b>65%</b>	<b>755</b>	<b>32%</b>	<b>77</b>	<b>3.2%</b>	<b>43</b>	<b>1.8%</b>

**Totals for Cereals, Sum (fruit, vegetables, other plant origin) and Animal products are for unprocessed commodities**

**Strategy=Enforcement**

<i>Origin</i>	<i>Samples</i>	<i>Samples %</i>	<i>Exceeding MRL</i>	<i>Exceeding MRL %</i>	<i>Non Compliant</i>	<i>Non Compliant %</i>
Domestic	20	.84%	3	15%	3	15%
TC	61	2.6%	1	1.6%	0	.00%
UNK	1	.04%	0	.00%	0	.00%

**Strategy=Surveillance**

<i>Origin</i>	<i>Samples</i>	<i>Samples %</i>	<i>Exceeding MRL</i>	<i>Exceeding MRL %</i>	<i>Non Compliant</i>	<i>Non Compliant %</i>
Domestic	2125	89%	69	3.2%	37	1.7%
EEA	42	1.8%	0	.00%	0	.00%
TC	122	5.1%	4	3.3%	3	2.5%
UNK	5	.21%	0	.00%	0	.00%

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A1-a: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL**  
**Part (a) - Variables related to the origin of samples**

**Strategy=Enforcement**

Product Class	Product	Total			Domestic			EEA			Third Country		
		Ex	%		Ex	%		Ex	%		Ex	%	
Cereals	Barley	1	0	100	1	0	100	0	0	.	0	0	.
	Wheat	1	0	100	0	0	.	0	0	.	0	0	.
<b>Cereals</b>		<b>2</b>	<b>0</b>	<b>100</b>	<b>1</b>	<b>0</b>	<b>100</b>	<b>0</b>	<b>0</b>	<b>.</b>	<b>0</b>	<b>0</b>	<b>.</b>
Fruits and nuts	Apricots	1	0	100	1	0	100	0	0	.	0	0	.
	Grapefruit	1	0	100	0	0	.	0	0	.	1	0	100
	Oranges	1	0	100	0	0	.	0	0	.	1	0	100
	Pears	1	0	100	1	0	100	0	0	.	0	0	.
	Strawberries	3	1	66.7	3	1	66.7	0	0	.	0	0	.
<b>Fruits and nuts</b>		<b>7</b>	<b>1</b>	<b>85.7</b>	<b>5</b>	<b>1</b>	<b>80</b>	<b>0</b>	<b>0</b>	<b>.</b>	<b>2</b>	<b>0</b>	<b>100</b>
Other plant products	Beans (dry)	1	0	100	1	0	100	0	0	.	0	0	.
	Tea	1	0	100	0	0	.	0	0	.	1	0	100
<b>Other plant products</b>		<b>2</b>	<b>0</b>	<b>100</b>	<b>1</b>	<b>0</b>	<b>100</b>	<b>0</b>	<b>0</b>	<b>.</b>	<b>1</b>	<b>0</b>	<b>100</b>
Vegetables	Beans (with pods)	1	0	100	0	0	.	0	0	.	1	0	100
	Courgettes	1	0	100	1	0	100	0	0	.	0	0	.
	Cucumbers	1	0	100	1	0	100	0	0	.	0	0	.
	Peppers	59	2	96.6	4	1	75	0	0	.	55	1	98.2
	Potatoes	3	0	100	3	0	100	0	0	.	0	0	.
	Spinach	1	0	100	1	0	100	0	0	.	0	0	.
	Tomatoes	1	0	100	0	0	.	0	0	.	1	0	100
	Vine leaves (grape leaves)	4	1	75	3	1	66.7	0	0	.	1	0	100
<b>Vegetables</b>		<b>71</b>	<b>3</b>	<b>95.8</b>	<b>13</b>	<b>2</b>	<b>84.6</b>	<b>0</b>	<b>0</b>	<b>.</b>	<b>58</b>	<b>1</b>	<b>98.3</b>
		<b>82</b>	<b>4</b>	<b>95.1</b>	<b>20</b>	<b>3</b>	<b>85</b>	<b>0</b>	<b>0</b>	<b>.</b>	<b>61</b>	<b>1</b>	<b>98.4</b>

**Ex = number of samples above MRL; % = percentage of samples below MRL**  
**Figures in bold are subtotals and totals for product groups**

Table A1-a: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

## Part (a) - Variables related to the origin of samples

## Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		Ex	%		Ex	%		Ex	%		Ex	%	
Animal products	Bovine Liver	3	0	100	3	0	100	0	0	.	0	0	.
	Honey	9	0	100	9	0	100	0	0	.	0	0	.
	Milk	3	0	100	3	0	100	0	0	.	0	0	.
	Poultry Liver	2	0	100	2	0	100	0	0	.	0	0	.
	Poultry Muscle	16	0	100	16	0	100	0	0	.	0	0	.
	Sheep Liver	10	0	100	10	0	100	0	0	.	0	0	.
<b>Animal products</b>		<b>43</b>	<b>0</b>	<b>100</b>	<b>43</b>	<b>0</b>	<b>100</b>	<b>0</b>	<b>0</b>	<b>.</b>	<b>0</b>	<b>0</b>	<b>.</b>
Baby food	Baby food for infants and young children	27	0	100	11	0	100	16	0	100	0	0	.
	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	5	0	100	5	0	100	0	0	.	0	0	.
<b>Baby food</b>		<b>32</b>	<b>0</b>	<b>100</b>	<b>16</b>	<b>0</b>	<b>100</b>	<b>16</b>	<b>0</b>	<b>100</b>	<b>0</b>	<b>0</b>	<b>.</b>
Cereals	Cereals	2	0	100	2	0	100	0	0	.	0	0	.
	Oats	1	0	100	1	0	100	0	0	.	0	0	.
	Rice	44	0	100	40	0	100	1	0	100	0	0	.
	Wheat	23	0	100	22	0	100	0	0	.	1	0	100
<b>Cereals</b>		<b>70</b>	<b>0</b>	<b>100</b>	<b>65</b>	<b>0</b>	<b>100</b>	<b>1</b>	<b>0</b>	<b>100</b>	<b>1</b>	<b>0</b>	<b>100</b>
Fruits and nuts	Apples	102	1	99	90	1	98.9	2	0	100	10	0	100
	Apricots	41	0	100	41	0	100	0	0	.	0	0	.
	Bananas	30	0	100	5	0	100	0	0	.	25	0	100
	Blueberries	2	0	100	2	0	100	0	0	.	0	0	.
	Cherries	46	1	97.8	46	1	97.8	0	0	.	0	0	.
	Figs	5	0	100	5	0	100	0	0	.	0	0	.
	Grapefruit	6	0	100	1	0	100	0	0	.	5	0	100
	Kiwi	49	1	98	47	1	97.9	1	0	100	1	0	100
	Lemons	25	1	96	17	0	100	0	0	.	8	1	87.5
	Mandarins	33	1	97	33	1	97	0	0	.	0	0	.
Mangoes	2	1	50	0	0	.	0	0	.	2	1	50	

Ex = number of samples above MRL; % = percentage of samples below MRL

Figures in bold are subtotals and totals for product groups

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A1-a: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL**  
**Part (a) - Variables related to the origin of samples**

**Strategy=Surveillance**

Product Class	Product	Total			Domestic			EEA			Third Country		
		Ex	%		Ex	%		Ex	%		Ex	%	
	Medlar	1	0	100	1	0	100	0	0	.	0	0	.
	Oranges	86	0	100	80	0	100	0	0	.	6	0	100
	Other kind of small fruit and berries	2	0	100	2	0	100	0	0	.	0	0	.
	Other small fruit and berries	1	0	100	1	0	100	0	0	.	0	0	.
	Peaches	64	3	95.3	64	3	95.3	0	0	.	0	0	.
	Pears	83	5	94	65	4	93.8	6	0	100	12	1	91.7
	Plums	30	0	100	29	0	100	0	0	.	1	0	100
	Pomegranate	11	0	100	11	0	100	0	0	.	0	0	.
	Strawberries	95	3	96.8	94	3	96.8	0	0	.	1	0	100
	Table and Wine grapes	12	0	100	11	0	100	0	0	.	1	0	100
	Table grapes	86	3	96.5	86	3	96.5	0	0	.	0	0	.
	Table olives	23	1	95.7	23	1	95.7	0	0	.	0	0	.
	Wine grapes	39	1	97.4	39	1	97.4	0	0	.	0	0	.
<b>Fruits and nuts</b>		<b>874</b>	<b>22</b>	<b>97.5</b>	<b>793</b>	<b>19</b>	<b>97.6</b>	<b>9</b>	<b>0</b>	<b>100</b>	<b>72</b>	<b>3</b>	<b>95.8</b>
Other plant products	Beans (dry)	3	1	66.7	3	1	66.7	0	0	.	0	0	.
	Lentils (dry)	2	0	100	1	0	100	0	0	.	1	0	100
	Olives for oil production	213	0	100	213	0	100	0	0	.	0	0	.
	Other pulses, dry	6	1	83.3	6	1	83.3	0	0	.	0	0	.
	Peas (dry)	1	0	100	0	0	.	0	0	.	1	0	100
	Pulses, Dry	1	1	0	1	1	0	0	0	.	0	0	.
	Soya bean	1	0	100	1	0	100	0	0	.	0	0	.
	Sugar cane	2	0	100	0	0	.	0	0	.	1	0	100
	Sunflower seed	1	0	100	1	0	100	0	0	.	0	0	.
	Tea	2	0	100	1	0	100	0	0	.	1	0	100
	Tea, Coffee, Herbal infusions and Cocoa	5	1	80	5	1	80	0	0	.	0	0	.
<b>Other plant products</b>		<b>237</b>	<b>4</b>	<b>98.3</b>	<b>232</b>	<b>4</b>	<b>98.3</b>	<b>0</b>	<b>0</b>	<b>.</b>	<b>4</b>	<b>0</b>	<b>100</b>
Vegetables	Asparagus	21	0	100	21	0	100	0	0	.	0	0	.

**Ex = number of samples above MRL; % = percentage of samples below MRL**  
**Figures in bold are subtotals and totals for product groups**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A1-a: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL**  
**Part (a) - Variables related to the origin of samples**

**Strategy=Surveillance**

<i>Product Class</i>	<i>Product</i>	<i>Total</i>			<i>Domestic</i>			<i>EEA</i>			<i>Third Country</i>		
		<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	
	Aubergines (egg plants)	53	1	98.1	48	1	97.9	2	0	100	3	0	100
	Basil	1	0	100	0	0	.	0	0	.	1	0	100
	Beans (with pods)	66	3	95.5	62	3	95.2	3	0	100	1	0	100
	Beet leaves (chard)	1	0	100	1	0	100	0	0	.	0	0	.
	Broccoli	10	0	100	10	0	100	0	0	.	0	0	.
	Carrots	69	9	87	68	9	86.8	1	0	100	0	0	.
	Cauliflower	15	0	100	15	0	100	0	0	.	0	0	.
	Courgettes	56	0	100	54	0	100	1	0	100	1	0	100
	Cucumbers	103	2	98.1	102	2	98	0	0	.	1	0	100
	Cucurbits, edible peel	2	0	100	2	0	100	0	0	.	0	0	.
	Fresh Herbs	1	1	0	1	1	0	0	0	.	0	0	.
	Head brassica	10	0	100	10	0	100	0	0	.	0	0	.
	Head cabbage	13	0	100	11	0	100	1	0	100	1	0	100
	Leaf vegetables and fresh herbs	1	0	100	1	0	100	0	0	.	0	0	.
	Leek	14	0	100	14	0	100	0	0	.	0	0	.
	Lentils (fresh)	4	0	100	2	0	100	0	0	.	2	0	100
	Lettuce	81	2	97.5	81	2	97.5	0	0	.	0	0	.
	Lettuce and other salad plants, including Brassicacea	14	0	100	14	0	100	0	0	.	0	0	.
	Melons	46	0	100	45	0	100	0	0	.	0	0	.
	Okra (lady's fingers)	12	0	100	10	0	100	1	0	100	1	0	100
	Onions	12	0	100	9	0	100	0	0	.	3	0	100
	Parsley root	5	0	100	5	0	100	0	0	.	0	0	.
	Peas (with pods)	3	1	66.7	3	1	66.7	0	0	.	0	0	.
	Peas (without pods)	25	0	100	21	0	100	2	0	100	2	0	100
	Peppers	72	3	95.8	64	3	95.3	0	0	.	8	0	100
	Potatoes	91	6	93.4	83	6	92.8	2	0	100	6	0	100
	Rocket, Rucola	4	1	75	4	1	75	0	0	.	0	0	.

**Ex = number of samples above MRL; % = percentage of samples below MRL**  
**Figures in bold are subtotals and totals for product groups**

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A1-a: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL**  
**Part (a) - Variables related to the origin of samples**

**Strategy=Surveillance**

<i>Product Class</i>	<i>Product</i>	<i>Total</i>			<i>Domestic</i>			<i>EEA</i>			<i>Third Country</i>		
		<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	
	Spinach	70	4	94.3	67	4	94	1	0	100	2	0	100
	Spinach and similar (leaves)	6	0	100	6	0	100	0	0	.	0	0	.
	Spring onions	2	0	100	0	0	.	0	0	.	2	0	100
	Tomatoes	114	1	99.1	102	0	100	2	0	100	10	1	90
	Vine leaves (grape leaves)	21	13	38.1	20	13	35	0	0	.	1	0	100
	Watermelons	20	0	100	20	0	100	0	0	.	0	0	.
<b>Vegetables</b>		<b>1038</b>	<b>47</b>	<b>95.5</b>	<b>976</b>	<b>46</b>	<b>95.3</b>	<b>16</b>	<b>0</b>	<b>100</b>	<b>45</b>	<b>1</b>	<b>97.8</b>
		<b>2294</b>	<b>73</b>	<b>96.8</b>	<b>2125</b>	<b>69</b>	<b>96.8</b>	<b>42</b>	<b>0</b>	<b>100</b>	<b>122</b>	<b>4</b>	<b>96.7</b>

*Ex = number of samples above MRL; % = percentage of samples below MRL*  
**Figures in bold are subtotals and totals for product groups**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A1-b: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL**  
**part (b) - Variables related to the type of production and the samples processing**

**Strategy=Enforcement**

Product Class	Product	Organic			Non Organic			Raw			Process		
		Ex	%		Ex	%		Ex	%		Ex	%	
Cereals	Barley	0	0	.	1	0	100	1	0	100	0	0	.
	Wheat	0	0	.	1	0	100	0	0	.	1	0	100
<b>Cereals</b>		<b>0</b>	<b>0</b>	<b>.</b>	<b>2</b>	<b>0</b>	<b>100</b>	<b>1</b>	<b>0</b>	<b>100</b>	<b>1</b>	<b>0</b>	<b>100</b>
Fruits and nuts	Apricots	0	0	.	1	0	100	0	0	.	1	0	100
	Grapefruit	0	0	.	1	0	100	1	0	100	0	0	.
	Oranges	0	0	.	1	0	100	1	0	100	0	0	.
	Pears	0	0	.	1	0	100	0	0	.	1	0	100
	Strawberries	0	0	.	3	1	66.7	3	1	66.7	0	0	.
<b>Fruits and nuts</b>		<b>0</b>	<b>0</b>	<b>.</b>	<b>7</b>	<b>1</b>	<b>85.7</b>	<b>5</b>	<b>1</b>	<b>80</b>	<b>2</b>	<b>0</b>	<b>100</b>
Other plant products	Beans (dry)	1	0	100	0	0	.	1	0	100	0	0	.
	Tea	0	0	.	1	0	100	1	0	100	0	0	.
<b>Other plant products</b>		<b>1</b>	<b>0</b>	<b>100</b>	<b>1</b>	<b>0</b>	<b>100</b>	<b>2</b>	<b>0</b>	<b>100</b>	<b>0</b>	<b>0</b>	<b>.</b>
Vegetables	Beans (with pods)	0	0	.	1	0	100	1	0	100	0	0	.
	Courgettes	0	0	.	1	0	100	1	0	100	0	0	.
	Cucumbers	0	0	.	1	0	100	1	0	100	0	0	.
	Peppers	0	0	.	59	2	96.6	59	2	96.6	0	0	.
	Potatoes	0	0	.	3	0	100	3	0	100	0	0	.
	Spinach	0	0	.	1	0	100	1	0	100	0	0	.
	Tomatoes	0	0	.	1	0	100	1	0	100	0	0	.
	Vine leaves (grape leaves)	0	0	.	4	1	75	4	1	75	0	0	.
<b>Vegetables</b>		<b>0</b>	<b>0</b>	<b>.</b>	<b>71</b>	<b>3</b>	<b>95.8</b>	<b>71</b>	<b>3</b>	<b>95.8</b>	<b>0</b>	<b>0</b>	<b>.</b>
		<b>1</b>	<b>0</b>	<b>100</b>	<b>81</b>	<b>4</b>	<b>95.1</b>	<b>79</b>	<b>4</b>	<b>94.9</b>	<b>3</b>	<b>0</b>	<b>100</b>

**Ex = number of samples above MRL; % = percentage of samples below MRL**  
**Figures in bold are subtotals and totals for product groups**



**Table A1-b: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL  
part (b) - Variables related to the type of production and the samples processing**

**Strategy=Surveillance**

Product Class	Product	Organic			Non Organic			Raw			Process		
		Ex	%		Ex	%		Ex	%		Ex	%	
Animal products	Bovine Liver	0	0	.	3	0	100	3	0	100	0	0	.
	Honey	1	0	100	8	0	100	9	0	100	0	0	.
	Milk	0	0	.	3	0	100	3	0	100	0	0	.
	Poultry Liver	0	0	.	2	0	100	2	0	100	0	0	.
	Poultry Muscle	0	0	.	16	0	100	16	0	100	0	0	.
	Sheep Liver	0	0	.	10	0	100	10	0	100	0	0	.
<b>Animal products</b>		<b>1</b>	<b>0</b>	<b>100</b>	<b>42</b>	<b>0</b>	<b>100</b>	<b>43</b>	<b>0</b>	<b>100</b>	<b>0</b>	<b>0</b>	<b>.</b>
Baby food	Baby food for infants and young children	0	0	.	27	0	100	0	0	.	27	0	100
	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	0	0	.	5	0	100	0	0	.	5	0	100
<b>Baby food</b>		<b>0</b>	<b>0</b>	<b>.</b>	<b>32</b>	<b>0</b>	<b>100</b>	<b>0</b>	<b>0</b>	<b>.</b>	<b>32</b>	<b>0</b>	<b>100</b>
Cereals	Cereals	0	0	.	2	0	100	0	0	.	2	0	100
	Oats	0	0	.	1	0	100	0	0	.	1	0	100
	Rice	1	0	100	43	0	100	44	0	100	0	0	.
	Wheat	4	0	100	19	0	100	6	0	100	17	0	100
<b>Cereals</b>		<b>5</b>	<b>0</b>	<b>100</b>	<b>65</b>	<b>0</b>	<b>100</b>	<b>50</b>	<b>0</b>	<b>100</b>	<b>20</b>	<b>0</b>	<b>100</b>
Fruits and nuts	Apples	4	0	100	98	1	99	102	1	99	0	0	.
	Apricots	0	0	.	41	0	100	41	0	100	0	0	.
	Bananas	1	0	100	29	0	100	30	0	100	0	0	.
	Blueberries	0	0	.	2	0	100	0	0	.	2	0	100
	Cherries	0	0	.	46	1	97.8	46	1	97.8	0	0	.
	Figs	0	0	.	5	0	100	4	0	100	1	0	100
	Grapefruit	0	0	.	6	0	100	6	0	100	0	0	.
	Kiwi	3	0	100	46	1	97.8	49	1	98	0	0	.
	Lemons	0	0	.	25	1	96	25	1	96	0	0	.
	Mandarins	4	0	100	29	1	96.6	33	1	97	0	0	.
	Mangoes	0	0	.	2	1	50	2	1	50	0	0	.

**Ex = number of samples above MRL; % = percentage of samples below MRL  
Figures in bold are subtotals and totals for product groups**

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A1-b: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL**  
**part (b) - Variables related to the type of production and the samples processing**

**Strategy=Surveillance**

Product Class	Product	Organic			Non Organic			Raw			Process		
		Ex	%		Ex	%		Ex	%		Ex	%	
	Medlar	0	0	.	1	0	100	1	0	100	0	0	.
	Oranges	9	0	100	77	0	100	78	0	100	8	0	100
	Other kind of small fruit and berries	0	0	.	2	0	100	2	0	100	0	0	.
	Other small fruit and berries	0	0	.	1	0	100	1	0	100	0	0	.
	Peaches	0	0	.	64	3	95.3	63	3	95.2	1	0	100
	Pears	4	0	100	79	5	93.7	79	5	93.7	4	0	100
	Plums	1	0	100	29	0	100	30	0	100	0	0	.
	Pomegranate	0	0	.	11	0	100	11	0	100	0	0	.
	Strawberries	1	0	100	94	3	96.8	95	3	96.8	0	0	.
	Table and Wine grapes	0	0	.	12	0	100	12	0	100	0	0	.
	Table grapes	0	0	.	86	3	96.5	82	3	96.3	4	0	100
	Table olives	0	0	.	23	1	95.7	23	1	95.7	0	0	.
	Wine grapes	1	0	100	38	1	97.4	27	1	96.3	12	0	100
<b>Fruits and nuts</b>		<b>28</b>	<b>0</b>	<b>100</b>	<b>846</b>	<b>22</b>	<b>97.4</b>	<b>842</b>	<b>22</b>	<b>97.4</b>	<b>32</b>	<b>0</b>	<b>100</b>
Other plant products	Beans (dry)	2	1	50	1	0	100	3	1	66.7	0	0	.
	Lentils (dry)	1	0	100	1	0	100	2	0	100	0	0	.
	Olives for oil production	6	0	100	207	0	100	4	0	100	209	0	100
	Other pulses, dry	6	1	83.3	0	0	.	6	1	83.3	0	0	.
	Peas (dry)	0	0	.	1	0	100	1	0	100	0	0	.
	Pulses, Dry	1	1	0	0	0	.	1	1	0	0	0	.
	Soya bean	0	0	.	1	0	100	1	0	100	0	0	.
	Sugar cane	0	0	.	2	0	100	0	0	.	2	0	100
	Sunflower seed	0	0	.	1	0	100	0	0	.	1	0	100
	Tea	1	0	100	1	0	100	1	0	100	1	0	100
	Tea, Coffee, Herbal infusions and Cocoa	2	0	100	3	1	66.7	3	1	66.7	2	0	100
<b>Other plant products</b>		<b>19</b>	<b>3</b>	<b>84.2</b>	<b>218</b>	<b>1</b>	<b>99.5</b>	<b>22</b>	<b>4</b>	<b>81.8</b>	<b>215</b>	<b>0</b>	<b>100</b>
Vegetables	Asparagus	0	0	.	21	0	100	21	0	100	0	0	.

**Ex = number of samples above MRL; % = percentage of samples below MRL**  
**Figures in bold are subtotals and totals for product groups**

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A1-b: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL**  
**part (b) - Variables related to the type of production and the samples processing**

**Strategy=Surveillance**

Product Class	Product	Organic			Non Organic			Raw			Process		
		Ex	%		Ex	%		Ex	%		Ex	%	
	Aubergines (egg plants)	0	0	.	53	1	98.1	53	1	98.1	0	0	.
	Basil	0	0	.	1	0	100	1	0	100	0	0	.
	Beans (with pods)	1	0	100	65	3	95.4	66	3	95.5	0	0	.
	Beet leaves (chard)	0	0	.	1	0	100	1	0	100	0	0	.
	Broccoli	1	0	100	9	0	100	10	0	100	0	0	.
	Carrots	7	0	100	62	9	85.5	69	9	87	0	0	.
	Cauliflower	0	0	.	15	0	100	15	0	100	0	0	.
	Courgettes	2	0	100	54	0	100	56	0	100	0	0	.
	Cucumbers	8	0	100	95	2	97.9	103	2	98.1	0	0	.
	Cucurbits, edible peel	1	0	100	1	0	100	2	0	100	0	0	.
	Fresh Herbs	0	0	.	1	1	0	1	1	0	0	0	.
	Head brassica	0	0	.	10	0	100	10	0	100	0	0	.
	Head cabbage	2	0	100	11	0	100	13	0	100	0	0	.
	Leaf vegetables and fresh herbs	0	0	.	1	0	100	1	0	100	0	0	.
	Leek	0	0	.	14	0	100	14	0	100	0	0	.
	Lentils (fresh)	1	0	100	3	0	100	4	0	100	0	0	.
	Lettuce	4	0	100	77	2	97.4	81	2	97.5	0	0	.
	Lettuce and other salad plants, including Brassicacea	0	0	.	14	0	100	14	0	100	0	0	.
	Melons	1	0	100	45	0	100	46	0	100	0	0	.
	Okra (lady's fingers)	0	0	.	12	0	100	12	0	100	0	0	.
	Onions	0	0	.	12	0	100	12	0	100	0	0	.
	Parsley root	0	0	.	5	0	100	5	0	100	0	0	.
	Peas (with pods)	0	0	.	3	1	66.7	3	1	66.7	0	0	.
	Peas (without pods)	0	0	.	25	0	100	25	0	100	0	0	.
	Peppers	1	0	100	71	3	95.8	72	3	95.8	0	0	.
	Potatoes	3	0	100	88	6	93.2	91	6	93.4	0	0	.
	Rocket, Rucola	0	0	.	4	1	75	4	1	75	0	0	.

**Ex = number of samples above MRL; % = percentage of samples below MRL**  
**Figures in bold are subtotals and totals for product groups**

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A1-b: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL**  
**part (b) - Variables related to the type of production and the samples processing**

**Strategy=Surveillance**

<i>Product Class</i>	<i>Product</i>	<i>Organic</i>			<i>Non</i>			<i>Raw</i>			<i>Process</i>		
		<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Organic</i>	<i>Ex</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	
	Spinach	5	0	100	65	4	93.8	70	4	94.3	0	0	.
	Spinach and similar (leaves)	0	0	.	6	0	100	6	0	100	0	0	.
	Spring onions	0	0	.	2	0	100	2	0	100	0	0	.
	Tomatoes	9	0	100	105	1	99	114	1	99.1	0	0	.
	Vine leaves (grape leaves)	0	0	.	21	13	38.1	20	13	35	1	0	100
	Watermelons	1	0	100	19	0	100	20	0	100	0	0	.
<b>Vegetables</b>		<b>47</b>	<b>0</b>	<b>100</b>	<b>991</b>	<b>47</b>	<b>95.3</b>	<b>1037</b>	<b>47</b>	<b>95.5</b>	<b>1</b>	<b>0</b>	<b>100</b>
		<b>100</b>	<b>3</b>	<b>97</b>	<b>2194</b>	<b>70</b>	<b>96.8</b>	<b>1994</b>	<b>73</b>	<b>96.3</b>	<b>300</b>	<b>0</b>	<b>100</b>

*Ex = number of samples above MRL; % = percentage of samples below MRL*  
**Figures in bold are subtotals and totals for product groups**

Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM

**Table A2-a: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level  
Part (a) - Variables related to the origin of samples**

## Strategy=Enforcement

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%		ND	%		ND	%		ND	%	
Cereals	Barley	1	0	100	1	0	100	0	0	.	0	0	.
	Wheat	1	1	0	0	0	.	0	0	.	0	0	.
<b>Cereals</b>		<b>2</b>	<b>1</b>	<b>50</b>	<b>1</b>	<b>0</b>	<b>100</b>	<b>0</b>	<b>0</b>	<b>.</b>	<b>0</b>	<b>0</b>	<b>.</b>
Fruits and nuts	Apricots	1	1	0	1	1	0	0	0	.	0	0	.
	Grapefruit	1	1	0	0	0	.	0	0	.	1	1	0
	Oranges	1	1	0	0	0	.	0	0	.	1	1	0
	Pears	1	1	0	1	1	0	0	0	.	0	0	.
	Strawberries	3	3	0	3	3	0	0	0	.	0	0	.
<b>Fruits and nuts</b>		<b>7</b>	<b>7</b>	<b>0</b>	<b>5</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>.</b>	<b>2</b>	<b>2</b>	<b>0</b>
Other plant products	Beans (dry)	1	0	100	1	0	100	0	0	.	0	0	.
	Tea	1	1	0	0	0	.	0	0	.	1	1	0
<b>Other plant products</b>		<b>2</b>	<b>1</b>	<b>50</b>	<b>1</b>	<b>0</b>	<b>100</b>	<b>0</b>	<b>0</b>	<b>.</b>	<b>1</b>	<b>1</b>	<b>0</b>
Vegetables	Beans (with pods)	1	0	100	0	0	.	0	0	.	1	0	100
	Courgettes	1	1	0	1	1	0	0	0	.	0	0	.
	Cucumbers	1	0	100	1	0	100	0	0	.	0	0	.
	Peppers	59	36	39	4	2	50	0	0	.	55	34	38.2
	Potatoes	3	0	100	3	0	100	0	0	.	0	0	.
	Spinach	1	1	0	1	1	0	0	0	.	0	0	.
	Tomatoes	1	0	100	0	0	.	0	0	.	1	0	100
<b>Vegetables</b>		<b>71</b>	<b>39</b>	<b>45.1</b>	<b>13</b>	<b>5</b>	<b>61.5</b>	<b>0</b>	<b>0</b>	<b>.</b>	<b>58</b>	<b>34</b>	<b>41.4</b>
		<b>82</b>	<b>48</b>	<b>41.5</b>	<b>20</b>	<b>10</b>	<b>50</b>	<b>0</b>	<b>0</b>	<b>.</b>	<b>61</b>	<b>37</b>	<b>39.3</b>

**ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)**

**Figures in bold are subtotals and totals for product groups**

**Table A2-a: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level**  
**Part (a) - Variables related to the origin of samples**

**Strategy=Surveillance**

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%	ND	%	ND	%	ND	%	ND	%		
Animal products	Bovine Liver	3	0	100	3	0	100	0	0	.	0	0	.
	Honey	9	0	100	9	0	100	0	0	.	0	0	.
	Milk	3	0	100	3	0	100	0	0	.	0	0	.
	Poultry Liver	2	0	100	2	0	100	0	0	.	0	0	.
	Poultry Muscle	16	0	100	16	0	100	0	0	.	0	0	.
	Sheep Liver	10	0	100	10	0	100	0	0	.	0	0	.
<b>Animal products</b>		<b>43</b>	<b>0</b>	<b>100</b>	<b>43</b>	<b>0</b>	<b>100</b>	<b>0</b>	<b>0</b>	<b>.</b>	<b>0</b>	<b>0</b>	<b>.</b>
Baby food	Baby food for infants and young children	27	0	100	11	0	100	16	0	100	0	0	.
	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	5	0	100	5	0	100	0	0	.	0	0	.
<b>Baby food</b>		<b>32</b>	<b>0</b>	<b>100</b>	<b>16</b>	<b>0</b>	<b>100</b>	<b>16</b>	<b>0</b>	<b>100</b>	<b>0</b>	<b>0</b>	<b>.</b>
Cereals	Cereals	2	1	50	2	1	50	0	0	.	0	0	.
	Oats	1	0	100	1	0	100	0	0	.	0	0	.
	Rice	44	8	81.8	40	6	85	1	0	100	0	0	.
	Wheat	23	6	73.9	22	6	72.7	0	0	.	1	0	100
<b>Cereals</b>		<b>70</b>	<b>15</b>	<b>78.6</b>	<b>65</b>	<b>13</b>	<b>80</b>	<b>1</b>	<b>0</b>	<b>100</b>	<b>1</b>	<b>0</b>	<b>100</b>
Fruits and nuts	Apples	102	69	32.4	90	59	34.4	2	1	50	10	9	10
	Apricots	41	30	26.8	41	30	26.8	0	0	.	0	0	.
	Bananas	30	17	43.3	5	1	80	0	0	.	25	16	36
	Blueberries	2	0	100	2	0	100	0	0	.	0	0	.
	Cherries	46	29	37	46	29	37	0	0	.	0	0	.
	Figs	5	2	60	5	2	60	0	0	.	0	0	.
	Grapefruit	6	4	33.3	1	0	100	0	0	.	5	4	20
	Kiwi	49	11	77.6	47	11	76.6	1	0	100	1	0	100
	Lemons	25	12	52	17	6	64.7	0	0	.	8	6	25
	Mandarins	33	18	45.5	33	18	45.5	0	0	.	0	0	.
	Mangoes	2	1	50	0	0	.	0	0	.	2	1	50

**ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)**

**Figures in bold are subtotals and totals for product groups**

**Table A2-a: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level  
Part (a) - Variables related to the origin of samples**

**Strategy=Surveillance**

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%		ND	%		ND	%		ND	%	
	Medlar	1	0	100	1	0	100	0	0	.	0	0	.
	Oranges	86	36	58.1	80	30	62.5	0	0	.	6	6	0
	Other kind of small fruit and berries	2	0	100	2	0	100	0	0	.	0	0	.
	Other small fruit and berries	1	0	100	1	0	100	0	0	.	0	0	.
	Peaches	64	49	23.4	64	49	23.4	0	0	.	0	0	.
	Pears	83	55	33.7	65	41	36.9	6	4	33.3	12	10	16.7
	Plums	30	20	33.3	29	20	31	0	0	.	1	0	100
	Pomegranate	11	4	63.6	11	4	63.6	0	0	.	0	0	.
	Strawberries	95	73	23.2	94	72	23.4	0	0	.	1	1	0
	Table and Wine grapes	12	10	16.7	11	10	9.1	0	0	.	1	0	100
	Table grapes	86	51	40.7	86	51	40.7	0	0	.	0	0	.
	Table olives	23	1	95.7	23	1	95.7	0	0	.	0	0	.
	Wine grapes	39	16	59	39	16	59	0	0	.	0	0	.
<b>Fruits and nuts</b>		<b>874</b>	<b>508</b>	<b>41.9</b>	<b>793</b>	<b>450</b>	<b>43.3</b>	<b>9</b>	<b>5</b>	<b>44.4</b>	<b>72</b>	<b>53</b>	<b>26.4</b>
Other plant products	Beans (dry)	3	1	66.7	3	1	66.7	0	0	.	0	0	.
	Lentils (dry)	2	0	100	1	0	100	0	0	.	1	0	100
	Olives for oil production	213	17	92	213	17	92	0	0	.	0	0	.
	Other pulses, dry	6	6	0	6	6	0	0	0	.	0	0	.
	Peas (dry)	1	0	100	0	0	.	0	0	.	1	0	100
	Pulses, Dry	1	1	0	1	1	0	0	0	.	0	0	.
	Soya bean	1	0	100	1	0	100	0	0	.	0	0	.
	Sugar cane	2	0	100	0	0	.	0	0	.	1	0	100
	Sunflower seed	1	0	100	1	0	100	0	0	.	0	0	.
	Tea	2	0	100	1	0	100	0	0	.	1	0	100
	Tea, Coffee, Herbal infusions and Cocoa	5	1	80	5	1	80	0	0	.	0	0	.
<b>Other plant products</b>		<b>237</b>	<b>26</b>	<b>89</b>	<b>232</b>	<b>26</b>	<b>88.8</b>	<b>0</b>	<b>0</b>	<b>.</b>	<b>4</b>	<b>0</b>	<b>100</b>
Vegetables	Asparagus	21	1	95.2	21	1	95.2	0	0	.	0	0	.

**ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)**

**Figures in bold are subtotals and totals for product groups**

Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM

**Table A2-a: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level  
Part (a) - Variables related to the origin of samples**

**Strategy=Surveillance**

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%		ND	%		ND	%		ND	%	
	Aubergines (egg plants)	53	7	86.8	48	7	85.4	2	0	100	3	0	100
	Basil	1	1	0	0	0	.	0	0	.	1	1	0
	Beans (with pods)	66	17	74.2	62	16	74.2	3	1	66.7	1	0	100
	Beet leaves (chard)	1	1	0	1	1	0	0	0	.	0	0	.
	Broccoli	10	0	100	10	0	100	0	0	.	0	0	.
	Carrots	69	27	60.9	68	27	60.3	1	0	100	0	0	.
	Cauliflower	15	0	100	15	0	100	0	0	.	0	0	.
	Courgettes	56	5	91.1	54	4	92.6	1	0	100	1	1	0
	Cucumbers	103	21	79.6	102	20	80.4	0	0	.	1	1	0
	Cucurbits, edible peel	2	1	50	2	1	50	0	0	.	0	0	.
	Fresh Herbs	1	1	0	1	1	0	0	0	.	0	0	.
	Head brassica	10	1	90	10	1	90	0	0	.	0	0	.
	Head cabbage	13	0	100	11	0	100	1	0	100	1	0	100
	Leaf vegetables and fresh herbs	1	0	100	1	0	100	0	0	.	0	0	.
	Leek	14	0	100	14	0	100	0	0	.	0	0	.
	Lentils (fresh)	4	0	100	2	0	100	0	0	.	2	0	100
	Lettuce	81	23	71.6	81	23	71.6	0	0	.	0	0	.
	Lettuce and other salad plants, including Brassicacea	14	2	85.7	14	2	85.7	0	0	.	0	0	.
	Melons	46	9	80.4	45	9	80	0	0	.	0	0	.
	Okra (lady's fingers)	12	1	91.7	10	1	90	1	0	100	1	0	100
	Onions	12	0	100	9	0	100	0	0	.	3	0	100
	Parsley root	5	1	80	5	1	80	0	0	.	0	0	.
	Peas (with pods)	3	1	66.7	3	1	66.7	0	0	.	0	0	.
	Peas (without pods)	25	1	96	21	1	95.2	2	0	100	2	0	100
	Peppers	72	16	77.8	64	13	79.7	0	0	.	8	3	62.5
	Potatoes	91	17	81.3	83	15	81.9	2	0	100	6	2	66.7
	Rocket, Rucola	4	1	75	4	1	75	0	0	.	0	0	.

**ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)**

**Figures in bold are subtotals and totals for product groups**



Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM

Table A2-a: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level  
Part (a) - Variables related to the origin of samples

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%		ND	%		ND	%		ND	%	
	Spinach	70	18	74.3	67	17	74.6	1	0	100	2	1	50
	Spinach and similar (leaves)	6	0	100	6	0	100	0	0	.	0	0	.
	Spring onions	2	0	100	0	0	.	0	0	.	2	0	100
	Tomatoes	114	47	58.8	102	42	58.8	2	0	100	10	5	50
	Vine leaves (grape leaves)	21	15	28.6	20	15	25	0	0	.	1	0	100
	Watermelons	20	0	100	20	0	100	0	0	.	0	0	.
<b>Vegetables</b>		<b>1038</b>	<b>235</b>	<b>77.4</b>	<b>976</b>	<b>220</b>	<b>77.5</b>	<b>16</b>	<b>1</b>	<b>93.8</b>	<b>45</b>	<b>14</b>	<b>68.9</b>
		<b>2294</b>	<b>784</b>	<b>65.8</b>	<b>2125</b>	<b>709</b>	<b>66.6</b>	<b>42</b>	<b>6</b>	<b>85.7</b>	<b>122</b>	<b>67</b>	<b>45.1</b>

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)  
Figures in bold are subtotals and totals for product groups

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A2-b: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level**  
**Part (b) - Variables related to the type of production and the samples processing**

**Strategy=Enforcement**

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%		ND	%		ND	%		ND	%	
Cereals	Barley	0	0	.	1	0	100	1	0	100	0	0	.
	Wheat	0	0	.	1	1	0	0	0	.	1	1	0
<b>Cereals</b>		<b>0</b>	<b>0</b>	<b>.</b>	<b>2</b>	<b>1</b>	<b>50</b>	<b>1</b>	<b>0</b>	<b>100</b>	<b>1</b>	<b>1</b>	<b>0</b>
Fruits and nuts	Apricots	0	0	.	1	1	0	0	0	.	1	1	0
	Grapefruit	0	0	.	1	1	0	1	1	0	0	0	.
	Oranges	0	0	.	1	1	0	1	1	0	0	0	.
	Pears	0	0	.	1	1	0	0	0	.	1	1	0
	Strawberries	0	0	.	3	3	0	3	3	0	0	0	.
<b>Fruits and nuts</b>		<b>0</b>	<b>0</b>	<b>.</b>	<b>7</b>	<b>7</b>	<b>0</b>	<b>5</b>	<b>5</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>0</b>
Other plant products	Beans (dry)	1	0	100	0	0	.	1	0	100	0	0	.
	Tea	0	0	.	1	1	0	1	1	0	0	0	.
<b>Other plant products</b>		<b>1</b>	<b>0</b>	<b>100</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>1</b>	<b>50</b>	<b>0</b>	<b>0</b>	<b>.</b>
Vegetables	Beans (with pods)	0	0	.	1	0	100	1	0	100	0	0	.
	Courgettes	0	0	.	1	1	0	1	1	0	0	0	.
	Cucumbers	0	0	.	1	0	100	1	0	100	0	0	.
	Peppers	0	0	.	59	36	39	59	36	39	0	0	.
	Potatoes	0	0	.	3	0	100	3	0	100	0	0	.
	Spinach	0	0	.	1	1	0	1	1	0	0	0	.
	Tomatoes	0	0	.	1	0	100	1	0	100	0	0	.
	Vine leaves (grape leaves)	0	0	.	4	1	75	4	1	75	0	0	.
<b>Vegetables</b>		<b>0</b>	<b>0</b>	<b>.</b>	<b>71</b>	<b>39</b>	<b>45.1</b>	<b>71</b>	<b>39</b>	<b>45.1</b>	<b>0</b>	<b>0</b>	<b>.</b>
		<b>1</b>	<b>0</b>	<b>100</b>	<b>81</b>	<b>48</b>	<b>40.7</b>	<b>79</b>	<b>45</b>	<b>43</b>	<b>3</b>	<b>3</b>	<b>0</b>

**ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)**

**Figures in bold are subtotals and totals for product groups**

**Table A2-b: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level  
Part (b) - Variables related to the type of production and the samples processing**

## Strategy=Surveillance

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%	ND	%	ND	%	ND	%	ND	%		
Animal products	Bovine Liver	0	0	.	3	0	100	3	0	100	0	0	.
	Honey	1	0	100	8	0	100	9	0	100	0	0	.
	Milk	0	0	.	3	0	100	3	0	100	0	0	.
	Poultry Liver	0	0	.	2	0	100	2	0	100	0	0	.
	Poultry Muscle	0	0	.	16	0	100	16	0	100	0	0	.
	Sheep Liver	0	0	.	10	0	100	10	0	100	0	0	.
<b>Animal products</b>		<b>1</b>	<b>0</b>	<b>100</b>	<b>42</b>	<b>0</b>	<b>100</b>	<b>43</b>	<b>0</b>	<b>100</b>	<b>0</b>	<b>0</b>	<b>.</b>
Baby food	Baby food for infants and young children	0	0	.	27	0	100	0	0	.	27	0	100
	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	0	0	.	5	0	100	0	0	.	5	0	100
<b>Baby food</b>		<b>0</b>	<b>0</b>	<b>.</b>	<b>32</b>	<b>0</b>	<b>100</b>	<b>0</b>	<b>0</b>	<b>.</b>	<b>32</b>	<b>0</b>	<b>100</b>
Cereals	Cereals	0	0	.	2	1	50	0	0	.	2	1	50
	Oats	0	0	.	1	0	100	0	0	.	1	0	100
	Rice	1	0	100	43	8	81.4	44	8	81.8	0	0	.
	Wheat	4	0	100	19	6	68.4	6	0	100	17	6	64.7
<b>Cereals</b>		<b>5</b>	<b>0</b>	<b>100</b>	<b>65</b>	<b>15</b>	<b>76.9</b>	<b>50</b>	<b>8</b>	<b>84</b>	<b>20</b>	<b>7</b>	<b>65</b>
Fruits and nuts	Apples	4	1	75	98	68	30.6	102	69	32.4	0	0	.
	Apricots	0	0	.	41	30	26.8	41	30	26.8	0	0	.
	Bananas	1	0	100	29	17	41.4	30	17	43.3	0	0	.
	Blueberries	0	0	.	2	0	100	0	0	.	2	0	100
	Cherries	0	0	.	46	29	37	46	29	37	0	0	.
	Figs	0	0	.	5	2	60	4	2	50	1	0	100
	Grapefruit	0	0	.	6	4	33.3	6	4	33.3	0	0	.
	Kiwi	3	0	100	46	11	76.1	49	11	77.6	0	0	.
	Lemons	0	0	.	25	12	52	25	12	52	0	0	.
	Mandarins	4	0	100	29	18	37.9	33	18	45.5	0	0	.
	Mangoes	0	0	.	2	1	50	2	1	50	0	0	.

**ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)**

**Figures in bold are subtotals and totals for product groups**

Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM

**Table A2-b: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level  
Part (b) - Variables related to the type of production and the samples processing**

**Strategy=Surveillance**

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%		ND	%		ND	%		ND	%	
	Medlar	0	0	.	1	0	100	1	0	100	0	0	.
	Oranges	9	1	88.9	77	35	54.5	78	33	57.7	8	3	62.5
	Other kind of small fruit and berries	0	0	.	2	0	100	2	0	100	0	0	.
	Other small fruit and berries	0	0	.	1	0	100	1	0	100	0	0	.
	Peaches	0	0	.	64	49	23.4	63	49	22.2	1	0	100
	Pears	4	1	75	79	54	31.6	79	52	34.2	4	3	25
	Plums	1	0	100	29	20	31	30	20	33.3	0	0	.
	Pomegranate	0	0	.	11	4	63.6	11	4	63.6	0	0	.
	Strawberries	1	0	100	94	73	22.3	95	73	23.2	0	0	.
	Table and Wine grapes	0	0	.	12	10	16.7	12	10	16.7	0	0	.
	Table grapes	0	0	.	86	51	40.7	82	51	37.8	4	0	100
	Table olives	0	0	.	23	1	95.7	23	1	95.7	0	0	.
	Wine grapes	1	0	100	38	16	57.9	27	9	66.7	12	7	41.7
<b>Fruits and nuts</b>		<b>28</b>	<b>3</b>	<b>89.3</b>	<b>846</b>	<b>505</b>	<b>40.3</b>	<b>842</b>	<b>495</b>	<b>41.2</b>	<b>32</b>	<b>13</b>	<b>59.4</b>
Other plant products	Beans (dry)	2	1	50	1	0	100	3	1	66.7	0	0	.
	Lentils (dry)	1	0	100	1	0	100	2	0	100	0	0	.
	Olives for oil production	6	0	100	207	17	91.8	4	0	100	209	17	91.9
	Other pulses, dry	6	6	0	0	0	.	6	6	0	0	0	.
	Peas (dry)	0	0	.	1	0	100	1	0	100	0	0	.
	Pulses, Dry	1	1	0	0	0	.	1	1	0	0	0	.
	Soya bean	0	0	.	1	0	100	1	0	100	0	0	.
	Sugar cane	0	0	.	2	0	100	0	0	.	2	0	100
	Sunflower seed	0	0	.	1	0	100	0	0	.	1	0	100
	Tea	1	0	100	1	0	100	1	0	100	1	0	100
	Tea, Coffee, Herbal infusions and Cocoa	2	0	100	3	1	66.7	3	1	66.7	2	0	100
<b>Other plant products</b>		<b>19</b>	<b>8</b>	<b>57.9</b>	<b>218</b>	<b>18</b>	<b>91.7</b>	<b>22</b>	<b>9</b>	<b>59.1</b>	<b>215</b>	<b>17</b>	<b>92.1</b>
Vegetables	Asparagus	0	0	.	21	1	95.2	21	1	95.2	0	0	.

**ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)**

**Figures in bold are subtotals and totals for product groups**

Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM

**Table A2-b: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level  
Part (b) - Variables related to the type of production and the samples processing**

**Strategy=Surveillance**

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%		ND	%		ND	%		ND	%	
	Aubergines (egg plants)	0	0	.	53	7	86.8	53	7	86.8	0	0	.
	Basil	0	0	.	1	1	0	1	1	0	0	0	.
	Beans (with pods)	1	0	100	65	17	73.8	66	17	74.2	0	0	.
	Beet leaves (chard)	0	0	.	1	1	0	1	1	0	0	0	.
	Broccoli	1	0	100	9	0	100	10	0	100	0	0	.
	Carrots	7	0	100	62	27	56.5	69	27	60.9	0	0	.
	Cauliflower	0	0	.	15	0	100	15	0	100	0	0	.
	Courgettes	2	0	100	54	5	90.7	56	5	91.1	0	0	.
	Cucumbers	8	0	100	95	21	77.9	103	21	79.6	0	0	.
	Cucurbits, edible peel	1	1	0	1	0	100	2	1	50	0	0	.
	Fresh Herbs	0	0	.	1	1	0	1	1	0	0	0	.
	Head brassica	0	0	.	10	1	90	10	1	90	0	0	.
	Head cabbage	2	0	100	11	0	100	13	0	100	0	0	.
	Leaf vegetables and fresh herbs	0	0	.	1	0	100	1	0	100	0	0	.
	Leek	0	0	.	14	0	100	14	0	100	0	0	.
	Lentils (fresh)	1	0	100	3	0	100	4	0	100	0	0	.
	Lettuce	4	0	100	77	23	70.1	81	23	71.6	0	0	.
	Lettuce and other salad plants, including Brassicacea	0	0	.	14	2	85.7	14	2	85.7	0	0	.
	Melons	1	0	100	45	9	80	46	9	80.4	0	0	.
	Okra (lady's fingers)	0	0	.	12	1	91.7	12	1	91.7	0	0	.
	Onions	0	0	.	12	0	100	12	0	100	0	0	.
	Parsley root	0	0	.	5	1	80	5	1	80	0	0	.
	Peas (with pods)	0	0	.	3	1	66.7	3	1	66.7	0	0	.
	Peas (without pods)	0	0	.	25	1	96	25	1	96	0	0	.
	Peppers	1	0	100	71	16	77.5	72	16	77.8	0	0	.
	Potatoes	3	0	100	88	17	80.7	91	17	81.3	0	0	.
	Rocket, Rucola	0	0	.	4	1	75	4	1	75	0	0	.

**ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)**

**Figures in bold are subtotals and totals for product groups**

Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM

**Table A2-b: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level  
Part (b) - Variables related to the type of production and the samples processing**

**Strategy=Surveillance**

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%		ND	%		ND	%		ND	%	
	Spinach	5	0	100	65	18	72.3	70	18	74.3	0	0	.
	Spinach and similar (leaves)	0	0	.	6	0	100	6	0	100	0	0	.
	Spring onions	0	0	.	2	0	100	2	0	100	0	0	.
	Tomatoes	9	1	88.9	105	46	56.2	114	47	58.8	0	0	.
	Vine leaves (grape leaves)	0	0	.	21	15	28.6	20	14	30	1	1	0
	Watermelons	1	0	100	19	0	100	20	0	100	0	0	.
<b>Vegetables</b>		<b>47</b>	<b>2</b>	<b>95.7</b>	<b>991</b>	<b>233</b>	<b>76.5</b>	<b>1037</b>	<b>234</b>	<b>77.4</b>	<b>1</b>	<b>1</b>	<b>0</b>
		<b>100</b>	<b>13</b>	<b>87</b>	<b>2194</b>	<b>771</b>	<b>64.9</b>	<b>1994</b>	<b>746</b>	<b>62.6</b>	<b>300</b>	<b>38</b>	<b>87.3</b>

**ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)  
Figures in bold are subtotals and totals for product groups**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
1	2,4-D	25	0	0
6	Abamectin (sum)	25	0	0
7	Acephate	28	0	0
8	Acetamiprid	28	0	0
9	Acetochlor	3	0	0
10	Aclonifen	3	0	0
11	Acrinathrin	43	0	0
12	Alachlor	43	0	0
13	Aldicarb	28	0	0
14	Aldicarb (sum)	28	0	0
15	Aldicarb sulfone	28	0	0
16	Aldicarb sulfoxide	28	0	0
17	Aldrin	18	0	0
18	Aldrin and Dieldrin	43	0	0
20	Ametryn	18	0	0
25	Atrazine	18	0	0
28	Azimsulfuron	18	0	0
29	Azinphos-ethyl	43	0	0
30	Azinphos-methyl	43	0	0
31	Azoxystrobin	43	0	0
33	Benalaxyl (sum)	18	0	0
35	Bendiocarb	3	0	0
36	Benfluralin	28	0	0
37	Benfuracarb	3	0	0
38	Bensulfuron-ethyl	18	0	0
41	Benzoximate	3	0	0
42	Bifenthrin	43	0	0
44	Bitertanol	43	0	0
45	Boscalid	43	0	0
46	Bromacil	3	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
48	Bromophos-ethyl	3	0	0
49	Bromopropylate	43	0	0
50	Bromuconazole (sum)	43	0	0
51	Bupirimate	43	0	0
52	Buprofezin	43	0	0
53	Cadusafos	43	0	0
54	Captafol	18	0	0
57	Carbaryl	43	0	0
58	Carbendazim	40	0	0
59	Carbendazim and benomyl	18	0	0
60	Carbofuran	28	0	0
61	Carbofuran (sum)	43	0	0
62	Carbofuran, 3-hydroxy	28	0	0
64	Carbosulfan	18	0	0
65	Carboxin	3	0	0
67	Chlorbromuron	18	0	0
68	Chlordane	25	0	0
70	Chlordane (sum)	18	0	0
71	Chlorfenapyr	28	0	0
73	Chlorfenvinphos	43	0	0
74	Chloridazon	3	0	0
77	Chlorobenzilate	43	0	0
78	Chlorothalonil	22	0	0
79	Chlorotoluron	18	0	0
80	Chloroxuron	3	0	0
81	Chlorpropham	25	0	0
83	Chlorpyrifos	43	0	0
84	Chlorpyrifos-methyl	43	0	0
85	Chlorsulfuron	3	0	0
86	Chlorthal-dimethyl	3	0	0



**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Animal Products	Nr Found	MRL Ex
88	Cinerin	3	0	0
89	Cinerin I	3	0	0
90	Cinerin II	3	0	0
91	Clethodim (sum)	18	0	0
92	Clofentezine	18	0	0
94	Clothianidin	28	0	0
95	Coumaphos	28	0	0
96	Cyanazine	3	0	0
98	Cyfluthrin (sum)	43	0	0
99	Cymoxanil	3	0	0
101	Cypermethrin (sum)	43	0	0
102	Cyproconazole	43	0	0
103	Cyprodinil	28	0	0
104	Cyromazine	3	0	0
105	DDD, p,p-	43	0	0
106	DDE, o,p-	18	0	0
107	DDE, p,p-	43	0	0
108	DDT (sum)	43	0	0
109	DDT, o,p-	28	0	0
110	DDT, p,p-	43	0	0
111	Deltamethrin	43	0	0
113	Demeton-S-methyl	43	0	0
114	Demeton-S-methyl sulfone	3	0	0
115	Desmetryn	3	0	0
116	Diafenthiuron	3	0	0
117	Diazinon	43	0	0
119	Dichlofluanid	43	0	0
122	Dichlorprop	25	0	0
123	Dichlorprop	25	0	0
124	Dichlorvos	28	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
125	Dicloran	18	0	0
126	Dicofol (sum)	18	0	0
127	Dicofol o, p'	18	0	0
128	Dicofol p, p'	18	0	0
129	Dicrotophos	3	0	0
130	Dieldrin	18	0	0
131	Diethofencarb	18	0	0
132	Difenoconazole	43	0	0
133	Diflubenzuron	18	0	0
134	Diflufenican	43	0	0
135	Dimethoate	43	0	0
136	Dimethoate (sum)	43	0	0
137	Dimethomorph	43	0	0
139	Diniconazole	18	0	0
140	Dinitramine	18	0	0
141	Dinobuton	18	0	0
146	Diphenamid	3	0	0
147	Diphenylamine	28	0	0
148	Disulfoton	18	0	0
149	Disulfoton (sum baby and infant food)	43	0	0
150	Disulfoton sulfone	43	0	0
151	Disulfoton sulfoxide	43	0	0
155	Dodemorph	18	0	0
157	EPN	28	0	0
159	Endosulfan (sum)	43	0	0
160	Endosulfansulfate	43	0	0
161	Endrin	43	0	0
162	Epoxiconazole	43	0	0
164	Ethalfuralin	43	0	0
167	Ethion	18	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
168	Ethirimol	3	0	0
169	Ethofumesate	18	0	0
170	Ethofumesate (sum)	18	0	0
171	Ethoprophos	43	0	0
172	Ethoxyquin	3	0	0
173	Etofenprox	3	0	0
174	Etoxazole	18	0	0
175	Etrimfos	25	0	0
176	Famoxadone	43	0	0
177	Fenamidone	18	0	0
178	Fenamiphos	18	0	0
179	Fenamiphos (sum)	3	0	0
180	Fenamiphos sulfone	3	0	0
181	Fenamiphos sulfoxide	3	0	0
182	Fenarimol	43	0	0
183	Fenazaquin	43	0	0
184	Fenbuconazole	43	0	0
187	Fenhexamid	43	0	0
188	Fenitrothion	43	0	0
189	Fenoxycarb	43	0	0
190	Fenpropathrin	43	0	0
191	Fenpropidin	3	0	0
192	Fenpropimorph	18	0	0
193	Fenpyroximate	18	0	0
195	Fensulfothion	18	0	0
196	Fensulfothion (sum baby and infant food)	18	0	0
197	Fensulfothion oxon	18	0	0
198	Fensulfothion oxon sulphone	18	0	0
199	Fensulfothion sulfone	18	0	0
200	Fenthion	43	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
201	Fenthion (sum)	43	0	0
202	Fenthion oxon	18	0	0
203	Fenthion oxon sulfone	18	0	0
204	Fenthion oxonsulfoxide	18	0	0
205	Fenthion sulfone	43	0	0
206	Fenthion sulfoxide	43	0	0
208	Fenvalerate (sum of RR, SS, RS and SR isomers)	43	0	0
212	Fipronil	25	0	0
214	Fipronil desulfinyl	3	0	0
216	Fluazifop (free acid)	25	0	0
218	Fluazinam	3	0	0
220	Flucythrinate	18	0	0
222	Fludioxonil	28	0	0
223	Flufenacet	3	0	0
225	Flufenoxuron	28	0	0
226	Fluometuron	3	0	0
227	Fluopicolide	3	0	0
228	Fluquinconazole	43	0	0
229	Fluroxypyr	25	0	0
231	Flusilazole	43	0	0
232	Flutolanil	3	0	0
233	Flutriafol	43	0	0
234	Fluvalinate	25	0	0
235	Folpet	18	0	0
240	Fosthiazate	18	0	0
241	Furathiocarb	18	0	0
244	Haloxyfop	25	0	0
252	Heptachlor	43	0	0
253	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	43	0	0
254	Heptachlor endo-epoxide	25	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
255	Heptachlor epoxide	18	0	0
256	Heptachlor exo-epoxide	25	0	0
257	Heptenophos	43	0	0
258	Hexachlorobenzene	43	0	0
259	Hexachlorocyclohexane (HCH), alpha-isomer	43	0	0
260	Hexachlorocyclohexane (HCH), beta-isomer	43	0	0
261	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	27	0	0
262	Hexaconazole	43	0	0
264	Hexythiazox	43	0	0
265	Imazalil	43	0	0
266	Imazamethabenz-methyl	3	0	0
267	Imidacloprid	28	0	0
268	Indoxacarb as sum of the isomers S and R	43	0	0
271	Iprodione	43	0	0
272	Iprovalicarb	43	0	0
273	Isofenphos-methyl	43	0	0
274	Isoprothiolane	3	0	0
275	Isoproturon	28	0	0
276	Jasmolin I	3	0	0
277	Jasmolin II	3	0	0
278	Kresoxim-methyl	27	0	0
279	Lambda-Cyhalothrin	18	0	0
280	Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)	25	0	0
281	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	43	0	0
282	Linuron	43	0	0
283	Lufenuron	28	0	0
284	MCPA	25	0	0
286	Malaoxon	43	0	0
287	Malathion	43	0	0
288	Malathion (sum of malathion and malaoxon expressed as malathion)	43	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
290	Mecarbam	3	0	0
291	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	25	0	0
292	Mepanipyrim	43	0	0
296	Metaflumizone (sum of E- and Z- isomers)	3	0	0
298	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	43	0	0
299	Metamitron	3	0	0
300	Metazachlor	3	0	0
301	Metconazole	43	0	0
302	Methabenzthiazuron	3	0	0
303	Methacrifos	43	0	0
304	Methamidophos	28	0	0
305	Methidathion	43	0	0
306	Methiocarb	28	0	0
307	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	28	0	0
308	Methiocarb sulfone	28	0	0
309	Methiocarb sulfoxide	28	0	0
310	Metholachlor	3	0	0
311	Methomyl	28	0	0
312	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	28	0	0
313	Methoxychlor	43	0	0
314	Methoxyfenozide	43	0	0
315	Metobromuron	18	0	0
316	Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers))	25	0	0
317	Metoxuron	3	0	0
319	Metribuzin	3	0	0
320	Metsulfuron-methyl	18	0	0
321	Mevinphos (sum of E- and Z-isomers)	3	0	0
322	Monocrotophos	28	0	0
323	Monolinuron	18	0	0
324	Myclobutanil	18	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
325	Naled	18	0	0
326	Napropamide	3	0	0
327	Nicosulfuron	18	0	0
328	Nitenpyram	3	0	0
329	Nitrofen	28	0	0
330	Nuarimol	3	0	0
331	Omethoate	43	0	0
332	Orthophenylphenol	25	0	0
333	Oxadiazon	3	0	0
334	Oxadixyl	28	0	0
335	Oxamyl	28	0	0
337	Oxydemeton-methyl	3	0	0
338	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	28	0	0
339	Oxyfluorfen	43	0	0
340	Paclobutrazol	28	0	0
342	Paraoxon-methyl	43	0	0
343	Parathion	43	0	0
344	Parathion-methyl	43	0	0
345	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	43	0	0
346	Penconazole	43	0	0
347	Pencycuron	3	0	0
348	Pendimethalin	43	0	0
349	Pentachloroaniline	18	0	0
350	Permethrin (sum of isomers)	43	0	0
352	Phenthoate	3	0	0
354	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	18	0	0
357	Phosalone	43	0	0
358	Phosmet	34	0	0
359	Phosmet (phosmet and phosmet oxon expressed as phosmet)	27	0	0
360	Phosmet oxon	18	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
362	Phoxim	3	0	0
363	Picoxystrobin	28	0	0
364	Pirimicarb	43	0	0
365	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	43	0	0
366	Pirimicarb desmethyl	28	0	0
368	Pirimiphos-methyl	43	0	0
369	Primisulfuron	18	0	0
370	Prochloraz	43	0	0
371	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	18	0	0
372	Procymidone	43	0	0
373	Profenofos	43	0	0
376	Prometryn	18	0	0
377	Propachlor	18	0	0
378	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	3	0	0
381	Propanil	3	0	0
382	Propargite	18	0	0
384	Propham	3	0	0
385	Propiconazole	43	0	0
386	Propoxur	25	0	0
387	Propyzamide	43	0	0
388	Prothioconazole (prothioconazole-desthio)	3	0	0
389	Prothioconazole (sum animal products)	3	0	0
390	Prothiofos	28	0	0
391	Pymetrozine	3	0	0
392	Pyraclostrobin	43	0	0
393	Pyrazophos	43	0	0
394	Pyrethrin I	3	0	0
395	Pyrethrin II	3	0	0
396	Pyrethrins	3	0	0
397	Pyridaben	18	0	0



**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
400	Pyrifenox	18	0	0
401	Pyrimethanil	43	0	0
402	Pyriproxyfen	43	0	0
403	Quinalphos	18	0	0
404	Quinoxifen	28	0	0
405	Quintozene	43	0	0
406	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	18	0	0
407	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	40	0	0
410	Sethoxydim	18	0	0
411	Simazine	3	0	0
413	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	43	0	0
414	Spinosyn A	43	0	0
415	Spinosyn D	43	0	0
416	Spirodiclofen	3	0	0
417	Spiroxamine	18	0	0
418	Tebuconazole	28	0	0
419	Tebufenozide	43	0	0
420	Tebufenpyrad	43	0	0
421	Tecnazene	43	0	0
422	Teflubenzuron	28	0	0
423	Tefluthrin	3	0	0
424	Temephos	18	0	0
425	Terbufos	18	0	0
426	Terbufos (sum baby and infant food)	43	0	0
427	Terbufos sulfone	43	0	0
428	Terbufos sulfoxide	43	0	0
429	Terbuthylazine	18	0	0
430	Terbutryn	3	0	0
431	Tetrachlorvinphos	3	0	0
432	Tetraconazole	43	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
433	Tetradifon	43	0	0
435	Thiabendazole	28	0	0
436	Thiacloprid	28	0	0
437	Thiametoxam	28	0	0
438	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	28	0	0
442	Thiodicarb	43	0	0
443	Thiophanate-methyl	43	0	0
444	Tolclofos-methyl	43	0	0
445	Tolyfluanid	25	0	0
446	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	18	0	0
447	Tralkoxydim	3	0	0
450	Triadimefon	43	0	0
451	Triadimefon (sum of Triadimefon and Triadimenol)	43	0	0
452	Triadimenol	43	0	0
454	Triazophos	43	0	0
455	Trichlorfon	25	0	0
457	Tricyclazole	3	0	0
458	Trifloxystrobin	18	0	0
459	Trifloxystrobin (sum animal products)	25	0	0
461	Trifluralin	43	0	0
463	Triticonazole	28	0	0
464	Vamidothion	3	0	0
465	Vinclozolin	43	0	0
466	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	3	0	0
467	Zoxamide	3	0	0
468	alpha-Endosulfan	43	0	0
470	beta-Endosulfan	43	0	0
471	cis-Chlordane	43	0	0
473	tau-Fluvalinate	43	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
474	trans-Chlordane	18	0	0
		9377	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
2	2,4-D (sum)	9	0	0
6	Abamectin (sum)	32	0	0
7	Acephate	32	0	0
8	Acetamiprid	32	0	0
9	Acetochlor	23	0	0
10	Aclonifen	23	0	0
11	Acrinathrin	32	0	0
12	Alachlor	32	0	0
13	Aldicarb	32	0	0
14	Aldicarb (sum)	32	0	0
15	Aldicarb sulfone	32	0	0
16	Aldicarb sulfoxide	32	0	0
17	Aldrin	23	0	0
18	Aldrin and Dieldrin	32	0	0
20	Ametryn	23	0	0
23	Asulam	23	0	0
25	Atrazine	23	0	0
26	Avermectin B1a	23	0	0
27	Avermectin B1b	23	0	0
28	Azimsulfuron	23	0	0
29	Azinphos-ethyl	32	0	0
30	Azinphos-methyl	32	0	0
31	Azoxystrobin	32	0	0
33	Benalaxyl (sum)	23	0	0
36	Benfluralin	32	0	0
37	Benfuracarb	23	0	0
38	Bensulfuron-ethyl	23	0	0
39	Bentazone	22	0	0
40	Bentazone (sum animal products)	23	0	0
41	Benzoximate	23	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
42	Bifenthrin	32	0	0
44	Bitertanol	32	0	0
45	Boscalid	32	0	0
46	Bromacil	1	0	0
48	Bromophos-ethyl	23	0	0
49	Bromopropylate	32	0	0
50	Bromuconazole (sum)	32	0	0
51	Bupirimate	32	0	0
52	Buprofezin	32	0	0
53	Cadusafos	32	0	0
54	Captafol	23	0	0
55	Captan	23	0	0
57	Carbaryl	32	0	0
59	Carbendazim and benomyl	32	0	0
60	Carbofuran	32	0	0
61	Carbofuran (sum)	32	0	0
62	Carbofuran, 3-hydroxy	32	0	0
64	Carbosulfan	23	0	0
65	Carboxin	23	0	0
67	Chlorbromuron	23	0	0
70	Chlordane (sum)	32	0	0
71	Chlorfenapyr	32	0	0
73	Chlorfenvinphos	32	0	0
74	Chloridazon	23	0	0
77	Chlorobenzilate	32	0	0
78	Chlorothalonil	32	0	0
79	Chlorotoluron	23	0	0
80	Chloroxuron	23	0	0
81	Chlorpropham	9	0	0
82	Chlorpropham (sum)	23	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
83	Chlorpyrifos	32	0	0
84	Chlorpyrifos-methyl	32	0	0
85	Chlorsulfuron	23	0	0
86	Chlorthal-dimethyl	23	0	0
88	Cinerin	23	0	0
89	Cinerin I	23	0	0
90	Cinerin II	23	0	0
91	Clethodim (sum)	23	0	0
92	Clofentezine	23	0	0
94	Clothianidin	32	0	0
95	Coumaphos	32	0	0
96	Cyanazine	23	0	0
98	Cyfluthrin (sum)	32	0	0
99	Cymoxanil	23	0	0
101	Cypermethrin (sum)	32	0	0
102	Cyproconazole	32	0	0
103	Cyprodinil	32	0	0
104	Cyromazine	23	0	0
105	DDD, p,p-	32	0	0
106	DDE, o,p-	23	0	0
107	DDE, p,p-	32	0	0
108	DDT (sum)	32	0	0
109	DDT, o,p-	32	0	0
110	DDT, p,p-	32	0	0
111	Deltamethrin	32	0	0
113	Demeton-S-methyl	32	0	0
114	Demeton-S-methyl sulfone	23	0	0
115	Desmetryn	23	0	0
116	Diafenthiuron	23	0	0
117	Diazinon	32	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
119	Dichlofluanid	32	0	0
120	Dichloroaniline, 3,5-	23	0	0
122	Dichlorprop	9	0	0
123	Dichlorprop	9	0	0
124	Dichlorvos	32	0	0
125	Dicloran	23	0	0
126	Dicofol (sum)	23	0	0
127	Dicofol o, p'	23	0	0
128	Dicofol p, p'	23	0	0
129	Dicrotophos	23	0	0
130	Dieldrin	23	0	0
131	Diethofencarb	23	0	0
132	Difenoconazole	32	0	0
133	Diflubenzuron	23	0	0
134	Diflufenican	32	0	0
135	Dimethoate	32	0	0
136	Dimethoate (sum)	32	0	0
137	Dimethomorph	32	0	0
139	Diniconazole	23	0	0
140	Dinitramine	23	0	0
141	Dinobuton	23	0	0
142	Dinocap	22	0	0
146	Diphenamid	23	0	0
147	Diphenylamine	32	0	0
148	Disulfoton	23	0	0
149	Disulfoton (sum baby and infant food)	32	0	0
150	Disulfoton sulfone	32	0	0
151	Disulfoton sulfoxide	32	0	0
153	Diuron	46	0	0
154	Diuron	46	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
155	Dodemorph	23	0	0
157	EPN	32	0	0
158	Emamectin benzoate B1a, expressed as emamectin	23	0	0
159	Endosulfan (sum)	32	0	0
160	Endosulfansulfate	32	0	0
161	Endrin	32	0	0
162	Epoxiconazole	32	0	0
164	Ethalfuralin	32	0	0
167	Ethion	23	0	0
168	Ethirimol	23	0	0
169	Ethofumesate	23	0	0
170	Ethofumesate (sum)	23	0	0
171	Ethoprophos	32	0	0
172	Ethoxyquin	23	0	0
173	Etofenprox	23	0	0
174	Etoxazole	23	0	0
175	Etrimfos	9	0	0
176	Famoxadone	32	0	0
177	Fenamidone	23	0	0
178	Fenamiphos	23	0	0
179	Fenamiphos (sum)	23	0	0
180	Fenamiphos sulfone	23	0	0
181	Fenamiphos sulfoxide	23	0	0
182	Fenarimol	32	0	0
183	Fenazaquin	32	0	0
184	Fenbuconazole	32	0	0
187	Fenhexamid	32	0	0
188	Fenitrothion	32	0	0
189	Fenoxycarb	32	0	0
190	Fenpropathrin	32	0	0



**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
191	Fenpropidin	23	0	0
192	Fenpropimorph	32	0	0
193	Fenpyroximate	23	0	0
195	Fensulfothion	23	0	0
196	Fensulfothion (sum baby and infant food)	23	0	0
197	Fensulfothion oxon	23	0	0
198	Fensulfothion oxon sulphone	23	0	0
199	Fensulfothion sulfone	23	0	0
200	Fenthion	32	0	0
201	Fenthion (sum)	32	0	0
202	Fenthion oxon	23	0	0
203	Fenthion oxon sulfone	23	0	0
204	Fenthion oxonsulfoxide	23	0	0
205	Fenthion sulfone	32	0	0
206	Fenthion sulfoxide	32	0	0
208	Fenvalerate (sum of RR, SS, RS and SR isomers)	32	0	0
210	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	9	0	0
212	Fipronil	31	0	0
213	Fipronil (sum)	22	0	0
214	Fipronil desulfinyl	22	0	0
215	Fipronil sulfone	22	0	0
217	Fluazifop-P-butyl (sum)	9	0	0
218	Fluazinam	22	0	0
220	Flucythrinate	23	0	0
222	Fludioxonil	31	0	0
223	Flufenacet	23	0	0
225	Flufenoxuron	32	0	0
226	Fluometuron	23	0	0
227	Fluopicolide	23	0	0
228	Fluquinconazole	32	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
229	Fluroxypyr	1	0	0
230	Fluroxypyr (sum)	9	0	0
231	Flusilazole	32	0	0
232	Flutolanil	23	0	0
233	Flutriafol	32	0	0
234	Fluvalinate	9	0	0
235	Folpet	23	0	0
236	Foramsulfuron	23	0	0
237	Formetanate	23	0	0
238	Formetanate	23	0	0
240	Fosthiazate	23	0	0
241	Furathiocarb	23	0	0
246	Haloxypop including haloxypop-R	9	0	0
252	Heptachlor	32	0	0
253	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	32	0	0
254	Heptachlor endo-epoxide	9	0	0
255	Heptachlor epoxide	23	0	0
256	Heptachlor exo-epoxide	9	0	0
257	Heptenophos	32	0	0
258	Hexachlorobenzene	32	0	0
259	Hexachlorocyclohexane (HCH), alpha-isomer	32	0	0
260	Hexachlorocyclohexane (HCH), beta-isomer	32	0	0
261	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	32	0	0
262	Hexaconazole	32	0	0
264	Hexythiazox	32	0	0
265	Imazalil	32	0	0
266	Imazamethabenz-methyl	23	0	0
267	Imidacloprid	32	0	0
268	Indoxacarb as sum of the isomers S and R	32	0	0
269	loxynil	22	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
270	ioxynil, including its esters expressed as ioxynil	22	0	0
271	Iprodione	32	0	0
272	Iprovalicarb	32	0	0
273	Isofenphos-methyl	32	0	0
274	Isoprothiolane	23	0	0
275	Isoproturon	32	0	0
276	Jasmolin I	23	0	0
277	Jasmolin II	23	0	0
278	Kresoxim-methyl	32	0	0
279	Lambda-Cyhalothrin	32	0	0
281	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	32	0	0
282	Linuron	32	0	0
283	Lufenuron	32	0	0
284	MCPA	9	0	0
286	Malaoxon	32	0	0
287	Malathion	32	0	0
288	Malathion (sum of malathion and malaoxon expressed as malathion)	32	0	0
290	Mecarbam	23	0	0
291	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	9	0	0
292	Mepanipyrim	32	0	0
296	Metaflumizone (sum of E- and Z- isomers)	23	0	0
298	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	32	0	0
299	Metamitron	23	0	0
300	Metazachlor	23	0	0
301	Metconazole	32	0	0
302	Methabenzthiazuron	23	0	0
303	Methacrifos	32	0	0
304	Methamidophos	32	0	0
305	Methidathion	32	0	0
306	Methiocarb	32	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
307	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	32	0	0
308	Methiocarb sulfone	32	0	0
309	Methiocarb sulfoxide	32	0	0
310	Metholachlor	32	0	0
311	Methomyl	32	0	0
312	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	32	0	0
313	Methoxychlor	32	0	0
314	Methoxyfenozide	32	0	0
315	Metobromuron	23	0	0
317	Metoxuron	23	0	0
319	Metribuzin	23	0	0
320	Metsulfuron-methyl	23	0	0
321	Mevinphos (sum of E- and Z-isomers)	23	0	0
322	Monocrotophos	32	0	0
323	Monolinuron	23	0	0
324	Myclobutanil	32	0	0
325	Naled	23	0	0
326	Napropamide	23	0	0
327	Nicosulfuron	23	0	0
328	Nitenpyram	23	0	0
329	Nitrofen	32	0	0
330	Nuarimol	23	0	0
331	Omethoate	32	0	0
332	Orthophenylphenol	9	0	0
333	Oxadiazon	23	0	0
334	Oxadixyl	32	0	0
335	Oxamyl	32	0	0
336	Oxychlorane	9	0	0
337	Oxydemeton-methyl	32	0	0
338	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	32	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
339	Oxyfluorfen	32	0	0
340	Paclobutrazol	32	0	0
342	Paraoxon-methyl	32	0	0
343	Parathion	32	0	0
344	Parathion-methyl	32	0	0
345	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	32	0	0
346	Penconazole	32	0	0
347	Pencycuron	23	0	0
348	Pendimethalin	32	0	0
349	Pentachloroaniline	23	0	0
350	Permethrin (sum of isomers)	32	0	0
351	Phenothrin	23	0	0
352	Phenthoate	23	0	0
354	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	23	0	0
357	Phosalone	32	0	0
358	Phosmet	23	0	0
359	Phosmet (phosmet and phosmet oxon expressed as phosmet)	32	0	0
360	Phosmet oxon	23	0	0
362	Phoxim	23	0	0
363	Picoxystrobin	32	0	0
364	Pirimicarb	32	0	0
365	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	32	0	0
366	Pirimicarb desmethyl	32	0	0
368	Pirimiphos-methyl	32	0	0
369	Primisulfuron	23	0	0
370	Prochloraz	23	0	0
371	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	32	0	0
372	Procymidone	32	0	0
373	Profenofos	32	0	0
376	Prometryn	23	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
377	Propachlor	23	0	0
378	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	23	0	0
379	Propamocarb	23	0	0
381	Propanil	23	0	0
382	Propargite	23	0	0
384	Propham	23	0	0
385	Propiconazole	32	0	0
386	Propoxur	9	0	0
387	Propyzamide	32	0	0
388	Prothioconazole (prothioconazole-desthio)	22	0	0
390	Prothiofos	32	0	0
391	Pymetrozine	23	0	0
392	Pyraclostrobin	32	0	0
393	Pyrazophos	32	0	0
394	Pyrethrin I	23	0	0
395	Pyrethrin II	23	0	0
396	Pyrethrins	23	0	0
397	Pyridaben	23	0	0
398	Pyridate	23	0	0
399	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	23	0	0
400	Pyrifenox	23	0	0
401	Pyrimethanil	32	0	0
402	Pyriproxyfen	32	0	0
403	Quinalphos	23	0	0
404	Quinoxifen	32	0	0
405	Quintozene	32	0	0
406	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	23	0	0
407	Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	10	0	0
408	Rimsulfuron	23	0	0
410	Sethoxydim	23	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
411	Simazine	23	0	0
413	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	32	0	0
414	Spinosyn A	32	0	0
415	Spinosyn D	32	0	0
416	Spirodiclofen	23	0	0
417	Spiroxamine	32	0	0
418	Tebuconazole	32	0	0
419	Tebufenozide	32	0	0
420	Tebufenpyrad	32	0	0
421	Tecnazene	32	0	0
422	Teflubenzuron	31	0	0
423	Tefluthrin	23	0	0
424	Temephos	1	0	0
425	Terbufos	32	0	0
426	Terbufos (sum baby and infant food)	32	0	0
427	Terbufos sulfone	32	0	0
428	Terbufos sulfoxide	32	0	0
429	Terbutylazine	23	0	0
430	Terbutryn	23	0	0
431	Tetrachlorvinphos	1	0	0
432	Tetraconazole	32	0	0
433	Tetradifon	32	0	0
435	Thiabendazole	32	0	0
436	Thiacloprid	32	0	0
437	Thiametoxam	32	0	0
438	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	32	0	0
440	Thifensulfuron-methyl	23	0	0
441	Thiobencarb	1	0	0
442	Thiodicarb	32	0	0
443	Thiophanate-methyl	32	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
444	Tolclofos-methyl	32	0	0
445	Tolyfluanid	9	0	0
446	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	23	0	0
447	Tralkoxydim	23	0	0
450	Triadimefon	32	0	0
451	Triadimefon (sum of Triadimefon and Triadimenol)	32	0	0
452	Triadimenol	32	0	0
453	Triasulfuron	23	0	0
454	Triazophos	32	0	0
455	Trichlorfon	9	0	0
457	Tricyclazole	23	0	0
458	Trifloxystrobin	32	0	0
460	Triflumuron	22	0	0
461	Trifluralin	32	0	0
463	Triticonazole	32	0	0
464	Vamidothion	23	0	0
465	Vinclozolin	32	0	0
466	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	23	0	0
467	Zoxamide	23	0	0
468	alpha-Endosulfan	32	0	0
470	beta-Endosulfan	32	0	0
471	cis-Chlordane	32	0	0
473	tau-Fluvalinate	32	0	0
474	trans-Chlordane	32	0	0
		10240	0	0



**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
2	2,4-D (sum)	18	0	0
6	Abamectin (sum)	54	0	0
7	Acephate	54	0	0
8	Acetamiprid	54	0	0
9	Acetochlor	36	0	0
10	Aclonifen	36	0	0
11	Acrinathrin	54	0	0
12	Alachlor	54	0	0
13	Aldicarb	54	0	0
14	Aldicarb (sum)	58	0	0
15	Aldicarb sulfone	54	0	0
16	Aldicarb sulfoxide	54	0	0
17	Aldrin	53	0	0
18	Aldrin and Dieldrin	53	0	0
20	Ametryn	54	0	0
23	Asulam	36	0	0
24	Atraton	18	0	0
25	Atrazine	54	0	0
26	Avermectin B1a	36	0	0
27	Avermectin B1b	36	0	0
28	Azimsulfuron	36	0	0
29	Azinphos-ethyl	54	0	0
30	Azinphos-methyl	72	0	0
31	Azoxystrobin	72	0	0
33	Benalaxyl (sum)	36	0	0
36	Benfluralin	54	0	0
37	Benfuracarb	36	0	0
38	Bensulfuron-ethyl	36	0	0
39	Bentazone	1	0	0
40	Bentazone (sum animal products)	35	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Cereals	Nr Found	MRL Ex
41	Benzoximate	36	0	0
42	Bifenthrin	54	0	0
44	Bitertanol	53	0	0
45	Boscalid	54	0	0
46	Bromacil	35	0	0
47	Bromide ion	14	1	0
48	Bromophos-ethyl	36	0	0
49	Bromopropylate	54	0	0
50	Bromuconazole (sum)	54	0	0
51	Bupirimate	72	0	0
52	Buprofezin	72	0	0
53	Cadusafos	54	0	0
54	Captafol	35	0	0
55	Captan	53	0	0
57	Carbaryl	58	0	0
59	Carbendazim and benomyl	54	0	0
60	Carbofuran	54	0	0
61	Carbofuran (sum)	58	0	0
62	Carbofuran, 3-hydroxy	54	0	0
64	Carbosulfan	36	0	0
65	Carboxin	36	0	0
67	Chlorbromuron	36	0	0
70	Chlordane (sum)	53	0	0
71	Chlorfenapyr	53	0	0
72	Chlorfenson	18	0	0
73	Chlorfenvinphos	54	0	0
74	Chloridazon	36	0	0
77	Chlorobenzilate	53	0	0
78	Chlorothalonil	72	0	0
79	Chlorotoluron	36	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Cereals	Nr Found	MRL Ex
80	Chloroxuron	36	0	0
81	Chlorpropham	18	0	0
82	Chlorpropham (sum)	36	0	0
83	Chlorpyrifos	72	0	0
84	Chlorpyrifos-methyl	72	0	0
85	Chlorsulfuron	36	0	0
86	Chlorthal-dimethyl	35	0	0
88	Cinerin	36	0	0
89	Cinerin I	36	0	0
90	Cinerin II	36	0	0
91	Clethodim (sum)	36	0	0
92	Clofentezine	6	0	0
93	Clofentezine (sum animal products/cereals)	30	0	0
94	Clothianidin	54	0	0
95	Coumaphos	72	0	0
96	Cyanazine	36	0	0
98	Cyfluthrin (sum)	54	0	0
99	Cymoxanil	36	0	0
101	Cypermethrin (sum)	72	0	0
102	Cyproconazole	54	0	0
103	Cyprodinil	54	0	0
104	Cyromazine	36	0	0
105	DDD, p,p-	53	0	0
106	DDE, o,p-	31	0	0
107	DDE, p,p-	53	0	0
108	DDT (sum)	71	0	0
109	DDT, o,p-	53	0	0
110	DDT, p,p-	53	0	0
111	Deltamethrin	71	4	0
112	Demeton	18	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Cereals	Nr Found	MRL Ex
113	Demeton-S-methyl	54	0	0
114	Demeton-S-methyl sulfone	36	0	0
115	Desmetryn	35	0	0
116	Diafenthiuron	36	0	0
117	Diazinon	72	0	0
119	Dichlofluanid	72	0	0
120	Dichloroaniline, 3,5-	36	0	0
122	Dichlorprop	18	0	0
123	Dichlorprop	18	0	0
124	Dichlorvos	72	0	0
125	Dicloran	35	0	0
126	Dicofol (sum)	53	0	0
127	Dicofol o, p'	35	0	0
128	Dicofol p, p'	35	0	0
129	Dicrotophos	36	0	0
130	Dieldrin	53	0	0
131	Diethofencarb	36	0	0
132	Difenoconazole	54	0	0
133	Diflubenzuron	36	0	0
134	Diflufenican	54	0	0
135	Dimethoate	54	0	0
136	Dimethoate (sum)	54	0	0
137	Dimethomorph	54	0	0
139	Diniconazole	35	0	0
140	Dinitramine	35	0	0
141	Dinobuton	35	0	0
145	Dioxacarb	4	0	0
146	Diphenamid	36	0	0
147	Diphenylamine	54	0	0
148	Disulfoton	54	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
149	Disulfoton (sum baby and infant food)	54	0	0
150	Disulfoton sulfone	54	0	0
151	Disulfoton sulfoxide	54	0	0
152	Dithiocarbamates	14	0	0
153	Diuron	72	0	0
154	Diuron	72	0	0
155	Dodemorph	35	0	0
157	EPN	54	0	0
158	Emamectin benzoate B1a, expressed as emamectin	36	0	0
159	Endosulfan (sum)	72	0	0
160	Endosulfansulfate	53	0	0
161	Endrin	71	0	0
162	Epoxiconazole	54	0	0
164	Ethalfuralin	53	0	0
166	Ethiofencarb	4	0	0
167	Ethion	36	0	0
168	Ethirimol	36	0	0
169	Ethofumesate	36	0	0
170	Ethofumesate (sum)	36	0	0
171	Ethoprophos	72	0	0
172	Ethoxyquin	36	0	0
173	Etofenprox	36	0	0
174	Etoxazole	36	0	0
175	Etrimfos	18	0	0
176	Famoxadone	54	0	0
177	Fenamidone	36	0	0
178	Fenamiphos	36	0	0
179	Fenamiphos (sum)	36	0	0
180	Fenamiphos sulfone	36	0	0
181	Fenamiphos sulfoxide	36	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
182	Fenarimol	53	0	0
183	Fenazaquin	54	0	0
184	Fenbuconazole	54	0	0
186	Fenchlorphos	18	0	0
187	Fenhexamid	54	0	0
188	Fenitrothion	54	0	0
189	Fenoxycarb	72	0	0
190	Fenpropathrin	72	0	0
191	Fenpropidin	36	0	0
192	Fenpropimorph	54	0	0
193	Fenpyroximate	36	0	0
194	Fenson	18	0	0
195	Fensulfothion	54	0	0
196	Fensulfothion (sum baby and infant food)	36	0	0
197	Fensulfothion oxon	36	0	0
198	Fensulfothion oxon sulphone	36	0	0
199	Fensulfothion sulfone	36	0	0
200	Fenthion	72	0	0
201	Fenthion (sum)	54	0	0
202	Fenthion oxon	36	0	0
203	Fenthion oxon sulfone	36	0	0
204	Fenthion oxonsulfoxide	36	0	0
205	Fenthion sulfone	54	0	0
206	Fenthion sulfoxide	54	0	0
207	Fenvalerate	18	0	0
208	Fenvalerate (sum of RR, SS, RS and SR isomers)	53	0	0
212	Fipronil	18	0	0
217	Fluazifop-P-butyl (sum)	18	0	0
220	Flucythrinate	2	0	0
221	Flucythrinate (sum of isomers expressed as flucythrinate)	34	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
222	Fludioxonil	18	0	0
223	Flufenacet	31	0	0
224	Flufenacet (sum)	5	0	0
225	Flufenoxuron	54	0	0
226	Fluometuron	36	0	0
227	Fluopicolide	36	0	0
228	Fluquinconazole	54	0	0
229	Fluroxypyr	36	0	0
230	Fluroxypyr (sum)	18	0	0
231	Flusilazole	54	0	0
232	Flutolanil	36	0	0
233	Flutriafol	54	0	0
234	Fluvalinate	18	0	0
235	Folpet	54	0	0
236	Foramsulfuron	36	0	0
237	Formetanate	36	0	0
238	Formetanate	36	0	0
240	Fosthiazate	36	0	0
241	Furathiocarb	36	0	0
243	HCH, delta-	18	0	0
246	Haloxypop including haloxypop-R	18	0	0
252	Heptachlor	53	0	0
253	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	71	0	0
254	Heptachlor endo-epoxide	18	0	0
255	Heptachlor epoxide	35	0	0
256	Heptachlor exo-epoxide	18	0	0
257	Heptenophos	53	0	0
258	Hexachlorobenzene	53	0	0
259	Hexachlorocyclohexane (HCH), alpha-isomer	53	0	0
260	Hexachlorocyclohexane (HCH), beta-isomer	53	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
261	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	53	0	0
262	Hexaconazole	54	0	0
264	Hexythiazox	54	0	0
265	Imazalil	54	0	0
266	Imazamethabenz-methyl	36	0	0
267	Imidacloprid	54	0	0
268	Indoxacarb as sum of the isomers S and R	54	0	0
271	Iprodione	71	0	0
272	Iprovalicarb	54	0	0
273	Isofenphos-methyl	54	0	0
274	Isoprothiolane	36	0	0
275	Isoproturon	54	0	0
276	Jasmolin I	36	0	0
277	Jasmolin II	36	0	0
278	Kresoxim-methyl	72	0	0
279	Lambda-Cyhalothrin	53	0	0
281	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	71	0	0
282	Linuron	54	0	0
283	Lufenuron	54	0	0
284	MCPA	18	0	0
286	Malaoxon	54	0	0
287	Malathion	54	0	0
288	Malathion (sum of malathion and malaoxon expressed as malathion)	54	0	0
290	Mecarbam	36	0	0
291	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	18	0	0
292	Mepanipyrim	54	0	0
295	Merphos	18	0	0
296	Metaflumizone (sum of E- and Z- isomers)	36	0	0
297	Metalaxyl	18	0	0
298	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	54	0	0



*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
299	Metamitron	36	0	0
300	Metazachlor	36	0	0
301	Metconazole	54	0	0
302	Methabenzthiazuron	36	0	0
303	Methacrifos	54	0	0
304	Methamidophos	54	0	0
305	Methidathion	53	0	0
306	Methiocarb	58	0	0
307	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	54	0	0
308	Methiocarb sulfone	54	0	0
309	Methiocarb sulfoxide	54	0	0
310	Metholachlor	36	0	0
311	Methomyl	58	0	0
312	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	54	0	0
313	Methoxychlor	71	0	0
314	Methoxyfenozide	54	0	0
315	Metobromuron	36	0	0
316	Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers))	18	0	0
317	Metoxuron	36	0	0
319	Metribuzin	36	0	0
320	Metsulfuron-methyl	36	0	0
321	Mevinphos (sum of E- and Z-isomers)	54	0	0
322	Monocrotophos	54	0	0
323	Monolinuron	36	0	0
324	Myclobutanil	54	0	0
325	Naled	36	0	0
326	Napropamide	36	0	0
327	Nicosulfuron	36	0	0
328	Nitenpyram	36	0	0
329	Nitrofen	53	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
330	Nuarimol	36	0	0
331	Omethoate	54	0	0
332	Orthophenylphenol	18	0	0
333	Oxadiazon	36	0	0
334	Oxadixyl	54	0	0
335	Oxamyl	58	0	0
336	Oxychlorane	1	0	0
337	Oxydemeton-methyl	37	0	0
338	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	54	0	0
339	Oxyfluorfen	54	0	0
340	Paclobutrazol	54	0	0
342	Paraoxon-methyl	53	0	0
343	Parathion	53	0	0
344	Parathion-methyl	71	0	0
345	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	53	0	0
346	Penconazole	54	0	0
347	Pencycuron	36	0	0
348	Pendimethalin	72	0	0
349	Pentachloroaniline	53	0	0
350	Permethrin (sum of isomers)	71	0	0
351	Phenothrin	36	0	0
352	Phenthoate	36	0	0
353	Phorate	18	0	0
354	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	36	0	0
357	Phosalone	54	0	0
358	Phosmet	36	0	0
359	Phosmet (phosmet and phosmet oxon expressed as phosmet)	54	0	0
360	Phosmet oxon	36	0	0
362	Phoxim	36	0	0
363	Picoxystrobin	54	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
364	Pirimicarb	72	0	0
365	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	54	0	0
366	Pirimicarb desmethyl	54	0	0
368	Pirimiphos-methyl	54	10	0
369	Primisulfuron	36	0	0
370	Prochloraz	36	0	0
371	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	54	0	0
372	Procymidone	72	0	0
373	Profenofos	54	0	0
374	Promecarb	4	0	0
375	Prometon	18	0	0
376	Prometryn	53	0	0
377	Propachlor	35	0	0
378	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	35	0	0
380	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	36	0	0
381	Propanil	35	0	0
382	Propargite	36	0	0
383	Propazine	18	0	0
384	Propham	36	0	0
385	Propiconazole	54	0	0
386	Propoxur	22	0	0
387	Propyzamide	53	0	0
390	Prothiofos	72	0	0
391	Pymetrozine	36	0	0
392	Pyraclostrobin	54	0	0
393	Pyrazophos	54	0	0
394	Pyrethrin I	36	0	0
395	Pyrethrin II	36	0	0
396	Pyrethrins	36	0	0
397	Pyridaben	36	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
398	Pyridate	36	0	0
399	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	36	0	0
400	Pyrifenox	36	0	0
401	Pyrimethanil	54	0	0
402	Pyriproxyfen	54	0	0
403	Quinalphos	36	0	0
404	Quinoxifen	54	0	0
405	Quintozene	71	0	0
406	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	36	0	0
407	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	72	0	0
408	Rimsulfuron	36	0	0
409	Secbumeton	18	0	0
410	Sethoxydim	36	0	0
411	Simazine	54	0	0
412	Simetryn	18	0	0
413	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	54	0	0
414	Spinosyn A	54	0	0
415	Spinosyn D	54	0	0
416	Spirodiclofen	36	0	0
417	Spiroxamine	54	0	0
418	Tebuconazole	54	0	0
419	Tebufenozide	54	0	0
420	Tebufenpyrad	54	0	0
421	Tecnazene	71	0	0
422	Teflubenzuron	18	0	0
423	Tefluthrin	35	0	0
424	Temephos	36	0	0
425	Terbufos	54	0	0
426	Terbufos (sum baby and infant food)	54	0	0
427	Terbufos sulfone	54	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Cereals	Nr Found	MRL Ex
428	Terbufos sulfoxide	54	0	0
429	Terbuthylazine	54	0	0
430	Terbutryn	36	0	0
431	Tetrachlorvinphos	54	0	0
432	Tetraconazole	54	0	0
433	Tetradifon	71	0	0
434	Tetrasul	18	0	0
435	Thiabendazole	54	0	0
436	Thiaclopid	54	0	0
437	Thiametoxam	54	0	0
438	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	54	0	0
440	Thifensulfuron-methyl	36	0	0
441	Thiobencarb	35	0	0
442	Thiodicarb	58	0	0
443	Thiophanate-methyl	54	0	0
444	Tolclofos-methyl	54	0	0
445	Tolyfluanid	18	0	0
446	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	36	0	0
447	Tralkoxydim	36	0	0
450	Triadimefon	72	0	0
451	Triadimefon (sum of Triadimefon and Triadimenol)	54	0	0
452	Triadimenol	72	0	0
453	Triasulfuron	36	0	0
454	Triazophos	54	0	0
455	Trichlorfon	18	0	0
456	Trichloronat	18	0	0
457	Tricyclazole	36	1	0
458	Trifloxystrobin	54	0	0
461	Trifluralin	71	0	0
463	Triticonazole	54	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
464	Vamidothion	36	0	0
465	Vinclozolin	71	0	0
466	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	35	0	0
467	Zoxamide	36	0	0
468	alpha-Endosulfan	53	0	0
470	beta-Endosulfan	53	0	0
471	cis-Chlordane	53	0	0
473	tau-Fluvalinate	53	0	0
474	trans-Chlordane	53	0	0
		17838	16	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Fruit and Nuts	Nr Found	MRL Ex
1	2,4-D	8	0	0
2	2,4-D (sum)	39	0	0
3	2,4-DB	3	0	0
4	2,4-Dimethylanilin	160	0	0
5	2,4-Dimethylphenylformamide	164	0	0
6	Abamectin (sum)	360	0	0
7	Acephate	551	0	0
8	Acetamiprid	475	24	0
9	Acetochlor	176	0	0
10	Aclonifen	217	0	0
11	Acrinathrin	811	0	0
12	Alachlor	591	0	0
13	Aldicarb	364	0	0
14	Aldicarb (sum)	382	0	0
15	Aldicarb sulfone	364	0	0
16	Aldicarb sulfoxide	364	0	0
17	Aldrin	524	0	0
18	Aldrin and Dieldrin	698	0	0
20	Ametryn	336	0	0
21	Amitraz	164	0	0
22	Amitraz (sum)	164	0	0
23	Asulam	172	0	0
24	Atraton	50	0	0
25	Atrazine	383	0	0
26	Avermectin B1a	172	0	0
27	Avermectin B1b	172	0	0
28	Azimsulfuron	176	0	0
29	Azinphos-ethyl	510	0	0
30	Azinphos-methyl	714	0	0
31	Azoxystrobin	842	52	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
32	Benalaxyl	267	0	0
33	Benalaxyl (sum)	443	0	0
34	Benalaxyl-M	157	0	0
35	Bendiocarb	4	0	0
36	Benfluralin	354	0	0
37	Benfuracarb	443	0	0
38	Bensulfuron-ethyl	333	0	0
39	Bentazone	86	0	0
40	Bentazone (sum animal products)	101	0	0
41	Benzoximate	176	0	0
42	Bifenthrin	830	1	0
43	Binapacryl	135	0	0
44	Bitertanol	403	0	0
45	Boscalid	587	110	1
46	Bromacil	91	0	0
48	Bromophos-ethyl	488	0	0
49	Bromopropylate	693	0	0
50	Bromuconazole (sum)	474	0	0
51	Bupirimate	729	12	0
52	Buprofezin	565	1	0
53	Cadusafos	601	0	0
54	Captafol	222	0	0
55	Captan	503	19	1
56	Captan/Folpet (sum)	142	11	0
57	Carbaryl	382	0	0
58	Carbendazim	267	23	0
59	Carbendazim and benomyl	474	38	2
60	Carbofuran	515	0	0
61	Carbofuran (sum)	533	0	0
62	Carbofuran, 3-hydroxy	474	0	0



**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
63	Carbon disulphide	1	0	0
64	Carbosulfan	443	0	0
65	Carboxin	176	0	0
66	Chinomethionat	27	0	0
67	Chlorbromuron	333	0	0
69	Chlordane (sum animal products)	86	0	0
70	Chlordane (sum)	324	0	0
71	Chlorfenapyr	489	0	0
72	Chlorfenson	50	0	0
73	Chlorfenvinphos	551	0	0
74	Chloridazon	176	0	0
75	Chlormephos	157	0	0
76	Chlormequat	5	3	0
77	Chlorobenzilate	403	0	0
78	Chlorothalonil	820	0	0
79	Chlorotoluron	333	0	0
80	Chloroxuron	176	0	0
81	Chlorpropham	182	0	0
82	Chlorpropham (sum)	323	0	0
83	Chlorpyrifos	861	178	1
84	Chlorpyrifos-methyl	846	6	1
85	Chlorsulfuron	176	0	0
86	Chlorthal-dimethyl	105	0	0
87	Chlozolinat	27	0	0
88	Cinerin	176	0	0
89	Cinerin I	176	0	0
90	Cinerin II	176	0	0
91	Clethodim (sum)	176	0	0
92	Clofentezine	443	3	0
94	Clothianidin	474	1	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
95	Coumaphos	257	0	0
96	Cyanazine	176	0	0
97	Cyfluthrin	151	5	2
98	Cyfluthrin (sum)	811	14	1
99	Cymoxanil	286	0	0
100	Cypermethrin	256	5	0
101	Cypermethrin (sum)	880	14	1
102	Cyproconazole	474	0	0
103	Cyprodinil	541	31	0
104	Cyromazine	176	0	0
105	DDD, p,p-	136	0	0
106	DDE, o,p-	80	0	0
107	DDE, p,p-	136	0	0
108	DDT (sum)	726	0	0
109	DDT, o,p-	489	0	0
110	DDT, p,p-	530	0	0
111	Deltamethrin	798	25	1
112	Demeton	50	0	0
113	Demeton-S-methyl	560	0	0
114	Demeton-S-methyl sulfone	286	0	0
115	Desmetryn	146	0	0
116	Diafenthiuron	443	0	0
117	Diazinon	769	0	0
118	Dichlobenil	110	0	0
119	Dichlofluanid	798	0	0
120	Dichloroaniline, 3,5-	172	0	0
121	Dichlorobenzophenone, 4,4`-	246	0	0
122	Dichlorprop	31	0	0
123	Dichlorprop	31	0	0
124	Dichlorvos	601	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
125	Dicloran	605	0	0
126	Dicofol (sum)	599	0	0
127	Dicofol o, p'	215	0	0
128	Dicofol p, p'	449	0	0
129	Dicrotophos	333	0	0
130	Dieldrin	565	0	0
131	Diethofencarb	333	0	0
132	Difenoconazole	767	4	0
133	Diflubenzuron	443	5	0
134	Diflufenican	207	0	0
135	Dimethoate	647	3	0
136	Dimethoate (sum)	683	3	1
137	Dimethomorph	475	5	1
138	Dimoxystrobin	157	0	0
139	Diniconazole	547	0	0
140	Dinitramine	110	0	0
141	Dinobuton	495	0	0
142	Dinocap	8	0	0
143	Dinocap (sum)	7	0	0
144	Dinotefuran	157	0	0
145	Dioxacarb	18	0	0
146	Diphenamid	176	0	0
147	Diphenylamine	553	4	3
148	Disulfoton	568	0	0
149	Disulfoton (sum baby and infant food)	444	0	0
150	Disulfoton sulfone	248	0	0
151	Disulfoton sulfoxide	248	0	0
152	Dithiocarbamates	124	0	0
153	Diuron	344	0	0
154	Diuron	344	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
155	Dodemorph	105	0	0
156	Dodine	157	8	0
157	EPN	560	0	0
158	Emamectin benzoate B1a, expressed as emamectin	172	0	0
159	Endosulfan (sum)	865	0	0
160	Endosulfansulfate	565	0	0
161	Endrin	686	0	0
162	Epoxiconazole	474	0	0
163	Esfenvalerate	198	0	0
164	Ethalfuralin	547	0	0
165	Ethephon	1	0	0
166	Ethiofencarb	18	0	0
167	Ethion	668	0	0
168	Ethirimol	333	3	0
169	Ethofumesate	176	0	0
170	Ethofumesate (sum)	176	0	0
171	Ethoprophos	601	0	0
172	Ethoxyquin	374	4	0
173	Etofenprox	333	17	0
174	Etoxazole	333	2	0
175	Etrimfos	31	0	0
176	Famoxadone	317	0	0
177	Fenamidone	339	1	0
178	Fenamiphos	484	0	0
179	Fenamiphos (sum)	484	0	0
180	Fenamiphos sulfone	443	0	0
181	Fenamiphos sulfoxide	443	0	0
182	Fenarimol	684	0	0
183	Fenazaquin	474	0	0
184	Fenbuconazole	475	9	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
185	Fenbutatin oxide	13	0	0
186	Fenchlorphos	50	0	0
187	Fenhexamid	687	13	0
188	Fenitrothion	720	0	0
189	Fenoxycarb	524	6	0
190	Fenpropathrin	853	0	0
191	Fenpropidin	333	0	0
192	Fenpropimorph	474	0	0
193	Fenpyroximate	177	1	0
194	Fenson	50	0	0
195	Fensulfothion	226	0	0
196	Fensulfothion (sum baby and infant food)	176	0	0
197	Fensulfothion oxon	176	0	0
198	Fensulfothion oxon sulphone	176	0	0
199	Fensulfothion sulfone	176	0	0
200	Fenthion	472	0	0
201	Fenthion (sum)	422	0	0
202	Fenthion oxon	176	0	0
203	Fenthion oxon sulfone	176	0	0
204	Fenthion oxonsulfoxide	176	0	0
205	Fenthion sulfone	312	0	0
206	Fenthion sulfoxide	422	0	0
207	Fenvalerate	444	0	0
208	Fenvalerate (sum of RR, SS, RS and SR isomers)	246	0	0
209	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	147	0	0
210	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	183	0	0
211	Fenvalerate/Esfenvalerate (sum)	284	0	0
212	Fipronil	334	0	0
213	Fipronil (sum)	282	0	0
214	Fipronil desulfinyl	19	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
215	Fipronil sulfone	15	0	0
216	Fluazifop (free acid)	2	0	0
217	Fluazifop-P-butyl (sum)	33	0	0
218	Fluazinam	276	0	0
219	Flubendiamide	157	0	0
220	Flucythrinate	433	0	0
222	Fludioxonil	358	17	0
223	Flufenacet	146	0	0
224	Flufenacet (sum)	30	0	0
225	Flufenoxuron	368	0	0
226	Fluometuron	333	0	0
227	Fluopicolide	443	3	0
228	Fluquinconazole	647	1	0
229	Fluroxypyr	158	0	0
230	Fluroxypyr (sum)	31	0	0
231	Flusilazole	474	0	0
232	Flutolanil	443	0	0
233	Flutriafol	474	3	0
234	Fluvalinate	31	0	0
235	Folpet	663	1	0
236	Foramsulfuron	172	0	0
237	Formetanate	596	14	4
238	Formetanate	596	14	4
239	Formothion	27	0	0
240	Fosthiazate	419	0	0
241	Furathiocarb	333	0	0
242	Glyphosate	1	0	0
243	HCH, delta-	50	0	0
244	Haloxypop	2	0	0
245	Haloxypop (sum baby and infant food)	2	1	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
246	Haloxyfop including haloxyfop-R	33	0	0
247	Haloxyfop-P	2	0	0
248	Haloxyfop-P-methyl	2	0	0
249	Haloxyfop-R (sum animal products)	2	0	0
250	Haloxyfop-ethoxyethylester	2	0	0
251	Haloxyfop-methyl	2	1	0
252	Heptachlor	332	0	0
253	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	529	0	0
254	Heptachlor endo-epoxide	31	0	0
255	Heptachlor epoxide	105	0	0
256	Heptachlor exo-epoxide	31	0	0
257	Heptenophos	373	0	0
258	Hexachlorobenzene	515	0	0
259	Hexachlorocyclohexane (HCH), alpha-isomer	222	0	0
260	Hexachlorocyclohexane (HCH), beta-isomer	222	0	0
261	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	369	0	0
262	Hexaconazole	743	0	0
263	Hexaflumuron	157	0	0
264	Hexythiazox	474	0	0
265	Imazalil	505	37	1
266	Imazamethabenz-methyl	176	0	0
267	Imidacloprid	474	17	0
268	Indoxacarb as sum of the isomers S and R	587	8	0
269	ioxynil	15	0	0
270	ioxynil, including its esters expressed as ioxynil	15	0	0
271	Iprodione	785	19	0
272	Iprovalicarb	474	0	0
273	Isofenphos-methyl	560	0	0
274	Isoprothiolane	333	0	0
275	Isoproturon	207	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
276	Jasmolin I	176	0	0
277	Jasmolin II	176	0	0
278	Kresoxim-methyl	834	0	0
279	Lambda-Cyhalothrin	759	25	0
281	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	754	0	0
282	Linuron	484	0	0
283	Lufenuron	364	0	0
284	MCPA	33	0	0
285	MCPA, MCPB and MCPA thioethyl expressed as MCPA	2	0	0
286	Malaoxon	601	0	0
287	Malathion	620	1	0
288	Malathion (sum of malathion and malaoxon expressed as malathion)	792	1	0
289	Mandipropamid	157	0	0
290	Mecarbam	670	0	0
291	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	31	0	0
292	Mepanipyrim	474	0	0
293	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	267	0	0
294	Mepiquat	1	0	0
295	Merphos	50	0	0
296	Metaflumizone (sum of E- and Z- isomers)	333	0	0
297	Metalaxyl	359	8	0
298	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	515	9	0
299	Metamitron	333	1	0
300	Metazachlor	176	0	0
301	Metconazole	474	0	0
302	Methabenzthiazuron	176	0	0
303	Methacrifos	270	0	0
304	Methamidophos	551	0	0
305	Methidathion	585	0	0
306	Methiocarb	490	0	0



*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
307	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	474	1	0
308	Methiocarb sulfone	474	0	0
309	Methiocarb sulfoxide	364	1	0
310	Metholachlor	286	0	0
311	Methomyl	492	0	0
312	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	474	0	0
313	Methoxychlor	186	0	0
314	Methoxyfenozide	365	16	0
315	Metobromuron	333	0	0
316	Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers))	31	0	0
317	Metoxuron	176	0	0
318	Metrafenone	110	0	0
319	Metribuzin	536	0	0
320	Metsulfuron-methyl	333	0	0
321	Mevinphos (sum of E- and Z-isomers)	424	0	0
322	Monocrotophos	568	0	0
323	Monolinuron	333	0	0
324	Myclobutanil	757	27	0
325	Naled	176	0	0
326	Napropamide	333	0	0
327	Nicosulfuron	176	0	0
328	Nitenpyram	333	0	0
329	Nitrofen	157	0	0
330	Nuarimol	176	0	0
331	Omethoate	620	1	0
332	Orthophenylphenol	31	0	0
333	Oxadiazon	433	0	0
334	Oxadixyl	474	0	0
335	Oxamyl	492	0	0
336	Oxychlorane	8	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
337	Oxydemeton-methyl	451	0	0
338	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	560	0	0
339	Oxyfluorfen	317	0	0
340	Paclobutrazol	474	1	0
341	Paraoxon	198	0	0
342	Paraoxon-methyl	530	0	0
343	Parathion	713	0	0
344	Parathion-methyl	607	0	0
345	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	702	0	0
346	Penconazole	800	34	0
347	Pencycuron	443	0	0
348	Pendimethalin	834	0	0
349	Pentachloroaniline	241	0	0
350	Permethrin (sum of isomers)	754	0	0
351	Phenothrin	172	0	0
352	Phenthoate	479	0	0
353	Phorate	444	0	0
354	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	570	0	0
355	Phorate sulfone	237	0	0
356	Phorate-Sulfoxid	237	0	0
357	Phosalone	794	0	0
358	Phosmet	552	20	1
359	Phosmet (phosmet and phosmet oxon expressed as phosmet)	664	35	1
360	Phosmet oxon	176	0	0
361	Phosphamidon	146	0	0
362	Phoxim	333	0	0
363	Picoxystrobin	364	0	0
364	Pirimicarb	670	2	0
365	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	620	2	0
366	Pirimicarb desmethyl	317	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
367	Pirimiphos-ethyl	41	0	0
368	Pirimiphos-methyl	637	0	0
369	Primisulfuron	176	0	0
370	Prochloraz	659	4	0
371	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	560	4	0
372	Procymidone	798	0	0
373	Profenofos	637	0	0
374	Promecarb	18	0	0
375	Prometon	50	0	0
376	Prometryn	306	0	0
377	Propachlor	126	0	0
378	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	224	0	0
380	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	172	0	0
381	Propanil	368	0	0
382	Propargite	443	6	0
383	Propazine	50	0	0
384	Propham	217	0	0
385	Propiconazole	773	1	0
386	Propoxur	159	0	0
387	Propyzamide	703	0	0
388	Prothioconazole (prothioconazole-desthio)	286	0	0
389	Prothioconazole (sum animal products)	4	0	0
390	Prothiofos	610	0	0
391	Pymetrozine	176	0	0
392	Pyraclostrobin	474	41	0
393	Pyrazophos	748	0	0
394	Pyrethrin I	176	0	0
395	Pyrethrin II	176	0	0
396	Pyrethrins	176	0	0
397	Pyridaben	443	2	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
398	Pyridate	172	0	0
399	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	172	0	0
400	Pyrifenox	529	0	0
401	Pyrimethanil	541	30	0
402	Pyriproxyfen	474	6	0
403	Quinalphos	565	0	0
404	Quinoxifen	774	4	0
405	Quintozene	470	0	0
406	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	607	0	0
407	Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	239	0	0
408	Rimsulfuron	329	0	0
409	Secbumeton	50	0	0
410	Sethoxydim	176	0	0
411	Simazine	267	0	0
412	Simetryn	50	0	0
413	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	364	17	0
414	Spinosyn A	364	17	0
415	Spinosyn D	207	6	0
416	Spirodiclofen	333	5	0
417	Spiroxamine	475	4	0
418	Tebuconazole	475	30	1
419	Tebufenozide	364	0	0
420	Tebufenpyrad	475	2	0
421	Tecnazene	186	0	0
422	Teflubenzuron	207	0	0
423	Tefluthrin	605	0	0
424	Temephos	162	0	0
425	Terbufos	207	0	0
426	Terbufos (sum baby and infant food)	207	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
427	Terbufos sulfone	207	0	0
428	Terbufos sulfoxide	207	0	0
429	Terbuthylazine	377	0	0
430	Terbutryn	176	0	0
431	Tetrachlorvinphos	212	0	0
432	Tetraconazole	607	6	0
433	Tetradifon	752	0	0
434	Tetrasul	50	0	0
435	Thiabendazole	474	29	0
436	Thiaclopid	474	31	0
437	Thiametoxam	476	12	0
438	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	476	12	0
439	Thidiazuron	157	0	0
440	Thifensulfuron-methyl	172	0	0
441	Thiobencarb	244	0	0
442	Thiodicarb	382	0	0
443	Thiophanate-methyl	364	33	1
444	Tolclofos-methyl	698	0	0
445	Tolyfluanid	572	0	0
446	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	570	0	0
447	Tralkoxydim	176	0	0
448	Tralomethrin	157	0	0
449	Trans-permethrin	157	0	0
450	Triadimefon	666	0	0
451	Triadimefon (sum of Triadimefon and Triadimenol)	616	7	0
452	Triadimenol	651	7	0
453	Triasulfuron	329	0	0
454	Triazophos	637	0	0
455	Trichlorfon	298	0	0
456	Trichloronat	50	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
457	Tricyclazole	176	0	0
458	Trifloxystrobin	693	10	0
460	Triflumuron	172	0	0
461	Trifluralin	622	0	0
462	Triforine	157	0	0
463	Triticonazole	474	0	0
464	Vamidothion	333	0	0
465	Vinclozolin	643	0	0
466	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	698	0	0
467	Zoxamide	333	0	0
468	alpha-Endosulfan	565	0	0
469	beta-Cyfluthrin	127	2	0
470	beta-Endosulfan	565	0	0
471	cis-Chlordane	177	0	0
472	cis-Permethrin	157	0	0
473	tau-Fluvalinate	672	0	0
474	trans-Chlordane	177	0	0
		163284	1313	29

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Infusions	Nr Found	MRL Ex
2	2,4-D (sum)	3	0	0
6	Abamectin (sum)	8	0	0
7	Acephate	8	0	0
8	Acetamiprid	8	2	0
9	Acetochlor	5	0	0
10	Aclonifen	5	0	0
11	Acrinathrin	8	0	0
12	Alachlor	8	0	0
13	Aldicarb	8	0	0
14	Aldicarb (sum)	8	0	0
15	Aldicarb sulfone	8	0	0
16	Aldicarb sulfoxide	8	0	0
17	Aldrin	5	0	0
18	Aldrin and Dieldrin	8	0	0
20	Ametryn	5	0	0
23	Asulam	5	0	0
25	Atrazine	5	0	0
26	Avermectin B1a	5	0	0
27	Avermectin B1b	5	0	0
28	Azimsulfuron	5	0	0
29	Azinphos-ethyl	8	0	0
30	Azinphos-methyl	8	0	0
31	Azoxystrobin	8	0	0
33	Benalaxyl (sum)	5	0	0
36	Benfluralin	8	0	0
37	Benfuracarb	5	0	0
38	Bensulfuron-ethyl	5	0	0
40	Bentazone (sum animal products)	5	0	0
41	Benzoximate	5	0	0
42	Bifenthrin	8	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
44	Bitertanol	8	0	0
45	Boscalid	8	0	0
46	Bromacil	5	0	0
48	Bromophos-ethyl	5	0	0
49	Bromopropylate	8	0	0
50	Bromuconazole (sum)	8	0	0
51	Bupirimate	8	0	0
52	Buprofezin	8	0	0
53	Cadusafos	8	0	0
54	Captafol	5	0	0
55	Captan	5	0	0
57	Carbaryl	8	0	0
59	Carbendazim and benomyl	8	0	0
60	Carbofuran	8	0	0
61	Carbofuran (sum)	8	0	0
62	Carbofuran, 3-hydroxy	8	0	0
64	Carbosulfan	5	0	0
65	Carboxin	5	0	0
67	Chlorbromuron	5	0	0
70	Chlordane (sum)	8	0	0
71	Chlorfenapyr	8	0	0
73	Chlorfenvinphos	8	0	0
74	Chloridazon	5	0	0
77	Chlorobenzilate	8	0	0
78	Chlorothalonil	8	0	0
79	Chlorotoluron	5	0	0
80	Chloroxuron	5	0	0
81	Chlorpropham	3	0	0
82	Chlorpropham (sum)	5	0	0
83	Chlorpyrifos	8	0	0



*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
84	Chlorpyrifos-methyl	8	0	0
85	Chlorsulfuron	5	0	0
86	Chlorthal-dimethyl	5	0	0
88	Cinerin	5	0	0
89	Cinerin I	5	0	0
90	Cinerin II	5	0	0
91	Clethodim (sum)	5	0	0
92	Clofentezine	5	0	0
94	Clothianidin	8	0	0
95	Coumaphos	8	0	0
96	Cyanazine	5	0	0
98	Cyfluthrin (sum)	8	0	0
99	Cymoxanil	5	0	0
101	Cypermethrin (sum)	8	0	0
102	Cyproconazole	8	0	0
103	Cyprodinil	8	0	0
104	Cyromazine	5	0	0
105	DDD, p,p-	8	0	0
106	DDE, o,p-	5	0	0
107	DDE, p,p-	8	0	0
108	DDT (sum)	8	0	0
109	DDT, o,p-	8	0	0
110	DDT, p,p-	8	0	0
111	Deltamethrin	8	0	0
113	Demeton-S-methyl	8	0	0
114	Demeton-S-methyl sulfone	5	0	0
115	Desmetryn	5	0	0
116	Diafenthiuron	5	0	0
117	Diazinon	8	0	0
119	Dichlofluanid	8	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
120	Dichloroaniline, 3,5-	5	0	0
122	Dichlorprop	3	0	0
123	Dichlorprop	3	0	0
124	Dichlorvos	8	0	0
125	Dicloran	5	0	0
126	Dicofol (sum)	5	0	0
127	Dicofol o, p'	5	0	0
128	Dicofol p, p'	5	0	0
129	Dicrotophos	5	0	0
130	Dieldrin	5	0	0
131	Diethofencarb	5	0	0
132	Difenoconazole	8	0	0
133	Diflubenzuron	5	0	0
134	Diflufenican	8	0	0
135	Dimethoate	8	0	0
136	Dimethoate (sum)	8	0	0
137	Dimethomorph	8	0	0
139	Diniconazole	5	0	0
140	Dinitramine	5	0	0
141	Dinobuton	5	0	0
146	Diphenamid	5	0	0
147	Diphenylamine	8	0	0
148	Disulfoton	5	0	0
149	Disulfoton (sum baby and infant food)	8	0	0
150	Disulfoton sulfone	8	0	0
151	Disulfoton sulfoxide	8	0	0
153	Diuron	10	0	0
154	Diuron	10	0	0
155	Dodemorph	5	0	0
157	EPN	8	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
158	Emamectin benzoate B1a, expressed as emamectin	5	0	0
159	Endosulfan (sum)	8	0	0
160	Endosulfansulfate	8	0	0
161	Endrin	8	0	0
162	Epoxiconazole	8	0	0
164	Ethalfuralin	8	0	0
167	Ethion	5	0	0
168	Ethirimol	5	0	0
169	Ethofumesate	5	0	0
170	Ethofumesate (sum)	5	0	0
171	Ethoprophos	8	0	0
172	Ethoxyquin	5	0	0
173	Etofenprox	5	0	0
174	Etoxazole	5	0	0
175	Etrimfos	3	0	0
176	Famoxadone	8	0	0
177	Fenamidone	5	0	0
178	Fenamiphos	5	0	0
179	Fenamiphos (sum)	5	0	0
180	Fenamiphos sulfone	5	0	0
181	Fenamiphos sulfoxide	5	0	0
182	Fenarimol	8	0	0
183	Fenazaquin	8	0	0
184	Fenbuconazole	8	0	0
187	Fenhexamid	8	0	0
188	Fenitrothion	8	0	0
189	Fenoxycarb	8	0	0
190	Fenpropathrin	8	0	0
191	Fenpropidin	5	0	0
192	Fenpropimorph	8	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
193	Fenpyroximate	5	0	0
195	Fensulfothion	5	0	0
196	Fensulfothion (sum baby and infant food)	5	0	0
197	Fensulfothion oxon	5	0	0
198	Fensulfothion oxon sulphone	5	0	0
199	Fensulfothion sulfone	5	0	0
200	Fenthion	8	0	0
201	Fenthion (sum)	8	0	0
202	Fenthion oxon	5	0	0
203	Fenthion oxon sulfone	5	0	0
204	Fenthion oxonsulfoxide	5	0	0
205	Fenthion sulfone	8	0	0
206	Fenthion sulfoxide	8	0	0
208	Fenvalerate (sum of RR, SS, RS and SR isomers)	8	0	0
212	Fipronil	3	0	0
217	Fluazifop-P-butyl (sum)	3	0	0
220	Flucythrinate	5	0	0
222	Fludioxonil	3	0	0
223	Flufenacet	5	0	0
225	Flufenoxuron	8	0	0
226	Fluometuron	5	0	0
227	Fluopicolide	5	0	0
228	Fluquinconazole	8	0	0
229	Fluroxypyr	5	0	0
230	Fluroxypyr (sum)	3	0	0
231	Flusilazole	8	0	0
232	Flutolanil	5	0	0
233	Flutriafol	8	0	0
234	Fluvalinate	3	0	0
235	Folpet	5	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
236	Foramsulfuron	5	0	0
237	Formetanate	5	0	0
238	Formetanate	5	0	0
240	Fosthiazate	5	0	0
241	Furathiocarb	5	0	0
246	Haloxypop including haloxypop-R	3	0	0
252	Heptachlor	8	0	0
253	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	8	0	0
254	Heptachlor endo-epoxide	3	0	0
255	Heptachlor epoxide	5	0	0
256	Heptachlor exo-epoxide	3	0	0
257	Heptenophos	8	0	0
258	Hexachlorobenzene	8	0	0
259	Hexachlorocyclohexane (HCH), alpha-isomer	8	0	0
260	Hexachlorocyclohexane (HCH), beta-isomer	8	0	0
261	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	8	0	0
262	Hexaconazole	8	0	0
264	Hexythiazox	8	0	0
265	Imazalil	8	0	0
266	Imazamethabenz-methyl	5	0	0
267	Imidacloprid	8	2	1
268	Indoxacarb as sum of the isomers S and R	8	0	0
271	Iprodione	8	1	0
272	Iprovalicarb	8	0	0
273	Isfenphos-methyl	8	0	0
274	Isoprothiolane	5	0	0
275	Isoproturon	8	0	0
276	Jasmolin I	5	0	0
277	Jasmolin II	5	0	0
278	Kresoxim-methyl	8	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
279	Lambda-Cyhalothrin	8	0	0
281	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	8	0	0
282	Linuron	8	0	0
283	Lufenuron	8	0	0
284	MCPA	3	0	0
286	Malaoxon	8	0	0
287	Malathion	8	0	0
288	Malathion (sum of malathion and malaoxon expressed as malathion)	8	0	0
290	Mecarbam	5	0	0
291	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	3	0	0
292	Mepanipyrim	8	0	0
296	Metaflumizone (sum of E- and Z- isomers)	5	0	0
298	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	8	0	0
299	Metamitron	5	0	0
300	Metazachlor	5	0	0
301	Metconazole	8	0	0
302	Methabenzthiazuron	5	0	0
303	Methacrifos	8	0	0
304	Methamidophos	8	0	0
305	Methidathion	8	0	0
306	Methiocarb	8	0	0
307	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	8	0	0
308	Methiocarb sulfone	8	0	0
309	Methiocarb sulfoxide	8	0	0
310	Metholachlor	5	0	0
311	Methomyl	8	0	0
312	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	8	0	0
313	Methoxychlor	8	0	0
314	Methoxyfenozide	8	0	0
315	Metobromuron	5	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
316	Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers))	3	0	0
317	Metoxuron	5	0	0
319	Metribuzin	5	0	0
320	Metsulfuron-methyl	5	0	0
321	Mevinphos (sum of E- and Z-isomers)	5	0	0
322	Monocrotophos	8	0	0
323	Monolinuron	5	0	0
324	Myclobutanil	8	0	0
325	Naled	5	0	0
326	Napropamide	5	0	0
327	Nicosulfuron	5	0	0
328	Nitenpyram	5	0	0
329	Nitrofen	8	0	0
330	Nuarimol	5	0	0
331	Omethoate	8	0	0
332	Orthophenylphenol	3	0	0
333	Oxadiazon	5	0	0
334	Oxadixyl	8	0	0
335	Oxamyl	8	0	0
337	Oxydemeton-methyl	5	0	0
338	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	8	0	0
339	Oxyfluorfen	8	0	0
340	Paclobutrazol	8	0	0
342	Paraoxon-methyl	8	0	0
343	Parathion	8	0	0
344	Parathion-methyl	8	0	0
345	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	8	0	0
346	Penconazole	8	0	0
347	Pencycuron	5	0	0
348	Pendimethalin	8	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
349	Pentachloroaniline	5	0	0
350	Permethrin (sum of isomers)	8	0	0
351	Phenothrin	5	0	0
352	Phenthoate	5	0	0
354	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	5	0	0
357	Phosalone	8	0	0
358	Phosmet	5	0	0
359	Phosmet (phosmet and phosmet oxon expressed as phosmet)	8	0	0
360	Phosmet oxon	5	0	0
362	Phoxim	5	0	0
363	Picoxystrobin	8	0	0
364	Pirimicarb	8	0	0
365	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	8	0	0
366	Pirimicarb desmethyl	8	0	0
368	Pirimiphos-methyl	8	0	0
369	Primisulfuron	5	0	0
370	Prochloraz	5	0	0
371	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	8	0	0
372	Procymidone	8	0	0
373	Profenofos	8	0	0
376	Prometryn	5	0	0
377	Propachlor	5	0	0
378	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	5	0	0
380	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	5	0	0
381	Propanil	5	0	0
382	Propargite	5	0	0
384	Propham	5	0	0
385	Propiconazole	8	0	0
386	Propoxur	3	0	0
387	Propyzamide	8	0	0



*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
390	Prothiofos	8	0	0
391	Pymetrozine	5	0	0
392	Pyraclostrobin	8	0	0
393	Pyrazophos	8	0	0
394	Pyrethrin I	5	0	0
395	Pyrethrin II	5	0	0
396	Pyrethrins	5	0	0
397	Pyridaben	5	0	0
398	Pyridate	5	0	0
399	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	5	0	0
400	Pyrifenox	5	0	0
401	Pyrimethanil	8	0	0
402	Pyriproxyfen	8	0	0
403	Quinalphos	5	0	0
404	Quinoxifen	8	0	0
405	Quintozene	8	0	0
406	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	5	0	0
407	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	8	0	0
408	Rimsulfuron	5	0	0
410	Sethoxydim	5	0	0
411	Simazine	5	0	0
413	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	8	0	0
414	Spinosyn A	8	0	0
415	Spinosyn D	8	0	0
416	Spirodiclofen	5	0	0
417	Spiroxamine	8	0	0
418	Tebuconazole	8	0	0
419	Tebufenozide	8	0	0
420	Tebufenpyrad	8	0	0
421	Tecnazene	8	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
422	Teflubenzuron	3	0	0
423	Tefluthrin	5	0	0
424	Temephos	5	0	0
425	Terbufos	8	0	0
426	Terbufos (sum baby and infant food)	8	0	0
427	Terbufos sulfone	8	0	0
428	Terbufos sulfoxide	8	0	0
429	Terbutylazine	5	0	0
430	Terbutryn	5	0	0
431	Tetrachlorvinphos	5	0	0
432	Tetraconazole	8	0	0
433	Tetradifon	8	0	0
435	Thiabendazole	8	0	0
436	Thiacloprid	8	0	0
437	Thiametoxam	8	0	0
438	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	8	0	0
440	Thifensulfuron-methyl	5	0	0
441	Thiobencarb	5	0	0
442	Thiodicarb	8	0	0
443	Thiophanate-methyl	8	0	0
444	Tolclofos-methyl	8	0	0
445	Tolyfluanid	3	0	0
446	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	5	0	0
447	Tralkoxydim	5	0	0
450	Triadimefon	8	0	0
451	Triadimefon (sum of Triadimefon and Triadimenol)	8	0	0
452	Triadimenol	8	0	0
453	Triasulfuron	5	0	0
454	Triazophos	8	0	0
455	Trichlorfon	3	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
457	Tricyclazole	5	0	0
458	Trifloxystrobin	8	0	0
461	Trifluralin	8	0	0
463	Triticonazole	8	0	0
464	Vamidothion	5	0	0
465	Vinclozolin	8	0	0
466	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	5	0	0
467	Zoxamide	5	0	0
468	alpha-Endosulfan	8	0	0
470	beta-Endosulfan	8	0	0
471	cis-Chlordane	8	0	0
473	tau-Fluvalinate	8	0	0
474	trans-Chlordane	8	0	0
		2409	5	1

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Oil plants	Nr Found	MRL Exc
2	2,4-D (sum)	41	0	0
6	Abamectin (sum)	42	0	0
7	Acephate	58	0	0
8	Acetamiprid	43	0	0
9	Acetochlor	2	0	0
10	Aclonifen	2	0	0
11	Acrinathrin	43	0	0
12	Alachlor	43	0	0
13	Aldicarb	43	0	0
14	Aldicarb (sum)	43	0	0
15	Aldicarb sulfone	43	0	0
16	Aldicarb sulfoxide	43	0	0
17	Aldrin	2	0	0
18	Aldrin and Dieldrin	43	0	0
19	Alphamethrin	153	0	0
20	Ametryn	2	0	0
23	Asulam	1	0	0
25	Atrazine	155	0	0
26	Avermectin B1a	1	0	0
27	Avermectin B1b	1	0	0
28	Azimsulfuron	2	0	0
29	Azinphos-ethyl	211	0	0
30	Azinphos-methyl	196	0	0
31	Azoxystrobin	43	0	0
33	Benalaxyl (sum)	2	0	0
35	Bendiocarb	1	0	0
36	Benfluralin	43	0	0
37	Benfuracarb	2	0	0
38	Bensulfuron-ethyl	2	0	0
40	Bentazone (sum animal products)	1	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
41	Benzoximate	2	0	0
42	Bifenthrin	43	0	0
44	Bitertanol	43	0	0
45	Boscalid	43	0	0
46	Bromacil	2	0	0
48	Bromophos-ethyl	2	0	0
49	Bromopropylate	43	0	0
50	Bromuconazole (sum)	43	0	0
51	Bupirimate	58	0	0
52	Buprofezin	211	0	0
53	Cadusafos	43	0	0
54	Captafol	2	0	0
55	Captan	1	0	0
57	Carbaryl	43	0	0
59	Carbendazim and benomyl	43	0	0
60	Carbofuran	43	0	0
61	Carbofuran (sum)	43	0	0
62	Carbofuran, 3-hydroxy	43	0	0
64	Carbosulfan	2	0	0
65	Carboxin	2	0	0
67	Chlorbromuron	2	0	0
70	Chlordane (sum)	43	0	0
71	Chlorfenapyr	43	0	0
73	Chlorfenvinphos	58	0	0
74	Chloridazon	2	0	0
77	Chlorobenzilate	43	0	0
78	Chlorothalonil	43	0	0
79	Chlorotoluron	2	0	0
80	Chloroxuron	2	0	0
81	Chlorpropham	41	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
82	Chlorpropham (sum)	1	0	0
83	Chlorpyrifos	211	10	0
84	Chlorpyrifos-methyl	211	0	0
85	Chlorsulfuron	2	0	0
86	Chlorthal-dimethyl	2	0	0
88	Cinerin	2	0	0
89	Cinerin I	2	0	0
90	Cinerin II	2	0	0
91	Clethodim (sum)	2	0	0
92	Clofentezine	2	0	0
94	Clothianidin	43	0	0
95	Coumaphos	43	0	0
96	Cyanazine	2	0	0
98	Cyfluthrin (sum)	211	0	0
99	Cymoxanil	2	0	0
101	Cypermethrin (sum)	211	0	0
102	Cyproconazole	43	0	0
103	Cyprodinil	43	0	0
104	Cyromazine	2	0	0
105	DDD, p,p-	43	0	0
106	DDE, o,p-	1	0	0
107	DDE, p,p-	43	0	0
108	DDT (sum)	43	0	0
109	DDT, o,p-	43	0	0
110	DDT, p,p-	43	0	0
111	Deltamethrin	211	1	0
113	Demeton-S-methyl	43	0	0
114	Demeton-S-methyl sulfone	2	0	0
115	Desmetryn	2	0	0
116	Diafenthiuron	2	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
117	Diazinon	211	0	0
119	Dichlofluanid	43	0	0
120	Dichloroaniline, 3,5-	1	0	0
122	Dichlorprop	41	0	0
123	Dichlorprop	41	0	0
124	Dichlorvos	58	0	0
125	Dicloran	2	0	0
126	Dicofol (sum)	2	0	0
127	Dicofol o, p'	2	0	0
128	Dicofol p, p'	2	0	0
129	Dicrotophos	2	0	0
130	Dieldrin	2	0	0
131	Diethofencarb	2	0	0
132	Difenoconazole	43	0	0
133	Diflubenzuron	2	0	0
134	Diflufenican	43	0	0
135	Dimethoate	211	3	0
136	Dimethoate (sum)	211	3	0
137	Dimethomorph	43	0	0
139	Diniconazole	2	0	0
140	Dinitramine	2	0	0
141	Dinobuton	2	0	0
146	Diphenamid	2	0	0
147	Diphenylamine	43	0	0
148	Disulfoton	2	0	0
149	Disulfoton (sum baby and infant food)	43	0	0
150	Disulfoton sulfone	43	0	0
151	Disulfoton sulfoxide	43	0	0
153	Diuron	2	0	0
154	Diuron	2	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
155	Dodemorph	2	0	0
157	EPN	43	0	0
158	Emamectin benzoate B1a, expressed as emamectin	1	0	0
159	Endosulfan (sum)	211	0	0
160	Endosulfansulfate	211	0	0
161	Endrin	43	0	0
162	Epoxiconazole	43	0	0
164	Ethalfuralin	43	0	0
167	Ethion	170	0	0
168	Ethirimol	2	0	0
169	Ethofumesate	2	0	0
170	Ethofumesate (sum)	2	0	0
171	Ethoprophos	58	0	0
172	Ethoxyquin	2	0	0
173	Etofenprox	2	0	0
174	Etoxazole	2	0	0
175	Etrimfos	41	0	0
176	Famoxadone	43	0	0
177	Fenamidone	2	0	0
178	Fenamiphos	2	0	0
179	Fenamiphos (sum)	2	0	0
180	Fenamiphos sulfone	2	0	0
181	Fenamiphos sulfoxide	2	0	0
182	Fenarimol	43	0	0
183	Fenazaquin	43	0	0
184	Fenbuconazole	43	0	0
187	Fenhexamid	43	0	0
188	Fenitrothion	211	0	0
189	Fenoxycarb	43	0	0
190	Fenpropathrin	43	0	0



*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
191	Fenpropidin	2	0	0
192	Fenpropimorph	43	0	0
193	Fenpyroximate	2	0	0
195	Fensulfothion	2	0	0
196	Fensulfothion (sum baby and infant food)	2	0	0
197	Fensulfothion oxon	2	0	0
198	Fensulfothion oxon sulphone	2	0	0
199	Fensulfothion sulfone	2	0	0
200	Fenthion	215	2	0
201	Fenthion (sum)	215	2	0
202	Fenthion oxon	155	0	0
203	Fenthion oxon sulfone	2	0	0
204	Fenthion oxonsulfoxide	2	0	0
205	Fenthion sulfone	211	0	0
206	Fenthion sulfoxide	215	0	0
208	Fenvalerate (sum of RR, SS, RS and SR isomers)	43	0	0
212	Fipronil	41	0	0
214	Fipronil desulfinyl	1	0	0
217	Fluazifop-P-butyl (sum)	41	0	0
218	Fluazinam	1	0	0
220	Flucythrinate	2	0	0
222	Fludioxonil	42	0	0
223	Flufenacet	2	0	0
225	Flufenoxuron	43	0	0
226	Fluometuron	2	0	0
227	Fluopicolide	2	0	0
228	Fluquinconazole	43	0	0
229	Fluroxypyr	1	0	0
230	Fluroxypyr (sum)	41	0	0
231	Flusilazole	43	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
232	Flutolanil	2	0	0
233	Flutriafol	43	0	0
234	Fluvalinate	41	0	0
235	Folpet	2	0	0
236	Foramsulfuron	1	0	0
237	Formetanate	1	0	0
238	Formetanate	1	0	0
240	Fosthiazate	2	0	0
241	Furathiocarb	2	0	0
246	Haloxypop including haloxypop-R	41	0	0
252	Heptachlor	43	0	0
253	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	43	0	0
254	Heptachlor endo-epoxide	41	0	0
255	Heptachlor epoxide	2	0	0
256	Heptachlor exo-epoxide	41	0	0
257	Heptenophos	43	0	0
258	Hexachlorobenzene	43	0	0
259	Hexachlorocyclohexane (HCH), alpha-isomer	43	0	0
260	Hexachlorocyclohexane (HCH), beta-isomer	43	0	0
261	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	43	0	0
262	Hexaconazole	43	0	0
264	Hexythiazox	43	0	0
265	Imazalil	43	0	0
266	Imazamethabenz-methyl	2	0	0
267	Imidacloprid	43	0	0
268	Indoxacarb as sum of the isomers S and R	43	0	0
271	Iprodione	43	0	0
272	Iprovalicarb	43	0	0
273	Isofenphos-methyl	43	0	0
274	Isoprothiolane	2	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
275	Isoproturon	43	0	0
276	Jasmolin I	2	0	0
277	Jasmolin II	2	0	0
278	Kresoxim-methyl	196	0	0
279	Lambda-Cyhalothrin	211	0	0
281	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	43	0	0
282	Linuron	43	0	0
283	Lufenuron	43	0	0
284	MCPA	41	0	0
286	Malaoxon	58	0	0
287	Malathion	211	0	0
288	Malathion (sum of malathion and malaoxon expressed as malathion)	211	0	0
290	Mecarbam	2	0	0
291	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	41	0	0
292	Mepanipyrim	43	0	0
296	Metaflumizone (sum of E- and Z- isomers)	2	0	0
298	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	43	0	0
299	Metamitron	2	0	0
300	Metazachlor	2	0	0
301	Metconazole	43	0	0
302	Methabenzthiazuron	2	0	0
303	Methacrifos	43	0	0
304	Methamidophos	58	0	0
305	Methidathion	211	1	0
306	Methiocarb	43	0	0
307	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	43	0	0
308	Methiocarb sulfone	43	0	0
309	Methiocarb sulfoxide	43	0	0
310	Metholachlor	2	0	0
311	Methomyl	43	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
312	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	43	0	0
313	Methoxychlor	43	0	0
314	Methoxyfenozide	43	0	0
315	Metobromuron	2	0	0
316	Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers))	41	0	0
317	Metoxuron	2	0	0
319	Metribuzin	2	0	0
320	Metsulfuron-methyl	2	0	0
321	Mevinphos (sum of E- and Z-isomers)	2	0	0
322	Monocrotophos	43	0	0
323	Monolinuron	2	0	0
324	Myclobutanil	43	0	0
325	Naled	2	0	0
326	Napropamide	2	0	0
327	Nicosulfuron	2	0	0
328	Nitenpyram	2	0	0
329	Nitrofen	43	0	0
330	Nuarimol	2	0	0
331	Omethoate	211	0	0
332	Orthophenylphenol	41	0	0
333	Oxadiazon	2	0	0
334	Oxadixyl	43	0	0
335	Oxamyl	43	0	0
336	Oxychlordane	1	0	0
337	Oxydemeton-methyl	3	0	0
338	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	43	0	0
339	Oxyfluorfen	43	0	0
340	Paclobutrazol	43	0	0
342	Paraoxon-methyl	58	0	0
343	Parathion	211	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
344	Parathion-methyl	211	0	0
345	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	211	0	0
346	Penconazole	43	0	0
347	Pencycuron	2	0	0
348	Pendimethalin	43	0	0
349	Pentachloroaniline	2	0	0
350	Permethrin (sum of isomers)	43	0	0
351	Phenothrin	1	0	0
352	Phenthoate	17	0	0
354	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	2	0	0
357	Phosalone	211	0	0
358	Phosmet	170	0	0
359	Phosmet (phosmet and phosmet oxon expressed as phosmet)	58	0	0
360	Phosmet oxon	2	0	0
361	Phosphamidon	15	0	0
362	Phoxim	2	0	0
363	Picoxystrobin	43	0	0
364	Pirimicarb	196	0	0
365	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	196	0	0
366	Pirimicarb desmethyl	43	0	0
368	Pirimiphos-methyl	58	0	0
369	Primisulfuron	2	0	0
370	Prochloraz	2	0	0
371	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	43	0	0
372	Procymidone	196	0	0
373	Profenofos	43	0	0
376	Prometryn	155	0	0
377	Propachlor	2	0	0
378	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	2	0	0
380	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	1	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Oil plants	Nr Found	MRL Exc
381	Propanil	2	0	0
382	Propargite	2	0	0
384	Propham	2	0	0
385	Propiconazole	43	0	0
386	Propoxur	41	0	0
387	Propyzamide	43	0	0
388	Prothioconazole (prothioconazole-desthio)	1	0	0
389	Prothioconazole (sum animal products)	1	0	0
390	Prothiofos	43	0	0
391	Pymetrozine	2	0	0
392	Pyraclostrobin	43	0	0
393	Pyrazophos	58	0	0
394	Pyrethrin I	2	0	0
395	Pyrethrin II	2	0	0
396	Pyrethrins	2	0	0
397	Pyridaben	2	0	0
398	Pyridate	1	0	0
399	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	1	0	0
400	Pyrifenox	2	0	0
401	Pyrimethanil	58	0	0
402	Pyriproxyfen	43	0	0
403	Quinalphos	17	0	0
404	Quinoxifen	43	0	0
405	Quintozene	43	0	0
406	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	2	0	0
407	Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	42	0	0
408	Rimsulfuron	1	0	0
410	Sethoxydim	2	0	0
411	Simazine	155	0	0
413	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	43	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Oil plants	Nr Found	MRL Exc
414	Spinosyn A	43	0	0
415	Spinosyn D	43	0	0
416	Spirodiclofen	2	0	0
417	Spiroxamine	43	0	0
418	Tebuconazole	43	0	0
419	Tebufenozide	43	0	0
420	Tebufenpyrad	43	0	0
421	Tecnazene	43	0	0
422	Teflubenzuron	42	0	0
423	Tefluthrin	2	0	0
424	Temephos	2	0	0
425	Terbufos	43	0	0
426	Terbufos (sum baby and infant food)	43	0	0
427	Terbufos sulfone	43	0	0
428	Terbufos sulfoxide	43	0	0
429	Terbutylazine	2	0	0
430	Terbutryn	2	0	0
431	Tetrachlorvinphos	2	0	0
432	Tetraconazole	43	0	0
433	Tetradifon	43	0	0
435	Thiabendazole	43	0	0
436	Thiacloprid	43	0	0
437	Thiametoxam	43	0	0
438	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	43	0	0
440	Thifensulfuron-methyl	1	0	0
441	Thiobencarb	1	0	0
442	Thiodicarb	43	0	0
443	Thiophanate-methyl	43	0	0
444	Tolclofos-methyl	211	0	0
445	Tolyfluanid	41	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
446	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	2	0	0
447	Tralkoxydim	2	0	0
450	Triadimefon	43	0	0
451	Triadimefon (sum of Triadimefon and Triadimenol)	43	0	0
452	Triadimenol	43	0	0
453	Triasulfuron	1	0	0
454	Triazophos	58	0	0
455	Trichlorfon	41	0	0
457	Tricyclazole	2	0	0
458	Trifloxystrobin	58	0	0
461	Trifluralin	58	0	0
463	Triticonazole	43	0	0
464	Vamidothion	2	0	0
465	Vinclozolin	43	0	0
466	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	2	0	0
467	Zoxamide	2	0	0
468	alpha-Endosulfan	211	0	0
469	beta-Cyfluthrin	153	0	0
470	beta-Endosulfan	211	0	0
471	cis-Chlordane	43	0	0
473	tau-Fluvalinate	43	0	0
474	trans-Chlordane	43	0	0
		16596	22	0



**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Pulses	Nr Found	MRL Ex
6	Abamectin (sum)	13	0	0
7	Acephate	14	0	0
8	Acetamiprid	14	0	0
9	Acetochlor	13	0	0
10	Aclonifen	13	0	0
11	Acrinathrin	14	0	0
12	Alachlor	14	0	0
13	Aldicarb	13	0	0
14	Aldicarb (sum)	13	0	0
15	Aldicarb sulfone	13	0	0
16	Aldicarb sulfoxide	13	0	0
17	Aldrin	14	0	0
18	Aldrin and Dieldrin	14	0	0
20	Ametryn	14	0	0
23	Asulam	13	0	0
25	Atrazine	13	0	0
26	Avermectin B1a	13	0	0
27	Avermectin B1b	13	0	0
28	Azimsulfuron	13	0	0
29	Azinphos-ethyl	13	0	0
30	Azinphos-methyl	14	0	0
31	Azoxystrobin	14	0	0
32	Benalaxyl	1	0	0
33	Benalaxyl (sum)	14	0	0
36	Benfluralin	13	0	0
37	Benfuracarb	14	0	0
38	Bensulfuron-ethyl	13	0	0
40	Bentazone (sum animal products)	13	0	0
41	Benzoximate	13	0	0
42	Bifenthrin	14	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
44	Bitertanol	14	0	0
45	Boscalid	14	0	0
46	Bromacil	13	0	0
48	Bromophos-ethyl	13	0	0
49	Bromopropylate	14	0	0
50	Bromuconazole (sum)	14	0	0
51	Bupirimate	14	0	0
52	Buprofezin	14	0	0
53	Cadusafos	14	0	0
54	Captafol	13	0	0
55	Captan	14	0	0
57	Carbaryl	13	3	2
58	Carbendazim	1	0	0
59	Carbendazim and benomyl	14	0	0
60	Carbofuran	14	0	0
61	Carbofuran (sum)	14	0	0
62	Carbofuran, 3-hydroxy	14	0	0
64	Carbosulfan	14	0	0
65	Carboxin	13	0	0
67	Chlorbromuron	13	0	0
70	Chlordane (sum)	13	0	0
71	Chlorfenapyr	14	0	0
73	Chlorfenvinphos	14	0	0
74	Chloridazon	13	0	0
77	Chlorobenzilate	14	0	0
78	Chlorothalonil	14	0	0
79	Chlorotoluron	13	0	0
80	Chloroxuron	13	0	0
81	Chlorpropham	1	0	0
82	Chlorpropham (sum)	14	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Pulses	Nr Found	MRL Ex
83	Chlorpyrifos	14	8	0
84	Chlorpyrifos-methyl	14	0	0
85	Chlorsulfuron	13	0	0
86	Chlorthal-dimethyl	13	0	0
88	Cinerin	13	0	0
89	Cinerin I	13	0	0
90	Cinerin II	13	0	0
91	Clethodim (sum)	13	0	0
92	Clofentezine	14	0	0
94	Clothianidin	14	0	0
95	Coumaphos	13	0	0
96	Cyanazine	13	0	0
97	Cyfluthrin	1	0	0
98	Cyfluthrin (sum)	14	0	0
99	Cymoxanil	14	0	0
100	Cypermethrin	1	0	0
101	Cypermethrin (sum)	14	3	3
102	Cyproconazole	14	0	0
103	Cyprodinil	14	0	0
104	Cyromazine	13	0	0
105	DDD, p,p-	13	0	0
106	DDE, o,p-	13	0	0
107	DDE, p,p-	13	0	0
108	DDT (sum)	14	0	0
109	DDT, o,p-	14	0	0
110	DDT, p,p-	14	0	0
111	Deltamethrin	14	0	0
113	Demeton-S-methyl	14	0	0
114	Demeton-S-methyl sulfone	14	0	0
115	Desmetryn	13	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Pulses	Nr Found	MRL Ex
116	Diafenthuron	14	0	0
117	Diazinon	14	0	0
118	Dichlobenil	1	0	0
119	Dichlofluanid	14	0	0
120	Dichloroaniline, 3,5-	13	0	0
124	Dichlorvos	14	0	0
125	Dicloran	14	0	0
126	Dicofol (sum)	14	0	0
127	Dicofol o, p'	14	0	0
128	Dicofol p, p'	14	0	0
129	Dicrotophos	13	0	0
130	Dieldrin	14	0	0
131	Diethofencarb	13	0	0
132	Difenoconazole	14	0	0
133	Diflubenzuron	14	0	0
134	Diflufenican	13	0	0
135	Dimethoate	14	0	0
136	Dimethoate (sum)	14	0	0
137	Dimethomorph	14	0	0
139	Diniconazole	14	0	0
140	Dinitramine	13	0	0
141	Dinobuton	13	0	0
146	Diphenamid	13	0	0
147	Diphenylamine	14	0	0
148	Disulfoton	13	0	0
149	Disulfoton (sum baby and infant food)	14	0	0
150	Disulfoton sulfone	13	0	0
151	Disulfoton sulfoxide	13	0	0
153	Diuron	26	0	0
154	Diuron	26	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Pulses	Nr Found	MRL Ex
155	Dodemorph	13	0	0
157	EPN	14	0	0
158	Emamectin benzoate B1a, expressed as emamectin	13	0	0
159	Endosulfan (sum)	14	0	0
160	Endosulfansulfate	14	0	0
161	Endrin	14	0	0
162	Epoxiconazole	14	0	0
164	Ethalfuralin	14	0	0
167	Ethion	14	0	0
168	Ethirimol	13	0	0
169	Ethofumesate	13	0	0
170	Ethofumesate (sum)	13	0	0
171	Ethoprophos	14	0	0
172	Ethoxyquin	13	0	0
173	Etofenprox	13	0	0
174	Etoxazole	13	0	0
176	Famoxadone	14	0	0
177	Fenamidone	13	0	0
178	Fenamiphos	14	0	0
179	Fenamiphos (sum)	14	0	0
180	Fenamiphos sulfone	14	0	0
181	Fenamiphos sulfoxide	14	0	0
182	Fenarimol	14	0	0
183	Fenazaquin	14	0	0
184	Fenbuconazole	14	0	0
187	Fenhexamid	14	0	0
188	Fenitrothion	14	0	0
189	Fenoxycarb	14	0	0
190	Fenpropathrin	14	0	0
191	Fenpropidin	13	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
192	Fenpropimorph	14	0	0
193	Fenpyroximate	13	0	0
195	Fensulfothion	13	0	0
196	Fensulfothion (sum baby and infant food)	13	0	0
197	Fensulfothion oxon	13	0	0
198	Fensulfothion oxon sulphone	13	0	0
199	Fensulfothion sulfone	13	0	0
200	Fenthion	14	0	0
201	Fenthion (sum)	14	0	0
202	Fenthion oxon	13	0	0
203	Fenthion oxon sulfone	13	0	0
204	Fenthion oxonsulfoxide	13	0	0
205	Fenthion sulfone	13	0	0
206	Fenthion sulfoxide	14	0	0
207	Fenvalerate	1	0	0
208	Fenvalerate (sum of RR, SS, RS and SR isomers)	14	0	0
212	Fipronil	1	0	0
213	Fipronil (sum)	1	0	0
218	Fluazinam	1	0	0
220	Flucythrinate	14	0	0
222	Fludioxonil	1	0	0
223	Flufenacet	13	0	0
225	Flufenoxuron	13	0	0
226	Fluometuron	13	0	0
227	Fluopicolide	14	0	0
228	Fluquinconazole	14	0	0
229	Fluroxypyr	13	0	0
231	Flusilazole	14	0	0
232	Flutolanil	14	0	0
233	Flutriafol	14	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
235	Folpet	14	0	0
236	Foramsulfuron	13	0	0
237	Formetanate	14	0	0
238	Formetanate	14	0	0
240	Fosthiazate	13	0	0
241	Furathiocarb	13	0	0
252	Heptachlor	14	0	0
253	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	14	0	0
255	Heptachlor epoxide	13	0	0
257	Heptenophos	14	0	0
258	Hexachlorobenzene	13	0	0
259	Hexachlorocyclohexane (HCH), alpha-isomer	13	0	0
260	Hexachlorocyclohexane (HCH), beta-isomer	13	0	0
261	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	13	0	0
262	Hexaconazole	14	0	0
264	Hexythiazox	14	0	0
265	Imazalil	14	0	0
266	Imazamethabenz-methyl	13	0	0
267	Imidacloprid	14	0	0
268	Indoxacarb as sum of the isomers S and R	14	0	0
271	Iprodione	14	0	0
272	Iprovalicarb	14	0	0
273	Isofenphos-methyl	14	0	0
274	Isoprothiolane	13	0	0
275	Isoproturon	13	0	0
276	Jasmolin I	13	0	0
277	Jasmolin II	13	0	0
278	Kresoxim-methyl	14	0	0
279	Lambda-Cyhalothrin	14	0	0
281	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	14	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
282	Linuron	14	0	0
283	Lufenuron	13	0	0
286	Malaoxon	14	0	0
287	Malathion	14	3	0
288	Malathion (sum of malathion and malaoxon expressed as malathion)	14	3	2
290	Mecarbam	14	0	0
292	Mepanipyrim	14	0	0
293	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	1	0	0
296	Metaflumizone (sum of E- and Z- isomers)	13	0	0
297	Metalaxyl	1	0	0
298	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	14	0	0
299	Metamitron	13	0	0
300	Metazachlor	13	0	0
301	Metconazole	14	0	0
302	Methabenzthiazuron	13	0	0
303	Methacrifos	13	0	0
304	Methamidophos	14	0	0
305	Methidathion	14	0	0
306	Methiocarb	14	0	0
307	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	14	0	0
308	Methiocarb sulfone	14	0	0
309	Methiocarb sulfoxide	13	0	0
310	Metholachlor	14	0	0
311	Methomyl	14	0	0
312	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	14	0	0
313	Methoxychlor	13	0	0
314	Methoxyfenozide	13	0	0
315	Metobromuron	13	0	0
317	Metoxuron	13	0	0
318	Metrafenone	1	0	0



**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Pulses	Nr Found	MRL Ex
319	Metribuzin	14	0	0
320	Metsulfuron-methyl	13	0	0
321	Mevinphos (sum of E- and Z-isomers)	13	0	0
322	Monocrotophos	14	0	0
323	Monolinuron	13	0	0
324	Myclobutanil	14	0	0
325	Naled	13	0	0
326	Napropamide	13	0	0
327	Nicosulfuron	13	0	0
328	Nitenpyram	13	0	0
329	Nitrofen	13	0	0
330	Nuarimol	13	0	0
331	Omethoate	14	0	0
333	Oxadiazon	14	0	0
334	Oxadixyl	14	0	0
335	Oxamyl	14	0	0
337	Oxydemeton-methyl	14	0	0
338	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	14	0	0
339	Oxyfluorfen	14	0	0
340	Paclobutrazol	14	0	0
342	Paraoxon-methyl	14	0	0
343	Parathion	14	0	0
344	Parathion-methyl	14	0	0
345	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	14	0	0
346	Penconazole	14	0	0
347	Pencycuron	14	0	0
348	Pendimethalin	14	0	0
349	Pentachloroaniline	13	0	0
350	Permethrin (sum of isomers)	14	0	0
351	Phenothrin	13	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
352	Phenthoate	14	0	0
353	Phorate	1	0	0
354	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	14	0	0
355	Phorate sulfone	1	0	0
356	Phorate-Sulfoxid	1	0	0
357	Phosalone	14	0	0
358	Phosmet	14	0	0
359	Phosmet (phosmet and phosmet oxon expressed as phosmet)	14	0	0
360	Phosmet oxon	13	0	0
361	Phosphamidon	1	0	0
362	Phoxim	13	0	0
363	Picoxystrobin	13	0	0
364	Pirimicarb	14	0	0
365	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	14	0	0
366	Pirimicarb desmethyl	14	0	0
368	Pirimiphos-methyl	14	0	0
369	Primisulfuron	13	0	0
370	Prochloraz	14	0	0
371	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	14	0	0
372	Procymidone	14	0	0
373	Profenofos	14	0	0
376	Prometryn	14	0	0
377	Propachlor	13	0	0
378	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	14	0	0
380	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	13	0	0
381	Propanil	13	0	0
382	Propargite	14	0	0
384	Propham	13	0	0
385	Propiconazole	14	0	0
386	Propoxur	1	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
387	Propyzamide	14	0	0
388	Prothioconazole (prothioconazole-desthio)	1	0	0
390	Prothiofos	14	0	0
391	Pymetrozine	13	0	0
392	Pyraclostrobin	14	0	0
393	Pyrazophos	14	0	0
394	Pyrethrin I	13	0	0
395	Pyrethrin II	13	0	0
396	Pyrethrins	13	0	0
397	Pyridaben	14	0	0
398	Pyridate	13	0	0
399	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	13	0	0
400	Pyrifenox	14	0	0
401	Pyrimethanil	14	0	0
402	Pyriproxyfen	14	0	0
403	Quinalphos	14	0	0
404	Quinoxifen	14	0	0
405	Quintozene	13	0	0
406	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	13	0	0
407	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	13	0	0
408	Rimsulfuron	13	0	0
410	Sethoxydim	13	0	0
411	Simazine	13	0	0
413	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	13	0	0
414	Spinosyn A	13	0	0
415	Spinosyn D	13	0	0
416	Spirodiclofen	13	0	0
417	Spiroxamine	14	0	0
418	Tebuconazole	14	0	0
419	Tebufenozide	13	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
420	Tebufenpyrad	14	0	0
421	Tecnazene	13	0	0
423	Tefluthrin	14	0	0
424	Temephos	13	0	0
425	Terbufos	13	0	0
426	Terbufos (sum baby and infant food)	13	0	0
427	Terbufos sulfone	13	0	0
428	Terbufos sulfoxide	13	0	0
429	Terbuthylazine	14	0	0
430	Terbutryn	13	0	0
431	Tetrachlorvinphos	13	0	0
432	Tetraconazole	14	0	0
433	Tetradifon	14	0	0
435	Thiabendazole	14	0	0
436	Thiacloprid	14	0	0
437	Thiametoxam	14	0	0
438	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	14	0	0
440	Thifensulfuron-methyl	13	0	0
441	Thiobencarb	13	0	0
442	Thiodicarb	13	0	0
443	Thiophanate-methyl	13	0	0
444	Tolclofos-methyl	14	0	0
445	Tolyfluanid	1	0	0
446	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	14	0	0
447	Tralkoxydim	13	0	0
450	Triadimefon	14	0	0
451	Triadimefon (sum of Triadimefon and Triadimenol)	14	0	0
452	Triadimenol	14	0	0
453	Triasulfuron	13	0	0
454	Triazophos	14	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
455	Trichlorfon	1	0	0
457	Tricyclazole	13	0	0
458	Trifloxystrobin	14	0	0
461	Trifluralin	14	0	0
463	Triticonazole	14	0	0
464	Vamidothion	13	0	0
465	Vinclozolin	14	0	0
466	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	14	0	0
467	Zoxamide	13	0	0
468	alpha-Endosulfan	14	0	0
470	beta-Endosulfan	14	0	0
471	cis-Chlordane	13	0	0
473	tau-Fluvalinate	14	0	0
474	trans-Chlordane	13	0	0
		<b>4821</b>	<b>20</b>	<b>7</b>

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Sugar Plants	Nr Found	MRL Ex
6	Abamectin (sum)	2	0	0
7	Acephate	2	0	0
8	Acetamiprid	2	0	0
9	Acetochlor	2	0	0
10	Aclonifen	2	0	0
11	Acrinathrin	2	0	0
12	Alachlor	2	0	0
13	Aldicarb	2	0	0
14	Aldicarb (sum)	2	0	0
15	Aldicarb sulfone	2	0	0
16	Aldicarb sulfoxide	2	0	0
17	Aldrin	2	0	0
18	Aldrin and Dieldrin	2	0	0
20	Ametryn	2	0	0
23	Asulam	2	0	0
25	Atrazine	2	0	0
26	Avermectin B1a	2	0	0
27	Avermectin B1b	2	0	0
28	Azimsulfuron	2	0	0
29	Azinphos-ethyl	2	0	0
30	Azinphos-methyl	2	0	0
31	Azoxystrobin	2	0	0
33	Benalaxyl (sum)	2	0	0
36	Benfluralin	2	0	0
37	Benfuracarb	2	0	0
38	Bensulfuron-ethyl	2	0	0
40	Bentazone (sum animal products)	2	0	0
41	Benzoximate	2	0	0
42	Bifenthrin	2	0	0
44	Bitertanol	2	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
45	Boscalid	2	0	0
46	Bromacil	2	0	0
48	Bromophos-ethyl	2	0	0
49	Bromopropylate	2	0	0
50	Bromuconazole (sum)	2	0	0
51	Bupirimate	2	0	0
52	Buprofezin	2	0	0
53	Cadusafos	2	0	0
54	Captafol	2	0	0
55	Captan	2	0	0
57	Carbaryl	2	0	0
59	Carbendazim and benomyl	2	0	0
60	Carbofuran	2	0	0
61	Carbofuran (sum)	2	0	0
62	Carbofuran, 3-hydroxy	2	0	0
64	Carbosulfan	2	0	0
65	Carboxin	2	0	0
67	Chlorbromuron	2	0	0
70	Chlordane (sum)	2	0	0
71	Chlorfenapyr	2	0	0
73	Chlorfenvinphos	2	0	0
74	Chloridazon	2	0	0
77	Chlorobenzilate	2	0	0
78	Chlorothalonil	2	0	0
79	Chlorotoluron	2	0	0
80	Chloroxuron	2	0	0
82	Chlorpropham (sum)	2	0	0
83	Chlorpyrifos	2	0	0
84	Chlorpyrifos-methyl	2	0	0
85	Chlorsulfuron	2	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Sugar Plants	Nr Found	MRL Ex
86	Chlorthal-dimethyl	2	0	0
88	Cinerin	2	0	0
89	Cinerin I	2	0	0
90	Cinerin II	2	0	0
91	Clethodim (sum)	2	0	0
92	Clofentezine	2	0	0
94	Clothianidin	2	0	0
95	Coumaphos	2	0	0
96	Cyanazine	2	0	0
98	Cyfluthrin (sum)	2	0	0
99	Cymoxanil	2	0	0
101	Cypermethrin (sum)	2	0	0
102	Cyproconazole	2	0	0
103	Cyprodinil	2	0	0
104	Cyromazine	2	0	0
105	DDD, p,p-	2	0	0
106	DDE, o,p-	2	0	0
107	DDE, p,p-	2	0	0
108	DDT (sum)	2	0	0
109	DDT, o,p-	2	0	0
110	DDT, p,p-	2	0	0
111	Deltamethrin	2	0	0
113	Demeton-S-methyl	2	0	0
114	Demeton-S-methyl sulfone	2	0	0
115	Desmetryn	2	0	0
116	Diafenthiuron	2	0	0
117	Diazinon	2	0	0
119	Dichlofluanid	2	0	0
120	Dichloroaniline, 3,5-	2	0	0
124	Dichlorvos	2	0	0



Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Sugar Plants	Nr Found	MRL Ex
125	Dicloran	2	0	0
126	Dicofol (sum)	2	0	0
127	Dicofol o, p'	2	0	0
128	Dicofol p, p'	2	0	0
129	Dicrotophos	2	0	0
130	Dieldrin	2	0	0
131	Diethofencarb	2	0	0
132	Difenoconazole	2	0	0
133	Diflubenzuron	2	0	0
134	Diflufenican	2	0	0
135	Dimethoate	2	0	0
136	Dimethoate (sum)	2	0	0
137	Dimethomorph	2	0	0
139	Diniconazole	2	0	0
140	Dinitramine	2	0	0
141	Dinobuton	2	0	0
146	Diphenamid	2	0	0
147	Diphenylamine	2	0	0
148	Disulfoton	2	0	0
149	Disulfoton (sum baby and infant food)	2	0	0
150	Disulfoton sulfone	2	0	0
151	Disulfoton sulfoxide	2	0	0
153	Diuron	4	0	0
154	Diuron	4	0	0
155	Dodemorph	2	0	0
157	EPN	2	0	0
158	Emamectin benzoate B1a, expressed as emamectin	2	0	0
159	Endosulfan (sum)	2	0	0
160	Endosulfansulfate	2	0	0
161	Endrin	2	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
162	Epoxiconazole	2	0	0
164	Ethalfuralin	2	0	0
167	Ethion	2	0	0
168	Ethirimol	2	0	0
169	Ethofumesate	2	0	0
170	Ethofumesate (sum)	2	0	0
171	Ethoprophos	2	0	0
172	Ethoxyquin	2	0	0
173	Etofenprox	2	0	0
174	Etoxazole	2	0	0
176	Famoxadone	2	0	0
177	Fenamidone	2	0	0
178	Fenamiphos	2	0	0
179	Fenamiphos (sum)	2	0	0
180	Fenamiphos sulfone	2	0	0
181	Fenamiphos sulfoxide	2	0	0
182	Fenarimol	2	0	0
183	Fenazaquin	2	0	0
184	Fenbuconazole	2	0	0
187	Fenhexamid	2	0	0
188	Fenitrothion	2	0	0
189	Fenoxycarb	2	0	0
190	Fenpropathrin	2	0	0
191	Fenpropidin	2	0	0
192	Fenpropimorph	2	0	0
193	Fenpyroximate	2	0	0
195	Fensulfothion	2	0	0
196	Fensulfothion (sum baby and infant food)	2	0	0
197	Fensulfothion oxon	2	0	0
198	Fensulfothion oxon sulphone	2	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
199	Fensulfothion sulfone	2	0	0
200	Fenthion	2	0	0
201	Fenthion (sum)	2	0	0
202	Fenthion oxon	2	0	0
203	Fenthion oxon sulfone	2	0	0
204	Fenthion oxonsulfoxide	2	0	0
205	Fenthion sulfone	2	0	0
206	Fenthion sulfoxide	2	0	0
208	Fenvalerate (sum of RR, SS, RS and SR isomers)	2	0	0
220	Flucythrinate	2	0	0
223	Flufenacet	2	0	0
225	Flufenoxuron	2	0	0
226	Fluometuron	2	0	0
227	Fluopicolide	2	0	0
228	Fluquinconazole	2	0	0
229	Fluroxypyr	2	0	0
231	Flusilazole	2	0	0
232	Flutolanil	2	0	0
233	Flutriafol	2	0	0
235	Folpet	2	0	0
236	Foramsulfuron	2	0	0
237	Formetanate	2	0	0
238	Formetanate	2	0	0
240	Fosthiazate	2	0	0
241	Furathiocarb	2	0	0
252	Heptachlor	2	0	0
253	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	2	0	0
255	Heptachlor epoxide	2	0	0
257	Heptenophos	2	0	0
258	Hexachlorobenzene	2	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Sugar Plants	Nr Found	MRL Ex
259	Hexachlorocyclohexane (HCH), alpha-isomer	2	0	0
260	Hexachlorocyclohexane (HCH), beta-isomer	2	0	0
261	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	2	0	0
262	Hexaconazole	2	0	0
264	Hexythiazox	2	0	0
265	Imazalil	2	0	0
266	Imazamethabenz-methyl	2	0	0
267	Imidacloprid	2	0	0
268	Indoxacarb as sum of the isomers S and R	2	0	0
271	Iprodione	2	0	0
272	Iprovalicarb	2	0	0
273	Isofenphos-methyl	2	0	0
274	Isoprothiolane	2	0	0
275	Isoproturon	2	0	0
276	Jasmolin I	2	0	0
277	Jasmolin II	2	0	0
278	Kresoxim-methyl	2	0	0
279	Lambda-Cyhalothrin	2	0	0
281	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	2	0	0
282	Linuron	2	0	0
283	Lufenuron	2	0	0
286	Malaoxon	2	0	0
287	Malathion	2	0	0
288	Malathion (sum of malathion and malaoxon expressed as malathion)	2	0	0
290	Mecarbam	2	0	0
292	Mepanipyrim	2	0	0
296	Metaflumizone (sum of E- and Z- isomers)	2	0	0
298	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	2	0	0
299	Metamitron	2	0	0
300	Metazachlor	2	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Sugar Plants	Nr Found	MRL Ex
301	Metconazole	2	0	0
302	Methabenzthiazuron	2	0	0
303	Methacrifos	2	0	0
304	Methamidophos	2	0	0
305	Methidathion	2	0	0
306	Methiocarb	2	0	0
307	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	2	0	0
308	Methiocarb sulfone	2	0	0
309	Methiocarb sulfoxide	2	0	0
310	Metholachlor	2	0	0
311	Methomyl	2	0	0
312	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	2	0	0
313	Methoxychlor	2	0	0
314	Methoxyfenozide	2	0	0
315	Metobromuron	2	0	0
317	Metoxuron	2	0	0
319	Metribuzin	2	0	0
320	Metsulfuron-methyl	2	0	0
321	Mevinphos (sum of E- and Z-isomers)	2	0	0
322	Monocrotophos	2	0	0
323	Monolinuron	2	0	0
324	Myclobutanil	2	0	0
325	Naled	2	0	0
326	Napropamide	2	0	0
327	Nicosulfuron	2	0	0
328	Nitenpyram	2	0	0
329	Nitrofen	2	0	0
330	Nuarimol	2	0	0
331	Omethoate	2	0	0
333	Oxadiazon	2	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
334	Oxadixyl	2	0	0
335	Oxamyl	2	0	0
337	Oxydemeton-methyl	2	0	0
338	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	2	0	0
339	Oxyfluorfen	2	0	0
340	Pacllobutrazol	2	0	0
342	Paraoxon-methyl	2	0	0
343	Parathion	2	0	0
344	Parathion-methyl	2	0	0
345	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	2	0	0
346	Penconazole	2	0	0
347	Pencycuron	2	0	0
348	Pendimethalin	2	0	0
349	Pentachloroaniline	2	0	0
350	Permethrin (sum of isomers)	2	0	0
351	Phenothrin	2	0	0
352	Phenthoate	2	0	0
354	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	2	0	0
357	Phosalone	2	0	0
358	Phosmet	2	0	0
359	Phosmet (phosmet and phosmet oxon expressed as phosmet)	2	0	0
360	Phosmet oxon	2	0	0
362	Phoxim	2	0	0
363	Picoxystrobin	2	0	0
364	Pirimicarb	2	0	0
365	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	2	0	0
366	Pirimicarb desmethyl	2	0	0
368	Pirimiphos-methyl	2	0	0
369	Primisulfuron	2	0	0
370	Prochloraz	2	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Sugar Plants	Nr Found	MRL Ex
371	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	2	0	0
372	Procymidone	2	0	0
373	Profenofos	2	0	0
376	Prometryn	2	0	0
377	Propachlor	2	0	0
378	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	2	0	0
379	Propamocarb	2	0	0
381	Propanil	2	0	0
382	Propargite	2	0	0
384	Propham	2	0	0
385	Propiconazole	2	0	0
387	Propyzamide	2	0	0
390	Prothiofos	2	0	0
391	Pymetrozine	2	0	0
392	Pyraclostrobin	2	0	0
393	Pyrazophos	2	0	0
394	Pyrethrin I	2	0	0
395	Pyrethrin II	2	0	0
396	Pyrethrins	2	0	0
397	Pyridaben	2	0	0
398	Pyridate	2	0	0
399	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	2	0	0
400	Pyrifenox	2	0	0
401	Pyrimethanil	2	0	0
402	Pyriproxyfen	2	0	0
403	Quinalphos	2	0	0
404	Quinoxifen	2	0	0
405	Quintozene	2	0	0
406	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	2	0	0
407	Resmethrin (resmethrin including other mixtures of consituent isomers (sum of isomers))	2	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Sugar Plants	Nr Found	MRL Ex
408	Rimsulfuron	2	0	0
410	Sethoxydim	2	0	0
411	Simazine	2	0	0
413	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	2	0	0
414	Spinosyn A	2	0	0
415	Spinosyn D	2	0	0
416	Spirodiclofen	2	0	0
417	Spiroxamine	2	0	0
418	Tebuconazole	2	0	0
419	Tebufenozide	2	0	0
420	Tebufenpyrad	2	0	0
421	Tecnazene	2	0	0
423	Tefluthrin	2	0	0
424	Temephos	2	0	0
425	Terbufos	2	0	0
426	Terbufos (sum baby and infant food)	2	0	0
427	Terbufos sulfone	2	0	0
428	Terbufos sulfoxide	2	0	0
429	Terbuthylazine	2	0	0
430	Terbutryn	2	0	0
431	Tetrachlorvinphos	2	0	0
432	Tetraconazole	2	0	0
433	Tetradifon	2	0	0
435	Thiabendazole	2	0	0
436	Thiacloprid	2	0	0
437	Thiametoxam	2	0	0
438	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	2	0	0
440	Thifensulfuron-methyl	2	0	0
441	Thiobencarb	2	0	0
442	Thiodicarb	2	0	0



**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
443	Thiophanate-methyl	2	0	0
444	Tolclofos-methyl	2	0	0
446	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	2	0	0
447	Tralkoxydim	2	0	0
450	Triadimefon	2	0	0
451	Triadimefon (sum of Triadimefon and Triadimenol)	2	0	0
452	Triadimenol	2	0	0
453	Triasulfuron	2	0	0
454	Triazophos	2	0	0
457	Tricyclazole	2	0	0
458	Trifloxystrobin	2	0	0
461	Trifluralin	2	0	0
463	Triticonazole	2	0	0
464	Vamidothion	2	0	0
465	Vinclozolin	2	0	0
466	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	2	0	0
467	Zoxamide	2	0	0
468	alpha-Endosulfan	2	0	0
470	beta-Endosulfan	2	0	0
471	cis-Chlordane	2	0	0
473	tau-Fluvalinate	2	0	0
474	trans-Chlordane	2	0	0
		<b>708</b>	<b>0</b>	<b>0</b>

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Vegetables	Nr Found	MRL Ex
1	2,4-D	2	0	0
2	2,4-D (sum)	8	0	0
3	2,4-DB	1	0	0
4	2,4-Dimethylanilin	216	0	0
5	2,4-Dimethylphenylformamide	217	0	0
6	Abamectin (sum)	425	0	0
7	Acephate	792	0	0
8	Acetamiprid	636	20	0
9	Acetochlor	203	0	0
10	Aclonifen	287	0	0
11	Acrinathrin	990	0	0
12	Alachlor	688	0	0
13	Aldicarb	425	0	0
14	Aldicarb (sum)	459	0	0
15	Aldicarb sulfone	425	0	0
16	Aldicarb sulfoxide	425	0	0
17	Aldrin	794	0	0
18	Aldrin and Dieldrin	888	5	1
20	Ametryn	525	0	0
21	Amitraz	217	0	0
22	Amitraz (sum)	217	0	0
23	Asulam	203	0	0
24	Atraton	116	0	0
25	Atrazine	535	0	0
26	Avermectin B1a	203	0	0
27	Avermectin B1b	203	0	0
28	Azimsulfuron	203	0	0
29	Azinphos-ethyl	549	0	0
30	Azinphos-methyl	986	0	0
31	Azoxystrobin	1087	21	1

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Vegetables	Nr Found	MRL Ex
32	Benalaxyl	422	0	0
33	Benalaxyl (sum)	625	0	0
34	Benalaxyl-M	216	0	0
36	Benfluralin	320	0	0
37	Benfuracarb	625	0	0
38	Bensulfuron-ethyl	419	0	0
39	Bentazone	54	0	0
40	Bentazone (sum animal products)	184	0	0
41	Benzoximate	203	0	0
42	Bifenthrin	986	0	0
43	Binapacryl	111	0	0
44	Bitertanol	612	1	1
45	Boscalid	715	58	1
46	Bromacil	149	0	0
48	Bromophos-ethyl	539	0	0
49	Bromopropylate	895	0	0
50	Bromuconazole (sum)	631	0	0
51	Bupirimate	1024	4	0
52	Buprofezin	831	2	0
53	Cadusafos	784	0	0
54	Captafol	337	0	0
55	Captan	833	2	2
56	Captan/Folpet (sum)	111	0	0
57	Carbaryl	459	0	0
58	Carbendazim	422	3	0
59	Carbendazim and benomyl	631	7	2
60	Carbofuran	715	0	0
61	Carbofuran (sum)	749	0	0
62	Carbofuran, 3-hydroxy	631	0	0
64	Carbosulfan	625	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Vegetables	Nr Found	MRL Ex
65	Carboxin	203	0	0
66	Chinomethionat	88	0	0
67	Chlorbromuron	419	0	0
69	Chlordane (sum animal products)	69	0	0
70	Chlordane (sum)	394	0	0
71	Chlorfenapyr	681	0	0
72	Chlorfenson	116	0	0
73	Chlorfenvinphos	794	0	0
74	Chloridazon	203	0	0
75	Chlormephos	216	0	0
77	Chlorobenzilate	612	0	0
78	Chlorothalonil	1022	4	0
79	Chlorotoluron	419	0	0
80	Chloroxuron	203	0	0
81	Chlorpropham	308	0	0
82	Chlorpropham (sum)	457	0	0
83	Chlorpyrifos	1097	62	17
84	Chlorpyrifos-methyl	1074	2	0
85	Chlorsulfuron	203	0	0
86	Chlorthal-dimethyl	184	0	0
87	Chlozolate	88	0	0
88	Cinerin	203	0	0
89	Cinerin I	203	0	0
90	Cinerin II	203	0	0
91	Clethodim (sum)	203	0	0
92	Clofentezine	625	0	0
94	Clothianidin	631	6	0
95	Coumaphos	325	0	0
96	Cyanazine	203	0	0
97	Cyfluthrin	290	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Vegetables	Nr Found	MRL Ex
98	Cyfluthrin (sum)	986	1	0
99	Cymoxanil	409	0	0
100	Cypermethrin	359	1	0
101	Cypermethrin (sum)	1106	13	3
102	Cyproconazole	631	0	0
103	Cyprodinil	715	15	2
104	Cyromazine	203	0	0
105	DDD, p,p-	190	0	0
106	DDE, o,p-	117	0	0
107	DDE, p,p-	190	0	0
108	DDT (sum)	992	0	0
109	DDT, o,p-	681	0	0
110	DDT, p,p-	765	0	0
111	Deltamethrin	1087	11	1
112	Demeton	116	0	0
113	Demeton-S-methyl	700	0	0
114	Demeton-S-methyl sulfone	409	0	0
115	Desmetryn	268	0	0
116	Diafenthiuron	625	0	0
117	Diazinon	1021	0	0
118	Dichlobenil	206	0	0
119	Dichlofluanid	1020	0	0
120	Dichloroaniline, 3,5-	203	0	0
121	Dichlorobenzophenone, 4,4'-	327	0	0
122	Dichlorprop	6	0	0
123	Dichlorprop	6	0	0
124	Dichlorvos	898	0	0
125	Dicloran	786	0	0
126	Dicofol (sum)	984	0	0
127	Dicofol o, p'	390	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Vegetables	Nr Found	MRL Ex
128	Dicofol p, p'	757	0	0
129	Dicrotophos	419	0	0
130	Dieldrin	878	2	0
131	Diethofencarb	419	0	0
132	Difenoconazole	904	4	0
133	Diflubenzuron	625	0	0
134	Diflufenican	209	0	0
135	Dimethoate	803	4	0
136	Dimethoate (sum)	870	4	4
137	Dimethomorph	631	13	2
138	Dimoxystrobin	216	0	0
139	Diniconazole	774	0	0
140	Dinitramine	184	0	0
141	Dinobuton	580	0	0
142	Dinocap	19	0	0
143	Dinocap (sum)	16	0	0
144	Dinotefuran	216	0	0
145	Dioxacarb	34	0	0
146	Diphenamid	203	0	0
147	Diphenylamine	720	0	0
148	Disulfoton	764	0	0
149	Disulfoton (sum baby and infant food)	568	0	0
150	Disulfoton sulfone	293	0	0
151	Disulfoton sulfoxide	293	0	0
152	Dithiocarbamates	178	5	1
153	Diuron	406	0	0
154	Diuron	406	0	0
155	Dodemorph	184	0	0
156	Dodine	216	0	0
157	EPN	700	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Vegetables	Nr Found	MRL Ex
158	Emamectin benzoate B1a, expressed as emamectin	203	0	0
159	Endosulfan (sum)	1039	1	1
160	Endosulfansulfate	765	1	0
161	Endrin	908	0	0
162	Epoxiconazole	631	0	0
163	Esfenvalerate	300	0	0
164	Ethalfuralin	688	0	0
165	Ethephon	2	0	0
166	Ethiofencarb	34	0	0
167	Ethion	965	0	0
168	Ethirimol	419	1	0
169	Ethofumesate	203	0	0
170	Ethofumesate (sum)	203	0	0
171	Ethoprophos	898	0	0
172	Ethoxyquin	503	0	0
173	Etofenprox	419	0	0
174	Etoxazole	419	0	0
175	Etrimfos	6	0	0
176	Famoxadone	415	2	1
177	Fenamidone	419	0	0
178	Fenamiphos	709	0	0
179	Fenamiphos (sum)	709	0	0
180	Fenamiphos sulfone	625	0	0
181	Fenamiphos sulfoxide	625	0	0
182	Fenarimol	885	0	0
183	Fenazaquin	631	0	0
184	Fenbuconazole	631	0	0
185	Fenbutatin oxide	34	0	0
186	Fenchlorphos	116	0	0
187	Fenhexamid	878	6	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Vegetables	Nr Found	MRL Ex
188	Fenitrothion	962	0	0
189	Fenoxycarb	747	1	0
190	Fenpropathrin	1087	0	0
191	Fenpropidin	419	0	0
192	Fenpropimorph	631	0	0
193	Fenpyroximate	203	0	0
194	Fenson	116	0	0
195	Fensulfothion	319	0	0
196	Fensulfothion (sum baby and infant food)	203	0	0
197	Fensulfothion oxon	203	0	0
198	Fensulfothion oxon sulphone	203	0	0
199	Fensulfothion sulfone	203	0	0
200	Fenthion	600	0	0
201	Fenthion (sum)	484	0	0
202	Fenthion oxon	203	0	0
203	Fenthion oxon sulfone	203	0	0
204	Fenthion oxonsulfoxide	203	0	0
205	Fenthion sulfone	278	0	0
206	Fenthion sulfoxide	484	0	0
207	Fenvalerate	691	0	0
208	Fenvalerate (sum of RR, SS, RS and SR isomers)	396	0	0
209	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	120	0	0
210	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	187	0	0
211	Fenvalerate/Esfenvalerate (sum)	369	0	0
212	Fipronil	463	0	0
213	Fipronil (sum)	457	0	0
214	Fipronil desulfinyl	35	0	0
215	Fipronil sulfone	35	0	0
216	Fluazifop (free acid)	35	1	0
217	Fluazifop-P-butyl (sum)	41	1	0



Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Vegetables	Nr Found	MRL Ex
218	Fluazinam	361	0	0
219	Flubendiamide	216	1	0
220	Flucythrinate	529	0	0
222	Fludioxonil	547	8	1
223	Flufenacet	129	0	0
224	Flufenacet (sum)	74	0	0
225	Flufenoxuron	426	0	0
226	Fluometuron	419	0	0
227	Fluopicolide	625	5	0
228	Fluquinconazole	818	0	0
229	Fluroxypyr	168	0	0
230	Fluroxypyr (sum)	6	0	0
231	Flusilazole	631	1	0
232	Flutolanil	625	1	0
233	Flutriafol	631	1	0
234	Fluvalinate	6	0	0
235	Folpet	975	0	0
236	Foramsulfuron	203	0	0
237	Formetanate	841	5	1
238	Formetanate	841	5	1
239	Formothion	87	0	0
240	Fosthiazate	488	0	0
241	Furathiocarb	419	0	0
243	HCH, delta-	116	0	0
244	Haloxypop	35	0	0
245	Haloxypop (sum baby and infant food)	35	0	0
246	Haloxypop including haloxypop-R	41	0	0
247	Haloxypop-P	35	0	0
248	Haloxypop-P-methyl	35	0	0
249	Haloxypop-R (sum animal products)	35	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
250	Haloxypop-ethoxyethylester	35	0	0
251	Haloxypop-methyl	35	0	0
252	Heptachlor	465	0	0
253	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	701	0	0
254	Heptachlor endo-epoxide	6	0	0
255	Heptachlor epoxide	184	0	0
256	Heptachlor exo-epoxide	6	0	0
257	Heptenophos	549	0	0
258	Hexachlorobenzene	572	0	0
259	Hexachlorocyclohexane (HCH), alpha-isomer	259	0	0
260	Hexachlorocyclohexane (HCH), beta-isomer	259	0	0
261	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	379	0	0
262	Hexaconazole	887	0	0
263	Hexaflumuron	216	0	0
264	Hexythiazox	631	2	0
265	Imazalil	688	0	0
266	Imazamethabenz-methyl	203	0	0
267	Imidacloprid	631	16	0
268	Indoxacarb as sum of the isomers S and R	719	8	0
269	loxynil	35	0	0
270	loxynil, including its esters expressed as ioxynil	35	0	0
271	Iprodione	1074	25	1
272	Iprovalicarb	631	1	0
273	Isofenphos-methyl	700	0	0
274	Isoprothiolane	419	0	0
275	Isoproturon	209	0	0
276	Jasmolin I	203	0	0
277	Jasmolin II	203	0	0
278	Kresoxim-methyl	1078	2	2
279	Lambda-Cyhalothrin	971	4	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
281	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	1020	0	0
282	Linuron	694	6	0
283	Lufenuron	425	1	1
284	MCPA	8	0	0
285	MCPA, MCPB and MCPA thioethyl expressed as MCPA	2	0	0
286	Malaoxon	784	0	0
287	Malathion	784	0	0
288	Malathion (sum of malathion and malaoxon expressed as malathion)	962	0	0
289	Mandipropamid	216	0	0
290	Mecarbam	866	0	0
291	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	6	0	0
292	Mepanipyrim	631	0	0
293	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	422	0	0
295	Merphos	116	0	0
296	Metaflumizone (sum of E- and Z- isomers)	419	0	0
297	Metalaxyl	622	7	0
298	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	715	9	1
299	Metamitron	419	0	0
300	Metazachlor	203	0	0
301	Metconazole	631	0	0
302	Methabenzthiazuron	203	0	0
303	Methacrifos	328	0	0
304	Methamidophos	787	1	1
305	Methidathion	832	0	0
306	Methiocarb	665	0	0
307	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	631	1	0
308	Methiocarb sulfone	631	1	0
309	Methiocarb sulfoxide	425	1	0
310	Metholachlor	409	0	0
311	Methomyl	665	2	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
312	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	631	2	2
313	Methoxychlor	306	0	0
314	Methoxyfenozide	425	0	0
315	Metobromuron	419	0	0
316	Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers))	6	0	0
317	Metoxuron	203	0	0
318	Metrafenone	206	0	0
319	Metribuzin	728	0	0
320	Metsulfuron-methyl	419	0	0
321	Mevinphos (sum of E- and Z-isomers)	619	0	0
322	Monocrotophos	782	0	0
323	Monolinuron	419	0	0
324	Myclobutanil	966	9	6
325	Naled	203	0	0
326	Napropamide	419	0	0
327	Nicosulfuron	203	0	0
328	Nitenpyram	419	0	0
329	Nitrofen	266	0	0
330	Nuarimol	203	0	0
331	Omethoate	784	2	0
332	Orthophenylphenol	6	0	0
333	Oxadiazon	529	0	0
334	Oxadixyl	631	0	0
335	Oxamyl	665	0	0
337	Oxydemeton-methyl	625	0	0
338	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	700	0	0
339	Oxyfluorfen	415	0	0
340	Paclobutrazol	631	0	0
341	Paraoxon	300	0	0
342	Paraoxon-methyl	765	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
343	Parathion	952	0	0
344	Parathion-methyl	900	0	0
345	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	943	0	0
346	Penconazole	963	3	1
347	Pencycuron	625	2	0
348	Pendimethalin	1087	2	2
349	Pentachloroaniline	369	0	0
350	Permethrin (sum of isomers)	1020	0	0
351	Phenothrin	203	0	0
352	Phenthoate	692	0	0
353	Phorate	691	0	0
354	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	778	0	0
355	Phorate sulfone	359	0	0
356	Phorate-Sulfoxid	359	0	0
357	Phosalone	986	0	0
358	Phosmet	724	0	0
359	Phosmet (phosmet and phosmet oxon expressed as phosmet)	870	0	0
360	Phosmet oxon	203	0	0
361	Phosphamidon	278	0	0
362	Phoxim	419	0	0
363	Picoxystrobin	425	0	0
364	Pirimicarb	900	0	0
365	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	784	0	0
366	Pirimicarb desmethyl	415	0	0
367	Pirimiphos-ethyl	84	0	0
368	Pirimiphos-methyl	851	3	1
369	Primisulfuron	203	0	0
370	Prochloraz	761	0	0
371	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	700	0	0
372	Procymidone	1087	0	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

Row number	Compound	Vegetables	Nr Found	MRL Ex
373	Profenofos	851	0	0
374	Promecarb	35	0	0
375	Prometon	116	0	0
376	Prometryn	590	0	0
377	Propachlor	233	0	0
378	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	452	0	0
380	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	203	8	0
381	Propanil	448	0	0
382	Propargite	625	0	0
383	Propazine	116	0	0
384	Propham	287	0	0
385	Propiconazole	962	0	0
386	Propoxur	246	0	0
387	Propyzamide	952	0	0
388	Prothioconazole (prothioconazole-desthio)	457	0	0
390	Prothiofos	816	0	0
391	Pymetrozine	203	0	0
392	Pyraclostrobin	631	23	1
393	Pyrazophos	939	0	0
394	Pyrethrin I	203	0	0
395	Pyrethrin II	203	0	0
396	Pyrethrins	203	0	0
397	Pyridaben	625	1	1
398	Pyridate	203	0	0
399	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	203	0	0
400	Pyrifenox	694	0	0
401	Pyrimethanil	772	7	0
402	Pyriproxyfen	631	6	0
403	Quinalphos	761	0	0
404	Quinoxifen	971	1	0

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
405	Quintozene	675	0	0
406	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	692	0	0
407	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	290	0	0
408	Rimsulfuron	419	0	0
409	Secbumeton	116	0	0
410	Sethoxydim	203	0	0
411	Simazine	403	0	0
412	Simetryn	116	0	0
413	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	425	5	0
414	Spinosyn A	425	5	0
415	Spinosyn D	209	2	0
416	Spirodiclofen	419	0	0
417	Spiroxamine	631	1	0
418	Tebuconazole	636	11	2
419	Tebufenozide	425	0	0
420	Tebufenpyrad	631	0	0
421	Tecnazene	306	0	0
422	Teflubenzuron	257	0	0
423	Tefluthrin	795	0	0
424	Temephos	168	0	0
425	Terbufos	209	0	0
426	Terbufos (sum baby and infant food)	209	0	0
427	Terbufos sulfone	209	0	0
428	Terbufos sulfoxide	209	0	0
429	Terbuthylazine	609	0	0
430	Terbutryn	203	0	0
431	Tetrachlorvinphos	284	0	0
432	Tetraconazole	742	2	1
433	Tetradifon	1068	0	0
434	Tetrasul	116	0	0

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
435	Thiabendazole	631	0	0
436	Thiacloprid	631	7	0
437	Thiametoxam	631	12	0
438	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	631	12	0
439	Thidiazuron	216	0	0
440	Thifensulfuron-methyl	203	0	0
441	Thiobencarb	365	0	0
442	Thiodicarb	459	0	0
443	Thiophanate-methyl	425	7	3
444	Tolclofos-methyl	902	0	0
445	Tolyfluanid	692	0	0
446	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	778	0	0
447	Tralkoxydim	203	0	0
448	Tralomethrin	216	0	0
449	Trans-permethrin	216	0	0
450	Triadimefon	957	0	0
451	Triadimefon (sum of Triadimefon and Triadimenol)	841	12	2
452	Triadimenol	900	12	0
453	Triasulfuron	419	0	0
454	Triazophos	851	0	0
455	Trichlorfon	428	0	0
456	Trichloronat	116	0	0
457	Tricyclazole	203	0	0
458	Trifloxystrobin	811	5	2
460	Triflumuron	251	0	0
461	Trifluralin	999	0	0
462	Triforine	216	0	0
463	Triticonazole	631	0	0
464	Vamidothion	419	0	0
465	Vinclozolin	967	0	0



*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix**

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
466	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	965	0	0
467	Zoxamide	419	1	1
468	alpha-Endosulfan	765	1	0
469	beta-Cyfluthrin	153	0	0
470	beta-Endosulfan	765	1	0
471	cis-Chlordane	274	0	0
472	cis-Permethrin	216	0	0
473	tau-Fluvalinate	868	0	0
474	trans-Chlordane	274	0	0
		216324	563	74

**Strategy=Enforcement Region=Domestic Origin=Greece**

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Barley	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Apricots	Peeling (edible peel)	Production method unknown	1	1	0	0	0	0
Fruits and nuts	Pears	Processed	Production method unknown	1	1	0	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Production method unknown	3	3	1	0	0	0
Other plant products	Beans (dry)	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Courgettes	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Production method unknown	4	2	1	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Vine leaves (grape leaves)	Unprocessed	Non-organic production	2	1	1	0	0	0
Vegetables	Vine leaves (grape leaves)	Unprocessed	Production method unknown	1	0	0	0	0	0
<i>Origin</i>				20	10	3	0	0	0
<i>Region</i>				20	10	3	0	0	0

**Strategy=Enforcement Region=TC Origin=China**

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Grapefruit	Unprocessed	Production method unknown	1	1	0	0	0	0
Other plant products	Tea	Unprocessed	Non-organic production	1	1	0	0	0	0
<i>Origin</i>				2	2	0	0	0	0

**Strategy=Enforcement Region=TC Origin=Egypt**

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Oranges	Unprocessed	Production method unknown	1	1	0	0	0	0

**Strategy=Enforcement Region=TC Origin=Macedonia, The Former Yugoslav Republic of**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Tomatoes	Unprocessed	Production method unknown	1	0	0	0	0	0

**Strategy=Enforcement Region=TC Origin=Thailand**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				2	0	0	0	0	0

**Strategy=Enforcement Region=TC Origin=Turkey**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Peppers	Unprocessed	Non-organic production	19	5	0	0	0	0
Vegetables	Peppers	Unprocessed	Production method unknown	35	29	1	0	0	0
Vegetables	Vine leaves (grape leaves)	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				55	34	1	0	0	0
<i>Region</i>				61	37	1	0	0	0

**Strategy=Enforcement Region=UNK Origin=Unknown**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Wheat	Milling - refined flour	Non-organic production	1	1	0	0	0	0
<i>Strategy</i>				82	48	4	0	0	0

Strategy=Surveillance Region=Domestic Origin=Greece

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Animal products	Bovine Liver	Unprocessed	Non-organic production	3	0	0	3	0	0
Animal products	Honey	Unprocessed	Non-organic production	8	0	0	0	0	0
Animal products	Honey	Unprocessed	Organic production	1	0	0	0	0	0
Animal products	Milk	Unprocessed	Non-organic production	3	0	0	0	0	0
Animal products	Poultry Liver	Unprocessed	Non-organic production	2	0	0	2	0	0
Animal products	Poultry Muscle	Freezing	Non-organic production	4	0	0	4	0	0
Animal products	Poultry Muscle	Unprocessed	Non-organic production	12	0	0	12	0	0
Animal products	Sheep Liver	Unprocessed	Non-organic production	10	0	0	10	0	0
Baby food	Baby food for infants and young children	Processed	Non-organic production	5	0	0	0	0	0
Baby food	Baby food for infants and young children	Processed	Production method unknown	6	0	0	0	0	0
Baby food	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	Processed	Non-organic production	5	0	0	0	0	0
Cereals	Cereals	Milling	Non-organic production	2	1	0	0	0	0
Cereals	Oats	Milling	Non-organic production	1	0	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	26	6	0	17	3	0
Cereals	Rice	Unprocessed	Organic production	1	0	0	1	0	0
Cereals	Rice	Unprocessed	Production method unknown	13	0	0	13	0	0
Cereals	Wheat	Milling - unprocessed flour	Non-organic production	13	6	0	13	6	0
Cereals	Wheat	Milling - unprocessed flour	Organic production	4	0	0	4	0	0
Cereals	Wheat	Unprocessed	Non-organic production	1	0	0	0	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme  
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

**Strategy=Surveillance Region=Domestic Origin=Greece**

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Wheat	Unprocessed	Production method unknown	4	0	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	57	34	1	0	0	0
Fruits and nuts	Apples	Unprocessed	Organic production	3	1	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Production method unknown	30	24	0	0	0	0
Fruits and nuts	Apricots	Unprocessed	Non-organic production	26	19	0	0	0	0
Fruits and nuts	Apricots	Unprocessed	Production method unknown	15	11	0	0	0	0
Fruits and nuts	Bananas	Unprocessed	Non-organic production	4	1	0	0	0	0
Fruits and nuts	Bananas	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Blueberries	Dehydration	Non-organic production	2	0	0	0	0	0
Fruits and nuts	Cherries	Unprocessed	Integrated Pest Management	1	1	0	0	0	0
Fruits and nuts	Cherries	Unprocessed	Non-organic production	29	17	1	0	0	0
Fruits and nuts	Cherries	Unprocessed	Production method unknown	16	11	0	0	0	0
Fruits and nuts	Figs	Dehydration	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Figs	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Figs	Unprocessed	Production method unknown	3	1	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Non-organic production	22	7	1	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Organic production	3	0	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Production method unknown	22	4	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	6	1	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Production method unknown	11	5	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	13	7	0	4	2	0
Fruits and nuts	Mandarins	Unprocessed	Organic production	4	0	0	2	0	0
Fruits and nuts	Mandarins	Unprocessed	Production method unknown	16	11	1	1	0	0
Fruits and nuts	Medlar	Unprocessed	Production method unknown	1	0	0	0	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	8	3	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	39	10	0	12	3	0
Fruits and nuts	Oranges	Unprocessed	Organic production	9	1	0	3	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme  
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

Strategy=Surveillance Region=Domestic Origin=Greece

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Oranges	Unprocessed	Production method unknown	24	16	0	4	0	0
Fruits and nuts	Other kind of small fruit and berries	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruits and nuts	Other small fruit and berries	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Peaches	Juicing	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	36	28	3	0	0	0
Fruits and nuts	Peaches	Unprocessed	Production method unknown	27	21	0	0	0	0
Fruits and nuts	Pears	Processed	Production method unknown	4	3	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	33	24	2	11	9	1
Fruits and nuts	Pears	Unprocessed	Organic production	3	1	0	2	1	0
Fruits and nuts	Pears	Unprocessed	Production method unknown	25	13	2	6	0	0
Fruits and nuts	Plums	Unprocessed	Non-organic production	18	13	0	0	0	0
Fruits and nuts	Plums	Unprocessed	Production method unknown	11	7	0	0	0	0
Fruits and nuts	Pomegranate	Unprocessed	Non-organic production	6	1	0	0	0	0
Fruits and nuts	Pomegranate	Unprocessed	Production method unknown	5	3	0	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Non-organic production	67	53	1	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Production method unknown	26	19	2	0	0	0
Fruits and nuts	Table and Wine grapes	Unprocessed	Non-organic production	11	10	0	0	0	0
Fruits and nuts	Table grapes	Dehydration	Non-organic production	4	0	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	51	33	3	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Production method unknown	31	18	0	0	0	0
Fruits and nuts	Table olives	Unprocessed	Non-organic production	23	1	1	0	0	0
Fruits and nuts	Wine grapes	Unprocessed	Non-organic production	14	5	0	0	0	0
Fruits and nuts	Wine grapes	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Wine grapes	Unprocessed	Production method unknown	12	4	1	0	0	0
Fruits and nuts	Wine grapes	Wine production	Non-organic production	8	5	0	0	0	0
Fruits and nuts	Wine grapes	Wine production - red wine cold process	Non-organic production	2	0	0	0	0	0
Fruits and nuts	Wine grapes	Wine production - white wine	Non-organic production	2	2	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme  
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

**Strategy=Surveillance Region=Domestic Origin=Greece**

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Other plant products	Beans (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
Other plant products	Beans (dry)	Unprocessed	Organic production	2	1	1	0	0	0
Other plant products	Lentils (dry)	Unprocessed	Organic production	1	0	0	0	0	0
Other plant products	Olives for oil production	Oil production	Non-organic production	202	17	0	0	0	0
Other plant products	Olives for oil production	Oil production	Organic production	6	0	0	0	0	0
Other plant products	Olives for oil production	Processed	Non-organic production	1	0	0	0	0	0
Other plant products	Olives for oil production	Unprocessed	Non-organic production	4	0	0	0	0	0
Other plant products	Other pulses, dry	Unprocessed	Organic production	6	6	1	0	0	0
Other plant products	Pulses, Dry	Unprocessed	Organic production	1	1	1	0	0	0
Other plant products	Soya bean	Unprocessed	Non-organic production	1	0	0	0	0	0
Other plant products	Sunflower seed	Processed	Non-organic production	1	0	0	0	0	0
Other plant products	Tea	Dehydration	Non-organic production	1	0	0	0	0	0
Other plant products	Tea, Coffee, Herbal infusions and Cocoa	Dehydration	Non-organic production	2	0	0	0	0	0
Other plant products	Tea, Coffee, Herbal infusions and Cocoa	Unprocessed	Non-organic production	1	1	1	0	0	0
Other plant products	Tea, Coffee, Herbal infusions and Cocoa	Unprocessed	Organic production	2	0	0	0	0	0
Vegetables	Asparagus	Unprocessed	Non-organic production	16	1	0	0	0	0
Vegetables	Asparagus	Unprocessed	Production method unknown	5	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	23	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Production method unknown	25	7	1	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	39	12	3	16	8	0
Vegetables	Beans (with pods)	Unprocessed	Organic production	1	0	0	1	0	0
Vegetables	Beans (with pods)	Unprocessed	Production method unknown	22	4	0	10	0	0
Vegetables	Beet leaves (chard)	Unprocessed	Production method unknown	1	1	0	0	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	6	0	0	0	0	0
Vegetables	Broccoli	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Broccoli	Unprocessed	Production method unknown	3	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Integrated Pest Management	1	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	51	23	5	14	6	1

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme**  
**EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

**Strategy=Surveillance Region=Domestic Origin=Greece**

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Carrots	Unprocessed	Organic production	7	0	0	2	0	0
Vegetables	Carrots	Unprocessed	Production method unknown	9	4	4	9	4	4
Vegetables	Cauliflower	Unprocessed	Non-organic production	10	0	0	0	0	0
Vegetables	Cauliflower	Unprocessed	Production method unknown	5	0	0	0	0	0
Vegetables	Courgettes	Unprocessed	Non-organic production	35	2	0	0	0	0
Vegetables	Courgettes	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Courgettes	Unprocessed	Production method unknown	18	2	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	64	13	1	24	7	0
Vegetables	Cucumbers	Unprocessed	Organic production	8	0	0	2	0	0
Vegetables	Cucumbers	Unprocessed	Production method unknown	30	7	1	10	0	0
Vegetables	Cucurbits, edible peel	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Cucurbits, edible peel	Unprocessed	Organic production	1	1	0	0	0	0
Vegetables	Fresh Herbs	Unprocessed	Non-organic production	1	1	1	0	0	0
Vegetables	Head brassica	Unprocessed	Non-organic production	10	1	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Organic production	2	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Production method unknown	9	0	0	0	0	0
Vegetables	Leaf vegetables and fresh herbs	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Leek	Unprocessed	Non-organic production	14	0	0	0	0	0
Vegetables	Lentils (fresh)	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	57	15	2	0	0	0
Vegetables	Lettuce	Unprocessed	Organic production	4	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Production method unknown	20	8	0	0	0	0
Vegetables	Lettuce and other salad plants, including Brassicacea	Unprocessed	Non-organic production	3	2	0	0	0	0
Vegetables	Lettuce and other salad plants, including Brassicacea	Unprocessed	Production method unknown	11	0	0	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	28	3	0	0	0	0
Vegetables	Melons	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Melons	Unprocessed	Production method unknown	16	6	0	0	0	0
Vegetables	Okra (lady's fingers)	Unprocessed	Non-organic production	5	0	0	0	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme  
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**



Strategy=Surveillance Region=Domestic Origin=Greece

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Okra (lady's fingers)	Unprocessed	Production method unknown	5	1	0	0	0	0
Vegetables	Onions	Unprocessed	Production method unknown	9	0	0	0	0	0
Vegetables	Parsley root	Unprocessed	Non-organic production	5	1	0	0	0	0
Vegetables	Peas (with pods)	Unprocessed	Non-organic production	2	1	1	0	0	0
Vegetables	Peas (with pods)	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Peas (without pods)	Unprocessed	Non-organic production	8	1	0	0	0	0
Vegetables	Peas (without pods)	Unprocessed	Production method unknown	13	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	31	3	0	0	0	0
Vegetables	Peppers	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Production method unknown	32	10	3	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	55	13	5	24	2	0
Vegetables	Potatoes	Unprocessed	Organic production	3	0	0	1	0	0
Vegetables	Potatoes	Unprocessed	Production method unknown	25	2	1	8	1	1
Vegetables	Rocket, Rucola	Unprocessed	Production method unknown	4	1	1	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	46	11	2	14	3	2
Vegetables	Spinach	Unprocessed	Organic production	5	0	0	0	0	0
Vegetables	Spinach	Unprocessed	Production method unknown	16	6	2	0	0	0
Vegetables	Spinach and similar (leaves)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Spinach and similar (leaves)	Unprocessed	Production method unknown	5	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	61	29	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Organic production	9	1	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Production method unknown	32	12	0	0	0	0
Vegetables	Vine leaves (grape leaves)	Processed	Non-organic production	1	1	0	0	0	0
Vegetables	Vine leaves (grape leaves)	Unprocessed	Non-organic production	15	11	11	0	0	0
Vegetables	Vine leaves (grape leaves)	Unprocessed	Production method unknown	4	3	2	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	10	0	0	0	0	0
Vegetables	Watermelons	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Watermelons	Unprocessed	Production method unknown	9	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme  
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

**Strategy=Surveillance Region=Domestic Origin=Greece**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Origin				2125	709	69	259	55	9
Region				2125	709	69	259	55	9

**Strategy=Surveillance Region=EEA Origin=Austria**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Apples	Unprocessed	Organic production	1	0	0	0	0	0

**Strategy=Surveillance Region=EEA Origin=Belgium**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Carrots	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Production method unknown	1	0	0	0	0	0
Origin				3	0	0	0	0	0

**Strategy=Surveillance Region=EEA Origin=Bulgaria**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Beans (with pods)	Unprocessed	Production method unknown	2	0	0	0	0	0
Vegetables	Okra (lady's fingers)	Unprocessed	Production method unknown	1	0	0	0	0	0
Origin				3	0	0	0	0	0

**Strategy=Surveillance Region=EEA Origin=Cyprus**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Potatoes	Unprocessed	Non-organic production	1	0	0	0	0	0

**Strategy=Surveillance Region=EEA Origin=EEA**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Baby food	Baby food for infants and young children	Processed	Production method unknown	1	0	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	1	1	0	0	0	0
<i>Origin</i>				2	1	0	0	0	0

**Strategy=Surveillance Region=EEA Origin=Germany**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Baby food	Baby food for infants and young children	Processed	Production method unknown	2	0	0	0	0	0

**Strategy=Surveillance Region=EEA Origin=Hungary**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Peas (without pods)	Unprocessed	Non-organic production	1	0	0	0	0	0

**Strategy=Surveillance Region=EEA Origin=Italy**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Unprocessed	Production method unknown	1	0	0	1	0	0
Fruits and nuts	Apples	Unprocessed	Production method unknown	1	1	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Production method unknown	1	0	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Production method unknown	1	1	0	0	0	0
Vegetables	Courgettes	Unprocessed	Organic production	1	0	0	0	0	0
<i>Origin</i>				5	2	0	1	0	0

**Strategy=Surveillance Region=EEA Origin=Netherlands**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Pears	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Production method unknown	1	0	0	0	0	0
<i>Origin</i>				2	0	0	0	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme  
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

**Strategy=Surveillance Region=EEA Origin=Portugal**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Baby food	Baby food for infants and young children	Processed	Production method unknown	7	0	0	0	0	0

**Strategy=Surveillance Region=EEA Origin=Spain**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Baby food	Baby food for infants and young children	Processed	Production method unknown	6	0	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruits and nuts	Pears	Unprocessed	Production method unknown	3	2	0	2	1	0
Vegetables	Aubergines (egg plants)	Unprocessed	Production method unknown	2	0	0	0	0	0
Vegetables	Peas (without pods)	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Production method unknown	1	0	0	1	0	0
Vegetables	Tomatoes	Unprocessed	Production method unknown	1	0	0	0	0	0
<i>Origin</i>				15	3	0	4	2	0
<i>Region</i>				42	6	0	5	2	0

**Strategy=Surveillance Region=TC Origin=Albania**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Production method unknown	1	1	0	0	0	0
<i>Origin</i>				2	1	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Argentina**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Lemons	Unprocessed	Non-organic production	2	2	1	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	8	8	1	0	0	0
Fruits and nuts	Pears	Unprocessed	Production method unknown	3	1	0	1	0	0
<i>Origin</i>				13	11	2	1	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme  
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

**Strategy=Surveillance Region=TC Origin=Bangladesh**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Peppers	Unprocessed	Non-organic production	2	1	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Canada**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Lentils (fresh)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Lentils (fresh)	Unprocessed	Organic production	1	0	0	0	0	0
<i>Origin</i>				2	0	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Chile**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Apples	Unprocessed	Production method unknown	2	2	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				3	2	0	0	0	0

**Strategy=Surveillance Region=TC Origin=China**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Grapefruit	Unprocessed	Production method unknown	3	2	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Costa Rica**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Non-organic production	3	2	0	0	0	0
Fruits and nuts	Bananas	Unprocessed	Production method unknown	3	2	0	0	0	0
<i>Origin</i>				6	4	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Ecuador**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Non-organic production	5	3	0	0	0	0
Fruits and nuts	Bananas	Unprocessed	Production method unknown	11	7	0	0	0	0
<i>Origin</i>				16	10	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Egypt**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Mangoes	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Plums	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Table and Wine grapes	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Production method unknown	6	2	0	1	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	1	0	0	0	0
<i>Origin</i>				11	4	0	1	0	0

**Strategy=Surveillance Region=TC Origin=India**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Other plant products	Peas (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Spring onions	Unprocessed	Non-organic production	2	0	0	0	0	0
<i>Origin</i>				4	0	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Israel**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Lemons	Unprocessed	Non-organic production	1	1	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Macedonia, The Former Yugoslav Republic of**

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Apples	Unprocessed	Production method unknown	5	5	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Production method unknown	4	2	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Production method unknown	6	3	1	0	0	0
<i>Origin</i>				19	10	1	0	0	0

**Strategy=Surveillance Region=TC Origin=Mauritius**

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Other plant products	Sugar cane	Sugar production	Non-organic production	1	0	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Mexico**

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Bananas	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Bananas	Unprocessed	Production method unknown	1	0	0	0	0	0
<i>Origin</i>				2	1	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Moldova, Republic of**

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Peas (without pods)	Unprocessed	Production method unknown	1	0	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Morocco**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Peppers	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Production method unknown	1	0	0	0	0	0
<i>Origin</i>				2	0	0	0	0	0

**Strategy=Surveillance Region=TC Origin=New Zealand**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	0	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Pakistan**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Mangoes	Unprocessed	Non-organic production	1	1	1	0	0	0

**Strategy=Surveillance Region=TC Origin=Palestinian Territory, Occupied**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Basil	Unprocessed	Non-organic production	1	1	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Panama**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Production method unknown	1	1	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Russian Federation**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Wheat	Unprocessed	Non-organic production	1	0	0	0	0	0



**Strategy=Surveillance Region=TC Origin=Serbia**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Apples	Unprocessed	Production method unknown	2	2	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Peas (without pods)	Unprocessed	Production method unknown	1	0	0	0	0	0
<i>Origin</i>				4	2	0	0	0	0

**Strategy=Surveillance Region=TC Origin=South Africa**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Grapefruit	Unprocessed	Production method unknown	2	2	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Production method unknown	4	4	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Production method unknown	1	1	0	0	0	0
<i>Origin</i>				10	10	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Sri Lanka**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Other plant products	Tea	Unprocessed	Organic production	1	0	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Turkey**

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Lemons	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Production method unknown	2	0	0	0	0	0
Other plant products	Lentils (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Courgettes	Unprocessed	Production method unknown	1	1	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Okra (lady's fingers)	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	2	0	0	0	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme  
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

**Strategy=Surveillance Region=TC Origin=Turkey**

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Spinach	Unprocessed	Production method unknown	2	1	0	0	0	0
Vegetables	Vine leaves (grape leaves)	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				13	4	0	0	0	0

**Strategy=Surveillance Region=TC Origin=Uruguay**

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Lemons	Unprocessed	Non-organic production	1	1	0	0	0	0
<i>Region</i>				122	67	4	2	0	0

**Strategy=Surveillance Region=UNK Origin=Unknown**

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Rice	Unprocessed	Non-organic production	3	2	0	0	0	0
Other plant products	Sugar cane	Sugar production	Non-organic production	1	0	0	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				5	2	0	0	0	0
<i>Region</i>				5	2	0	0	0	0
<i>Strategy</i>				2294	784	73	266	57	9
				2376	832	77	266	57	9

**ProductType=Animal products**

Origin	Total	Between LOQ and MRL			Non Compliant
		Below LOQ	Exceeding MRL	Exceeding MRL	
Greece	43	43	0	0	0

**ProductType=Baby food**

Origin	Total	Between LOQ and MRL			Non Compliant
		Below LOQ	Exceeding MRL	Exceeding MRL	
EEA	1	1	0	0	0
Germany	2	2	0	0	0
Greece	16	16	0	0	0
Portugal	7	7	0	0	0
Spain	6	6	0	0	0
<b>ProductType</b>	<b>32</b>	<b>32</b>	<b>0</b>	<b>0</b>	<b>0</b>

**ProductType=Cereals**

Origin	Total	Between LOQ and MRL			Non Compliant
		Below LOQ	Exceeding MRL	Exceeding MRL	
Greece	66	53	13	0	0
Italy	1	1	0	0	0
Russian Federation	1	1	0	0	0
Unknown	4	1	3	0	0
<b>ProductType</b>	<b>72</b>	<b>56</b>	<b>16</b>	<b>0</b>	<b>0</b>

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

*ProductType=Fruits and nuts*

<i>Origin</i>	<i>Total</i>	<i>Between LOQ and MRL</i>			<i>Non Compliant</i>
		<i>Below LOQ</i>	<i>Exceeding MRL</i>	<i>Exceeding MRL</i>	
Argentina	13	2	9	2	1
Austria	1	1	0	0	0
Chile	3	1	2	0	0
China	4	1	3	0	0
Costa Rica	6	2	4	0	0
Ecuador	16	6	10	0	0
Egypt	5	3	2	0	0
Greece	798	343	435	20	8
Israel	1	0	1	0	0
Italy	3	1	2	0	0
Macedonia, The Former Yugoslav Republic of	5	0	5	0	0
Mexico	2	1	1	0	0
Netherlands	1	1	0	0	0
New Zealand	1	1	0	0	0
Pakistan	1	0	0	1	1
Panama	1	0	1	0	0
Serbia	2	0	2	0	0
South Africa	10	0	10	0	0
Spain	4	1	3	0	0
Turkey	3	2	1	0	0
Uruguay	1	0	1	0	0
<i>ProductType</i>	<b>881</b>	<b>366</b>	<b>492</b>	<b>23</b>	<b>10</b>

*Figures in bold totals for all countries*

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

**ProductType=Others**

<i>Origin</i>	<i>Total</i>	<i>Between LOQ and MRL</i>		<i>Exceeding MRL</i>	<i>Non Compliant</i>
		<i>Below LOQ</i>			
China	1	0	1	0	0
Greece	233	207	22	4	2
India	1	1	0	0	0
Mauritius	1	1	0	0	0
Sri Lanka	1	1	0	0	0
Turkey	1	1	0	0	0
Unknown	1	1	0	0	0
<i>ProductType</i>	<b>239</b>	<b>212</b>	<b>23</b>	<b>4</b>	<b>2</b>

**ProductType=Vegetables**

<i>Origin</i>	<i>Total</i>	<i>Between LOQ and MRL</i>		<i>Exceeding MRL</i>	<i>Non Compliant</i>
		<i>Below LOQ</i>			
Albania	2	1	1	0	0
Bangladesh	2	1	1	0	0
Belgium	3	3	0	0	0
Bulgaria	3	3	0	0	0
Canada	2	2	0	0	0
Cyprus	1	1	0	0	0
EEA	1	0	1	0	0
Egypt	7	4	3	0	0
Greece	989	764	177	48	30
Hungary	1	1	0	0	0
India	3	3	0	0	0
Italy	1	1	0	0	0
Macedonia, The Former Yugoslav Republic of	15	10	4	1	1
Moldova, Republic of	1	1	0	0	0

**Figures in bold totals for all countries**

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

**ProductType=Vegetables**

<i>Origin</i>	<i>Total</i>	<i>Between LOQ and MRL</i>			<i>Non Compliant</i>
		<i>Below LOQ</i>	<i>Exceeding MRL</i>	<i>Exceeding MRL</i>	
Morocco	2	2	0	0	0
Netherlands	1	1	0	0	0
Palestinian Territory, Occupied	1	0	1	0	0
Serbia	2	2	0	0	0
Spain	5	5	0	0	0
Thailand	2	2	0	0	0
Turkey	64	27	36	1	0
Unknown	1	1	0	0	0
<i>ProductType</i>	1109	835	224	50	31
	<b>2376</b>	<b>1544</b>	<b>755</b>	<b>77</b>	<b>43</b>

**Figures in bold totals for all countries**

Table B: Results of the EU co-ordinated programme

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Abamectin (sum)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Acetamiprid	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
	0.010	0.010	15	14	1	0	0.023	0.006	0.005	0.06	0
Acetamiprid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.15	0
	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.3	0
Acrinathrin	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Aldicarb (sum)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Aldrin and Dieldrin	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Azinphos-ethyl	0.020	0.020	17	17	0	0	0.010	0.010	0.010	0.02	0
Azinphos-methyl	0.010	0.100	27	27	0	0	0.050	0.022	0.005	0.05	0
Azoxystrobin	0.010	0.100	27	21	6	0	0.110	0.034	0.035	3	0
	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Benfuracarb	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.5	0
Bifenthrin	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Bitertanol	0.100	0.100	2	2	0	0	0.050	0.050	0.050	0.01	0
	0.100	0.100	15	15	0	0	0.050	0.050	0.050	0.05	0
Boscalid	0.010	0.010	17	17	0	0	0.005	0.005	0.005	3	0
Bromopropylate	0.050	0.050	17	17	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.050	27	27	0	0	0.025	0.012	0.005	0.05	0
Buprofezin	0.010	0.100	27	27	0	0	0.050	0.022	0.005	1	0
Captan	0.050	0.050	10	10	0	0	0.025	0.025	0.025	2	0
Captan/Folpet (sum)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	2	0
Carbaryl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.2	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg**

Table B: Results of the EU co-ordinated programme

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
				Below LOQ	Above MRL						
Carbofuran (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Chlorfenapyr	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.01	0
	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Chlorobenzilate	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.050	27	27	0	0	0.025	0.012	0.005	5	0
Chlorpropham (sum)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos	0.010	0.050	27	27	0	0	0.025	0.012	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.050	27	27	0	0	0.025	0.012	0.005	0.05	0
Clofentezine	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Clothianidin	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.2	0
Cyfluthrin (sum)	0.020	0.020	17	17	0	0	0.010	0.010	0.010	0.1	0
Cymoxanil	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.010	0.500	27	27	0	0	0.250	0.096	0.005	0.7	0
Cyproconazole	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	17	14	3	0	0.068	0.015	0.005	2	0
Cyromazine	0.010	0.010	17	17	0	0	0.005	0.005	0.005	5	0
DDT (sum)	0.020	0.050	27	27	0	0	0.025	0.016	0.010	0.05	0
Deltamethrin	0.010	0.500	27	27	0	0	0.250	0.096	0.005	0.2	0
Diazinon	0.010	0.050	27	27	0	0	0.025	0.012	0.005	0.01	0
Dichlofluanid	0.010	0.050	27	27	0	0	0.025	0.012	0.005	0.01	0
Dichlorvos	0.010	0.050	27	27	0	0	0.025	0.012	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg



Table B: Results of the EU co-ordinated programme

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Dicloran	0.010	0.010	17	17	0	0	0.005	0.005	0.005	2	0
Dicofol (sum)	0.050	0.050	27	27	0	0	0.025	0.025	0.025	0.02	0
Dicrotophos	0.050	0.050	17	17	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.1	0
Difenoconazole	0.010	0.010	17	16	1	0	0.017	0.006	0.005	1	0
Diflubenzuron	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Dimethoate (sum)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Diniconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Diphenylamine	0.100	0.100	17	17	0	0	0.050	0.050	0.050	0.05	0
Dithiocarbamates	0.100	0.100	15	14	1	0	0.380	0.072	0.050	1	0
EPN	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.005	0.050	27	27	0	0	0.025	0.011	0.003	0.05	0
Endrin	0.020	0.050	27	27	0	0	0.025	0.016	0.010	0.01	0
Epoxiconazole	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Ethirimol	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Ethoprophos	0.010	0.050	27	27	0	0	0.025	0.012	0.005	0.02	0
Etofenprox	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.5	0
Famoxadone	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.1	0

*For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted*

*All results expressed in mg/kg*

Table B: Results of the EU co-ordinated programme

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Fenbuconazole	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Fenbutatin oxide	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Fenhexamid	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
	0.010	0.010	2	2	0	0	0.005	0.005	0.005	5	0
Fenitrothion	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.500	27	27	0	0	0.250	0.096	0.005	0.05	0
Fenpropathrin	0.010	0.500	27	27	0	0	0.250	0.096	0.005	0.01	0
Fenpropimorph	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.2	0
Fenthion (sum)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Fipronil (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0
Fluazifop-P-butyl (sum)	0.050	0.050	4	4	0	0	0.025	0.025	0.025	1	0
Fludioxonil	0.010	0.010	4	4	0	0	0.005	0.005	0.005	1	0
Flufenoxuron	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.5	0
Fluquinconazole	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Flusilazole	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Folpet	0.010	0.010	6	6	0	0	0.005	0.005	0.005	.	0
	0.010	0.050	21	21	0	0	0.025	0.015	0.005	2	0
Formetanate	0.010	0.010	17	17	0	0	0.005	0.005	0.005	.	0
Fosthiazate	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Haloxypop including haloxypop-R	0.050	0.050	4	4	0	0	0.025	0.025	0.025	0.1	0
Haloxypop-R (sum animal products)	0.050	0.050	4	4	0	0	0.025	0.025	0.025	.	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.010	0.050	27	27	0	0	0.025	0.012	0.005	0.01	0
Hexachlorobenzene	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	17	17	0	0	0.003	0.003	0.003	0.01	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	17	17	0	0	0.003	0.003	0.003	0.01	0
Hexaconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Hexythiazox	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.5	0
Imazalil	0.020	0.020	17	17	0	0	0.010	0.010	0.010	0.05	0
Imidacloprid	0.010	0.010	17	16	1	0	0.014	0.006	0.005	2	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.3	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Ioxynil, including its esters expressed as ioxynil	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Iprodione	0.010	0.100	27	27	0	0	0.050	0.022	0.005	5	0
Iprovalicarb	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Isofenphos-methyl	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.050	27	27	0	0	0.025	0.012	0.005	0.05	0
Lambda-Cyhalothrin	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.2	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.050	27	27	0	0	0.025	0.012	0.005	0.01	0
Linuron	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Lufenuron	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Mepanipyrim	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Metaflumizone (sum of E- and Z- isomers)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Metazachlor	0.050	0.050	17	17	0	0	0.025	0.025	0.025	0.3	0
Metconazole	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Methamidophos	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.020	0.020	17	17	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.2	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.010	0.050	27	27	0	0	0.025	0.012	0.005	0.01	0
Methoxyfenozide	0.010	0.010	17	17	0	0	0.005	0.005	0.005	2	0
Metobromuron	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	17	16	1	0	0.016	0.006	0.005	0.3	0
Nitenpyram	0.050	0.050	17	17	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.01	0
	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.100	27	27	0	0	0.050	0.022	0.005	0.2	0
Permethrin (sum of isomers)	0.010	0.500	27	27	0	0	0.250	0.096	0.005	0.05	0
Phenthoate	0.020	0.020	17	17	0	0	0.010	0.010	0.010	0.01	0
Phosalone	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Phoxim	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	1	0
Pirimiphos-methyl	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.050	25	25	0	0	0.025	0.013	0.005	1	0
	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Profenofos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.1	0
Propargite	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Propiconazole	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Propoxur	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Prothioconazole (prothioconazole-desthio)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.050	27	27	0	0	0.025	0.012	0.005	0.01	0
Pymetrozine	0.010	0.010	17	17	0	0	0.005	0.005	0.005	2	0
Pyraclostrobin	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Pyrazophos	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Pyrethrins	0.010	0.010	17	17	0	0	0.005	0.005	0.005	1	0
Pyridaben	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.5	0
Pyrimethanil	0.010	0.010	17	17	0	0	0.005	0.005	0.005	2	0
Pyriproxyfen	0.010	0.010	17	16	1	0	0.045	0.007	0.005	0.05	0
Quinoxifen	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.050	0.500	23	23	0	0	0.250	0.123	0.025	0.1	0

*For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg*

Table B: Results of the EU co-ordinated programme

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	17	16	1	0	0.260	0.020	0.005	0.5	0
Spirodiclofen	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Spiroxamine	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	17	17	0	0	0.005	0.005	0.005	2	0
Tebufenozide	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	17	17	0	0	0.005	0.005	0.005	1	0
Teflubenzuron	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Tefluthrin	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.050	27	27	0	0	0.025	0.012	0.005	0.1	0
Tetraconazole	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.100	27	27	0	0	0.050	0.022	0.005	0.01	0
Thiabendazole	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	17	17	0	0	0.005	0.005	0.005	1	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.5	0
Thiophanate-methyl	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.1	0
Tolclofos-methyl	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.1	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	1	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Triflumuron	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Trifluralin	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.5	0
	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Triticonazole	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Zoxamide	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Product=Bovine Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Acinathrin	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Aldrin and Dieldrin	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.2	0
Azinphos-ethyl	0.020	0.020	3	3	0	0	0.010	0.010	0.010	0.01	0
Azinphos-methyl	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Azoxystrobin	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.07	0
Bifenthrin	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.2	0
Bitertanol	0.100	0.100	3	3	0	0	0.050	0.050	0.050	0.05	0
Boscalid	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Bromopropylate	0.050	0.050	3	3	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Carbaryl	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Carbofuran (sum)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.1	0
Carbosulfan	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Chlorobenzilate	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.1	0
Chlorothalonil	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Chlorpyrifos	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Chlorpyrifos-methyl	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Clofentezine	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Cyfluthrin (sum)	0.020	0.020	3	3	0	0	0.010	0.010	0.010	0.05	0
Cypermethrin (sum)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.2	0
Cyproconazole	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.5	0
DDT (sum)	0.020	0.020	3	3	0	0	0.010	0.010	0.010	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg



Product=Bovine Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Deltamethrin	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.03	0
Diazinon	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Dichlofluanid	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Dicofol (sum)	0.050	0.050	3	3	0	0	0.025	0.025	0.025	0.5	0
Diethofencarb	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Difenoconazole	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.2	0
Diflubenzuron	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Dimethoate (sum)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Dimethomorph	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Diniconazole	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Endosulfan (sum)	0.005	0.005	3	3	0	0	0.003	0.003	0.003	0.05	0
Endrin	0.020	0.020	3	3	0	0	0.010	0.010	0.010	0.05	0
Epoxiconazole	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.2	0
Ethion	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Ethoprophos	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Famoxadone	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Fenamidone	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Fenarimol	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Fenhexamid	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Bovine Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Fenpyroximate	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Fenthion (sum)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Fluquinconazole	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.3	0
Flusilazole	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Flutriafol	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Folpet	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Fosthiazate	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.2	0
Hexachlorobenzene	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.2	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	3	3	0	0	0.003	0.003	0.003	0.2	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	3	3	0	0	0.003	0.003	0.003	0.1	0
Hexaconazole	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Hexythiazox	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Imazalil	0.020	0.020	3	3	0	0	0.010	0.010	0.010	0.05	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Iprodione	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Iprovalicarb	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Lambda-Cyhalothrin	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.02	0
Linuron	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.02	0
Mepanipyrim	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Bovine Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Metconazole	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Methidathion	0.020	0.020	3	3	0	0	0.010	0.010	0.010	0.02	0
Methoxychlor	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Methoxyfenozide	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.1	0
Metobromuron	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Parathion	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	3	3	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Permethrin (sum of isomers)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Phosalone	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Pirimiphos-methyl	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	2	0
Procymidone	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Profenofos	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Propargite	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.1	0
Propiconazole	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.1	0
Propyzamide	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Pyraclostrobin	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Pyrazophos	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Bovine Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Pyridaben	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.02	0
Pyrimethanil	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Pyriproxyfen	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	2	0
Spiroxamine	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Tebufenozide	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	3	3	0	0	0.005	0.005	0.005	1	0
Tetradifon	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Thiophanate-methyl	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Tolclofos-methyl	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Trifluralin	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
tau-Fluvalinate	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Above MRL						
Abamectin (sum)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Aldicarb (sum)	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.02	0
Aldrin and Dieldrin	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Azinphos-ethyl	0.020	0.020	16	16	0	0	0.010	0.010	0.010	0.02	0
Azinphos-methyl	0.010	0.100	25	25	0	0	0.050	0.021	0.005	0.05	0
Azoxystrobin	0.010	0.100	25	25	0	0	0.050	0.021	0.005	1	0
Benfuracarb	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Bitertanol	0.100	0.100	1	1	0	0	0.050	0.050	0.050	0.01	0
	0.100	0.100	15	15	0	0	0.050	0.050	0.050	0.05	0
Boscalid	0.010	0.010	16	16	0	0	0.005	0.005	0.005	2	0
Bromopropylate	0.050	0.050	16	16	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.050	25	25	0	0	0.025	0.012	0.005	0.05	0
Buprofezin	0.010	0.100	25	25	0	0	0.050	0.021	0.005	0.05	0
Captan	0.010	0.050	25	25	0	0	0.025	0.012	0.005	0.1	0
Carbaryl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.1	0
Carbofuran (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg**

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Carbosulfan	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Chlorfenapyr	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.01	0
	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Chlorobenzilate	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.050	25	25	0	0	0.025	0.012	0.005	1	0
Chlorpropham (sum)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos	0.010	0.050	25	16	4	5	0.140	0.041	0.024	0.1	0
Chlorpyrifos-methyl	0.010	0.050	25	25	0	0	0.025	0.012	0.005	0.05	0
Clofentezine	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Clothianidin	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Cyfluthrin (sum)	0.020	0.020	16	16	0	0	0.010	0.010	0.010	0.02	0
Cymoxanil	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.010	0.500	25	25	0	0	0.250	0.093	0.005	0.05	0
Cyproconazole	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	16	16	0	0	0.005	0.005	0.005	2	0
Cyromazine	0.010	0.010	16	16	0	0	0.005	0.005	0.005	1	0
DDT (sum)	0.020	0.050	25	25	0	0	0.025	0.015	0.010	0.05	0
Deltamethrin	0.010	0.500	25	25	0	0	0.250	0.093	0.005	0.05	0
Diazinon	0.010	0.050	25	25	0	0	0.025	0.012	0.005	0.01	0
Dichlofluanid	0.010	0.050	25	25	0	0	0.025	0.012	0.005	0.01	0
Dichlorvos	0.010	0.050	25	25	0	0	0.025	0.012	0.005	0.01	0
Dicloran	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.1	0
Dicofol (sum)	0.050	0.050	25	25	0	0	0.025	0.025	0.025	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
				Below LOQ	Above MRL						
Dicrotophos	0.050	0.050	16	16	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Difenoconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.3	0
	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.4	0
Diflubenzuron	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Dimethoate (sum)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Diniconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Diphenylamine	0.100	0.100	16	16	0	0	0.050	0.050	0.050	0.05	0
Dithiocarbamates	0.100	0.100	15	15	0	0	0.050	0.050	0.050	0.2	0
EPN	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.005	0.050	25	25	0	0	0.025	0.011	0.003	0.05	0
Endrin	0.020	0.050	25	25	0	0	0.025	0.015	0.010	0.01	0
Epoxiconazole	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Ethirimol	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Ethoprophos	0.010	0.050	25	25	0	0	0.025	0.012	0.005	0.02	0
Etofenprox	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Famoxadone	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Fenbutatin oxide	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Fenhexamid	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.500	25	25	0	0	0.250	0.093	0.005	0.05	0
Fenpropathrin	0.010	0.500	25	25	0	0	0.250	0.093	0.005	0.01	0
Fenpropimorph	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Fenthion (sum)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Fipronil (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.005	0
Fluazifop-P-butyl (sum)	0.010	0.050	14	13	1	0	0.025	0.025	0.025	0.3	0
Fludioxonil	0.010	0.010	14	14	0	0	0.005	0.005	0.005	1	0
Flufenoxuron	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Fluquinconazole	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Flusilazole	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.2	0
Folpet	0.010	0.050	25	25	0	0	0.025	0.012	0.005	0.02	0
Formetanate	0.010	0.010	16	16	0	0	0.005	0.005	0.005	.	0
Fosthiazate	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Haloxypop including haloxypop-R	0.050	0.050	14	14	0	0	0.025	0.025	0.025	0.1	0
Haloxypop-R (sum animal products)	0.050	0.050	14	14	0	0	0.025	0.025	0.025	.	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.010	0.050	25	25	0	0	0.025	0.012	0.005	0.01	0
Hexachlorobenzene	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	16	16	0	0	0.003	0.003	0.003	0.01	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	16	16	0	0	0.003	0.003	0.003	0.01	0
Hexaconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg



Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Hexythiazox	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Imazalil	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.5	0
Imidacloprid	0.020	0.020	16	16	0	0	0.010	0.010	0.010	0.05	0
Imidacloprid	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.5	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
ioxynil, including its esters expressed as ioxynil	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.2	0
Iprodione	0.010	0.100	25	25	0	0	0.050	0.021	0.005	0.5	0
Iprovalicarb	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Isofenphos-methyl	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.050	25	25	0	0	0.025	0.012	0.005	0.05	0
Lambda-Cyhalothrin	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.050	25	25	0	0	0.025	0.012	0.005	0.01	0
Linuron	0.010	0.010	16	15	1	0	0.021	0.006	0.005	0.2	0
Lufenuron	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Mepanipyrim	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Metaflumizone (sum of E- and Z- isomers)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.1	0
Metazachlor	0.050	0.050	16	16	0	0	0.025	0.025	0.025	0.3	0
Metconazole	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.020	0.020	16	16	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.1	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Methoxychlor	0.010	0.050	25	25	0	0	0.025	0.012	0.005	0.01	0
Methoxyfenozide	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.5	0
Metobromuron	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.2	0
Nitenpyram	0.050	0.050	16	16	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Oxamyl	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.01	0
	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.100	25	25	0	0	0.050	0.021	0.005	0.2	0
Permethrin (sum of isomers)	0.010	0.500	25	25	0	0	0.250	0.093	0.005	0.05	0
Phenthoate	0.020	0.020	16	16	0	0	0.010	0.010	0.010	0.01	0
Phosalone	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Phoxim	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.5	0
Pirimiphos-methyl	0.010	0.010	16	16	0	0	0.005	0.005	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.050	24	24	0	0	0.025	0.013	0.005	0.02	0
Profenofos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	10	0
Propargite	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Propiconazole	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Propoxur	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Prothioconazole (prothioconazole-desthio)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Prothiofos	0.010	0.050	25	25	0	0	0.025	0.012	0.005	0.01	0
Pymetrozine	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Pyraclostrobin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Pyrazophos	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Pyrethrins	0.010	0.010	16	16	0	0	0.005	0.005	0.005	1	0
Pyridaben	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	16	16	0	0	0.005	0.005	0.005	1	0
Pyriproxyfen	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Quinoxifen	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.050	0.500	11	11	0	0	0.250	0.209	0.250	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Spirodiclofen	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Spiroxamine	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Tebuconazole	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.5	0
Tebufenozide	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Teflubenzuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Tefluthrin	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.050	25	25	0	0	0.025	0.012	0.005	0.05	0
Tetraconazole	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.100	25	25	0	0	0.050	0.021	0.005	0.01	0
Thiabendazole	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.3	0
Thiophanate-methyl	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.1	0
Tolclofos-methyl	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.5	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Triflumuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Trifluralin	0.010	0.050	24	24	0	0	0.025	0.013	0.005	1	0
	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Triticonazole	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Zoxamide	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Abamectin (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Acephate	0.010	0.020	26	26	0	0	0.010	0.007	0.005	0.02	0
Acetamiprid	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.3	0
Acrinathrin	0.010	0.050	26	26	0	0	0.025	0.013	0.005	0.1	0
Aldicarb (sum)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Aldrin and Dieldrin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Azinphos-ethyl	0.020	0.040	26	26	0	0	0.020	0.014	0.010	0.02	0
Azinphos-methyl	0.010	0.100	36	36	0	0	0.050	0.024	0.025	0.2	0
Azoxystrobin	0.010	0.100	36	35	1	0	0.059	0.021	0.010	1	0
Benfuracarb	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.020	26	26	0	0	0.010	0.007	0.005	0.1	0
Bitertanol	0.100	0.100	15	15	0	0	0.050	0.050	0.050	0.5	0
Boscalid	0.010	0.010	15	15	0	0	0.005	0.005	0.005	3	0
Bromopropylate	0.050	0.050	15	15	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.050	36	36	0	0	0.025	0.017	0.025	1	0
Buprofezin	0.010	0.100	25	25	0	0	0.050	0.023	0.005	1	0
Captan	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.02	0
Carbaryl	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Carbofuran (sum)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Chlorfenapyr	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.040	26	26	0	0	0.020	0.011	0.005	0.02	0
Chlorobenzilate	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.050	36	36	0	0	0.025	0.012	0.010	1	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg**

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Chlorpropham (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos	0.010	0.050	36	36	0	0	0.025	0.012	0.010	0.05	0
Chlorpyrifos-methyl	0.010	0.050	36	36	0	0	0.025	0.012	0.010	0.05	0
Clofentezine	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Clothianidin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Cyfluthrin (sum)	0.020	0.020	26	26	0	0	0.010	0.010	0.010	0.1	0
Cymoxanil	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Cypermethrin (sum)	0.010	0.500	36	36	0	0	0.250	0.075	0.010	0.2	0
Cyproconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	15	13	2	0	0.027	0.007	0.005	0.5	0
Cyromazine	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
DDT (sum)	0.020	0.050	25	25	0	0	0.025	0.016	0.010	0.05	0
Deltamethrin	0.010	0.500	36	36	0	0	0.250	0.075	0.010	0.2	0
Diazinon	0.010	0.050	36	36	0	0	0.025	0.012	0.010	0.01	0
Dichlofluanid	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.01	0
Dichlorvos	0.010	0.050	36	36	0	0	0.025	0.012	0.010	0.01	0
Dicloran	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.3	0
Dicofol (sum)	0.020	0.050	36	36	0	0	0.025	0.020	0.025	0.2	0
Dicrotophos	0.050	0.050	15	15	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Difenoconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Diflubenzuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Dimethoate (sum)	0.010	0.020	26	26	0	0	0.010	0.007	0.005	0.02	0
Dimethomorph	0.010	0.010	15	13	2	0	0.023	0.007	0.005	1	0
Diniconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Diphenylamine	0.100	0.100	15	15	0	0	0.050	0.050	0.050	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Dithiocarbamates	0.100	0.250	26	25	1	0	0.250	0.089	0.050	2	0
EPN	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.005	0.050	25	25	0	0	0.025	0.012	0.003	0.05	0
Endrin	0.020	0.050	25	25	0	0	0.025	0.016	0.010	0.01	0
Epoxiconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.020	26	26	0	0	0.010	0.007	0.005	0.01	0
Ethirimol	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Ethoprophos	0.010	0.050	36	36	0	0	0.025	0.012	0.010	0.02	0
Etofenprox	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Famoxadone	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Fenamidone	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Fenamiphos (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Fenazaquin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Fenbuconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Fenhexamid	0.010	0.020	26	26	0	0	0.010	0.007	0.005	1	0
Fenitrothion	0.010	0.020	26	26	0	0	0.010	0.007	0.005	0.01	0
Fenoxycarb	0.010	0.500	25	25	0	0	0.250	0.103	0.005	0.05	0
Fenpropathrin	0.010	0.500	36	36	0	0	0.250	0.075	0.010	0.01	0
Fenpropimorph	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Fenthion (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Flufenoxuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Fluquinconazole	0.010	0.050	26	26	0	0	0.025	0.013	0.005	0.05	0
Flusilazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Flutriafol	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Folpet	0.010	0.050	36	36	0	0	0.025	0.012	0.010	0.02	0
Formetanate	0.010	0.010	15	15	0	0	0.005	0.005	0.005	.	0
Fosthiazate	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.01	0
Hexachlorobenzene	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	15	15	0	0	0.003	0.003	0.003	0.01	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	15	15	0	0	0.003	0.003	0.003	0.01	0
Hexaconazole	0.010	0.020	26	26	0	0	0.010	0.007	0.005	0.02	0
Hexythiazox	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Imazalil	0.020	0.020	26	26	0	0	0.010	0.010	0.010	0.2	0
Imidacloprid	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Iprodione	0.010	0.100	36	35	1	0	0.092	0.021	0.010	2	0
Iprovalicarb	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Isofenphos-methyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.050	36	36	0	0	0.025	0.017	0.025	0.05	0
Lambda-Cyhalothrin	0.010	0.020	26	26	0	0	0.010	0.007	0.005	0.1	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.01	0
Linuron	0.010	0.050	26	26	0	0	0.025	0.013	0.005	0.05	0
Lufenuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.020	26	26	0	0	0.010	0.007	0.005	0.02	0
Mepanipyrim	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Metaflumizone (sum of E- and Z- isomers)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	15	14	1	0	0.030	0.007	0.005	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg



Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Metazachlor	0.050	0.050	15	15	0	0	0.025	0.025	0.025	0.3	0
Metconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.020	26	26	0	0	0.010	0.007	0.005	0.01	0
Methidathion	0.020	0.020	26	26	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Methoxychlor	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.01	0
Methoxyfenozide	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Metobromuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.040	26	26	0	0	0.020	0.011	0.005	0.01	0
Myclobutanil	0.010	0.040	26	26	0	0	0.020	0.011	0.005	0.1	0
Nitenpyram	0.050	0.050	15	15	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.050	26	26	0	0	0.025	0.013	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	26	26	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.050	26	26	0	0	0.025	0.013	0.005	0.1	0
Pencycuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.100	36	36	0	0	0.050	0.024	0.025	0.05	0
Permethrin (sum of isomers)	0.010	0.500	25	25	0	0	0.250	0.103	0.005	0.05	0
Phenthoate	0.020	0.050	26	26	0	0	0.025	0.016	0.010	0.01	0
Phosalone	0.010	0.050	26	26	0	0	0.025	0.013	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.050	26	26	0	0	0.025	0.013	0.005	0.05	0
Phoxim	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Pirimiphos-methyl	0.010	0.050	26	26	0	0	0.025	0.013	0.005	0.1	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.050	36	36	0	0	0.025	0.012	0.010	0.02	0
Profenofos	0.010	0.050	26	26	0	0	0.025	0.013	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	15	12	3	0	0.840	0.085	0.005	10	0
Propargite	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Propiconazole	0.010	0.050	26	26	0	0	0.025	0.013	0.005	0.05	0
Propoxur	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.020	26	26	0	0	0.010	0.007	0.005	0.02	0
Prothiofos	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.01	0
Pymetrozine	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Pyraclostrobin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.3	0
Pyrazophos	0.010	0.050	26	26	0	0	0.025	0.013	0.005	0.05	0
Pyrethrins	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Pyridaben	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Pyrimethanil	0.010	0.050	26	25	1	0	0.025	0.014	0.005	1	0
Pyriproxyfen	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Quinoxifen	0.010	0.020	26	26	0	0	0.010	0.007	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.050	0.500	25	25	0	0	0.250	0.115	0.025	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Spirodiclofen	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Spiroxamine	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Tebuconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Tebufenozide	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Tefluthrin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Tetraconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Tetradifon	0.010	0.100	36	36	0	0	0.050	0.019	0.010	0.01	0
Thiabendazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.3	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	15	14	1	0	0.075	0.010	0.005	0.5	0
Thiophanate-methyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Tolclofos-methyl	0.010	0.050	26	26	0	0	0.025	0.013	0.005	0.05	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.020	26	26	0	0	0.010	0.007	0.005	0.2	0
Triazophos	0.010	0.020	26	26	0	0	0.010	0.007	0.005	0.01	0
Trifloxystrobin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Trifluralin	0.010	0.050	36	36	0	0	0.025	0.011	0.005	0.5	0
Triticonazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.050	26	26	0	0	0.025	0.013	0.005	1	0
Zoxamide	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
tau-Fluvalinate	0.010	0.020	26	26	0	0	0.010	0.007	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
				Below LOQ	Above MRL						
2,4-D (sum)	0.020	0.020	2	2	0	0	0.010	0.010	0.010	1	0
Abamectin (sum)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	6	6	0	0	0.005	0.005	0.005	1	0
Acrinathrin	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.2	0
Aldicarb (sum)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Aldrin and Dieldrin	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Azinphos-ethyl	0.020	0.020	6	6	0	0	0.010	0.010	0.010	0.02	0
Azinphos-methyl	0.010	0.100	7	7	0	0	0.050	0.011	0.005	0.05	0
Azoxystrobin	0.010	0.100	7	7	0	0	0.050	0.011	0.005	15	0
Benfuracarb	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.1	0
Bitertanol	0.100	0.100	6	6	0	0	0.050	0.050	0.050	0.05	0
Boscalid	0.010	0.010	6	6	0	0	0.005	0.005	0.005	2	0
Bromopropylate	0.050	0.050	6	6	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.050	7	7	0	0	0.025	0.008	0.005	0.05	0
Buprofezin	0.010	0.100	7	7	0	0	0.050	0.011	0.005	1	0
Captan	0.010	0.050	7	7	0	0	0.025	0.008	0.005	0.02	0
Carbaryl	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.7	0
Carbofuran (sum)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.5	0
Carbosulfan	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.1	0
Chlorfenapyr	0.020	0.020	6	6	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Chlorobenzilate	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg**

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Chlorothalonil	0.010	0.050	7	7	0	0	0.025	0.008	0.005	0.01	0
Chlorpropham (sum)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos	0.010	0.050	7	5	2	0	0.180	0.045	0.005	2	0
Chlorpyrifos-methyl	0.010	0.050	7	7	0	0	0.025	0.008	0.005	1	0
Clofentezine	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.5	0
Clothianidin	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.1	0
Cyfluthrin (sum)	0.020	0.020	6	6	0	0	0.010	0.010	0.010	0.02	0
Cymoxanil	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.010	0.500	7	7	0	0	0.250	0.040	0.005	2	0
Cyproconazole	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Cyromazine	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
DDT (sum)	0.020	0.050	7	7	0	0	0.025	0.012	0.010	0.05	0
Deltamethrin	0.010	0.500	7	7	0	0	0.250	0.040	0.005	0.05	0
Diazinon	0.010	0.050	7	7	0	0	0.025	0.008	0.005	0.01	0
Dichlofluanid	0.010	0.050	7	7	0	0	0.025	0.008	0.005	0.01	0
Dichlorvos	0.010	0.050	7	7	0	0	0.025	0.008	0.005	0.01	0
Dicloran	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.1	0
Dicofol (sum)	0.050	0.050	7	7	0	0	0.025	0.025	0.025	2	0
Dicrotophos	0.050	0.050	6	6	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Difenoconazole	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.1	0
Diflubenzuron	0.010	0.010	6	6	0	0	0.005	0.005	0.005	1	0
Dimethoate (sum)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Diniconazole	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Diphenylamine	0.100	0.100	6	6	0	0	0.050	0.050	0.050	0.05	0
Dithiocarbamates	0.100	0.100	6	6	0	0	0.050	0.050	0.050	5	0
EPN	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.005	0.050	7	7	0	0	0.025	0.006	0.003	0.05	0
Endrin	0.020	0.050	7	7	0	0	0.025	0.012	0.010	0.01	0
Epoxiconazole	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Ethirimol	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Ethoprophos	0.010	0.050	7	7	0	0	0.025	0.008	0.005	0.02	0
Etofenprox	0.010	0.010	6	6	0	0	0.005	0.005	0.005	1	0
Famoxadone	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.5	0
Fenbuconazole	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Fenbutatin oxide	0.010	0.010	2	2	0	0	0.005	0.005	0.005	5	0
Fenhexamid	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.500	7	7	0	0	0.250	0.040	0.005	2	0
Fenpropathrin	0.010	0.500	7	7	0	0	0.250	0.040	0.005	2	0
Fenpropimorph	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.5	0
Fenthion (sum)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Fipronil (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.005	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Fludioxonil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	10	0
Flufenoxuron	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.3	0
Fluquinconazole	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Flusilazole	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.1	0
Flutriafol	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.2	0
Folpet	0.010	0.050	7	7	0	0	0.025	0.008	0.005	0.02	0
Formetanate	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Fosthiazate	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.010	0.050	7	7	0	0	0.025	0.008	0.005	0.01	0
Hexachlorobenzene	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	6	6	0	0	0.003	0.003	0.003	0.01	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	6	6	0	0	0.003	0.003	0.003	0.01	0
Hexaconazole	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Hexythiazox	0.010	0.010	6	6	0	0	0.005	0.005	0.005	1	0
Imazalil	0.020	0.020	6	6	0	0	0.010	0.010	0.010	5	0
Imidacloprid	0.010	0.010	6	6	0	0	0.005	0.005	0.005	1	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
ioxynil, including its esters expressed as ioxynil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Iprodione	0.010	0.100	7	7	0	0	0.050	0.011	0.005	1	0
Iprovalicarb	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Isofenphos-methyl	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.050	7	7	0	0	0.025	0.008	0.005	0.05	0
Lambda-Cyhalothrin	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.2	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.050	7	7	0	0	0.025	0.008	0.005	0.01	0
Linuron	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Lufenuron	0.010	0.010	6	6	0	0	0.005	0.005	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Malathion (sum of malathion and malaaxon expressed as malathion)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Mepanipyrim	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Metaflumizone (sum of E- and Z- isomers)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.5	0
Metazachlor	0.050	0.050	6	6	0	0	0.025	0.025	0.025	0.1	0
Metconazole	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.020	0.020	6	6	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.2	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.010	0.050	7	7	0	0	0.025	0.008	0.005	0.01	0
Methoxyfenozide	0.010	0.010	6	6	0	0	0.005	0.005	0.005	1	0
Metobromuron	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	6	6	0	0	0.005	0.005	0.005	3	0
Nitenpyram	0.050	0.050	6	6	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.5	0
Parathion	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	6	6	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg



Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Pendimethalin	0.010	0.100	7	7	0	0	0.050	0.011	0.005	0.05	0
Permethrin (sum of isomers)	0.010	0.500	7	7	0	0	0.250	0.040	0.005	0.05	0
Phenthoate	0.020	0.020	6	6	0	0	0.010	0.010	0.010	0.01	0
Phosalone	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.2	0
Phoxim	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	3	0
Pirimiphos-methyl	0.010	0.010	6	6	0	0	0.005	0.005	0.005	2	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	10	0
Procymidone	0.010	0.050	7	7	0	0	0.025	0.008	0.005	0.02	0
Profenofos	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	10	0
Propargite	0.010	0.010	6	6	0	0	0.005	0.005	0.005	3	0
Propiconazole	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Prothioconazole (prothioconazole-desthio)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.050	7	7	0	0	0.025	0.008	0.005	0.01	0
Pymetrozine	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.3	0
Pyraclostrobin	0.010	0.010	6	6	0	0	0.005	0.005	0.005	1	0
Pyrazophos	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Pyrethrins	0.010	0.010	6	6	0	0	0.005	0.005	0.005	1	0
Pyridaben	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.5	0
Pyrimethanil	0.010	0.010	6	6	0	0	0.005	0.005	0.005	10	0
Pyriproxyfen	0.010	0.010	6	5	1	0	0.018	0.007	0.005	0.6	0
Quinoxifen	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.050	0.500	5	5	0	0	0.250	0.070	0.025	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.3	0
Spirodiclofen	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.4	0
Spiroxamine	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	6	6	0	0	0.005	0.005	0.005	3	0
Tebufenozide	0.010	0.010	6	6	0	0	0.005	0.005	0.005	2	0
Tebufenpyrad	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.5	0
Teflubenzuron	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Tefluthrin	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.050	7	7	0	0	0.025	0.008	0.005	0.1	0
Tetraconazole	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.100	7	7	0	0	0.050	0.011	0.005	0.01	0
Thiabendazole	0.010	0.010	6	6	0	0	0.005	0.005	0.005	5	0
Thiacloprid	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.2	0
Thiophanate-methyl	0.010	0.010	6	6	0	0	0.005	0.005	0.005	6	0
Tolclofos-methyl	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.3	0
Triflumuron	0.010	0.010	2	2	0	0	0.005	0.005	0.005	1	0
Trifluralin	0.010	0.050	7	7	0	0	0.025	0.008	0.005	0.1	0
Triticonazole	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min	Max	Total	Below	Between	Above	Max	Mean	Median	MRL	Non
	LOQ	LOQ		LOQ	LOQ	and	Residue	Residue	Residue		
					MRL	MRL	Level	Level	Level		Compliant
Zoxamide	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

**Product=Oranges Treatment=Unprocessed**

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
2,4-D (sum)	0.020	0.050	5	5	0	0	0.025	0.013	0.010	1	0
Abamectin (sum)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.02	0
Acetamiprid	0.010	0.010	9	9	0	0	0.005	0.005	0.005	1	0
Acrinathrin	0.010	0.050	15	15	0	0	0.025	0.013	0.005	0.2	0
Aldicarb (sum)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
Aldrin and Dieldrin	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.01	0
Azinphos-ethyl	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.02	0
Azinphos-methyl	0.010	0.100	19	19	0	0	0.050	0.016	0.010	0.05	0
Azoxystrobin	0.010	0.100	19	19	0	0	0.050	0.016	0.010	15	0
Benfuracarb	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.050	15	15	0	0	0.025	0.013	0.005	0.1	0
Bitertanol	0.100	0.100	9	9	0	0	0.050	0.050	0.050	0.05	0
Boscalid	0.010	0.010	9	9	0	0	0.005	0.005	0.005	2	0
Bromopropylate	0.050	0.050	9	9	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.050	19	19	0	0	0.025	0.011	0.010	0.05	0
Buprofezin	0.010	0.100	13	13	0	0	0.050	0.019	0.005	1	0
Captan	0.010	0.050	13	13	0	0	0.025	0.011	0.005	0.02	0
Carbaryl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.2	0
	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.7	0
Carbofuran (sum)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.5	0
Carbosulfan	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.1	0
Chlorfenapyr	0.020	0.020	9	9	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.02	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg**

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
				Below LOQ	Above MRL						
Chlorobenzilate	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.050	19	19	0	0	0.025	0.011	0.010	0.01	0
Chlorpropham (sum)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos	0.010	0.010	1	0	1	0	0.063	0.063	0.063	2	0
	0.010	0.050	18	18	0	0	0.025	0.011	0.010	0.3	0
Chlorpyrifos-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	1	0
	0.010	0.050	18	18	0	0	0.025	0.011	0.010	0.5	0
Clofentezine	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.5	0
Clothianidin	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.1	0
Cyfluthrin (sum)	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.02	0
Cymoxanil	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.010	0.500	19	19	0	0	0.250	0.058	0.010	2	0
Cyproconazole	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.05	0
Cyromazine	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
DDT (sum)	0.020	0.050	13	13	0	0	0.025	0.015	0.010	0.05	0
Deltamethrin	0.010	0.500	19	19	0	0	0.250	0.058	0.010	0.05	0
Diazinon	0.010	0.050	19	19	0	0	0.025	0.011	0.010	0.01	0
Dichlofluanid	0.010	0.050	13	13	0	0	0.025	0.011	0.005	0.01	0
Dichlorvos	0.010	0.050	19	19	0	0	0.025	0.011	0.010	0.01	0
Dicloran	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.1	0
Dicofol (sum)	0.050	0.050	19	19	0	0	0.025	0.025	0.025	2	0
Dicrotophos	0.050	0.050	9	9	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Difenoconazole	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.1	0
Diflubenzuron	0.010	0.010	9	9	0	0	0.005	0.005	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
				Below LOQ	Above MRL						
Dimethoate (sum)	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.02	0
Dimethomorph	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.8	0
	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Diniconazole	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Diphenylamine	0.020	0.100	15	15	0	0	0.050	0.034	0.050	0.05	0
Dithiocarbamates	0.100	0.250	15	15	0	0	0.125	0.080	0.050	5	0
EPN	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.005	0.050	19	19	0	0	0.025	0.014	0.025	0.05	0
Endrin	0.020	0.050	13	13	0	0	0.025	0.015	0.010	0.01	0
Epoxiconazole	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.01	0
Ethirimol	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Ethoprophos	0.010	0.050	19	19	0	0	0.025	0.011	0.010	0.02	0
Etofenprox	0.010	0.010	9	9	0	0	0.005	0.005	0.005	1	0
Famoxadone	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.02	0
Fenazaquin	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.5	0
Fenbuconazole	0.010	0.010	8	8	0	0	0.005	0.005	0.005	1	0
	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Fenbutatin oxide	0.010	0.010	4	4	0	0	0.005	0.005	0.005	5	0
Fenhexamid	0.010	0.050	15	15	0	0	0.025	0.013	0.005	0.05	0
Fenitrothion	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.01	0
Fenoxycarb	0.010	0.500	13	13	0	0	0.250	0.080	0.005	2	0
Fenpropathrin	0.010	0.500	19	19	0	0	0.250	0.058	0.010	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Fenpropimorph	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.5	0
Fenthion (sum)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.02	0
Fipronil (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.005	0
Fluazifop-P-butyl (sum)	0.050	0.050	2	2	0	0	0.025	0.025	0.025	0.1	0
Fludioxonil	0.010	0.010	4	4	0	0	0.005	0.005	0.005	10	0
Flufenoxuron	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.3	0
Fluquinconazole	0.010	0.050	15	15	0	0	0.025	0.013	0.005	0.05	0
Flusilazole	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.1	0
Flutriafol	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.2	0
Folpet	0.010	0.050	19	19	0	0	0.025	0.011	0.010	0.02	0
Formetanate	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Fosthiazate	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.02	0
Haloxypop including haloxypop-R	0.050	0.050	2	2	0	0	0.025	0.025	0.025	0.05	0
Haloxypop-R (sum animal products)	0.050	0.050	2	2	0	0	0.025	0.025	0.025	.	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.010	0.050	13	13	0	0	0.025	0.011	0.005	0.01	0
Hexachlorobenzene	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	9	9	0	0	0.003	0.003	0.003	0.01	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	9	9	0	0	0.003	0.003	0.003	0.01	0
Hexaconazole	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.02	0
Hexythiazox	0.010	0.010	9	9	0	0	0.005	0.005	0.005	1	0
Imazalil	0.010	0.050	15	13	2	0	2.200	0.162	0.014	5	0
Imidacloprid	0.010	0.010	9	9	0	0	0.005	0.005	0.005	1	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.02	0
Ioxynil, including its esters expressed as ioxynil	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Iprodione	0.010	0.010	1	1	0	0	0.005	0.005	0.005	1	0
	0.010	0.100	18	18	0	0	0.050	0.022	0.025	0.02	0
Iprovalicarb	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Isofenphos-methyl	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.050	19	19	0	0	0.025	0.016	0.025	0.05	0
Lambda-Cyhalothrin	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.2	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.050	13	13	0	0	0.025	0.011	0.005	0.01	0
Linuron	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Lufenuron	0.010	0.010	9	9	0	0	0.005	0.005	0.005	1	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.02	0
Mepanipyrim	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.01	0
Metaflumizone (sum of E- and Z- isomers)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.5	0
Metazachlor	0.050	0.050	9	9	0	0	0.025	0.025	0.025	0.1	0
Metconazole	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.01	0
Methidathion	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.2	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.010	0.050	13	13	0	0	0.025	0.011	0.005	0.01	0
Methoxyfenozide	0.010	0.010	9	9	0	0	0.005	0.005	0.005	1	0
Metobromuron	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.01	0
Myclobutanil	0.010	0.010	9	9	0	0	0.005	0.005	0.005	3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg



Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Nitenpyram	0.050	0.050	9	9	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.5	0
Parathion	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.05	0
Pencycuron	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.100	19	19	0	0	0.050	0.021	0.025	0.05	0
Permethrin (sum of isomers)	0.010	0.500	13	13	0	0	0.250	0.080	0.005	0.05	0
Phenthoate	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.01	0
Phosalone	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.2	0
Phoxim	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	3	0
Pirimiphos-methyl	0.010	0.020	14	14	0	0	0.010	0.007	0.005	1	0
	0.010	0.010	1	1	0	0	0.005	0.005	0.005	2	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	10	0
Procymidone	0.010	0.050	19	19	0	0	0.025	0.016	0.025	0.02	0
Profenofos	0.010	0.050	15	15	0	0	0.025	0.013	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	10	0
	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Propargite	0.010	0.010	9	9	0	0	0.005	0.005	0.005	3	0
Propiconazole	0.010	0.050	15	15	0	0	0.025	0.013	0.005	0.05	0
Propoxur	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.050	15	15	0	0	0.025	0.013	0.005	0.02	0
Prothioconazole (prothioconazole-desthio)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.050	13	13	0	0	0.025	0.011	0.005	0.01	0
Pymetrozine	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.3	0
Pyraclostrobin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	1	0
	0.010	0.010	8	8	0	0	0.005	0.005	0.005	2	0
Pyrazophos	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.05	0
Pyrethrins	0.010	0.010	9	9	0	0	0.005	0.005	0.005	1	0
Pyridaben	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.5	0
Pyrimethanil	0.010	0.020	15	14	1	0	0.720	0.055	0.005	10	0
Pyriproxyfen	0.010	0.010	9	8	1	0	0.040	0.009	0.005	0.6	0
Quinoxifen	0.010	0.050	15	15	0	0	0.025	0.013	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.050	0.500	10	10	0	0	0.250	0.115	0.025	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.3	0
Spirodiclofen	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.4	0
	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.5	0
Spiroxamine	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	3	0
	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.9	0
Tebufenozide	0.010	0.010	9	9	0	0	0.005	0.005	0.005	2	0
Tebufenpyrad	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.5	0
Teflubenzuron	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Tefluthrin	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.050	13	13	0	0	0.025	0.011	0.005	0.1	0
Tetraconazole	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.100	19	19	0	0	0.050	0.021	0.025	0.01	0
Thiabendazole	0.010	0.010	9	9	0	0	0.005	0.005	0.005	5	0
Thiacloprid	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.02	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.2	0
	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.5	0
Thiophanate-methyl	0.010	0.010	9	9	0	0	0.005	0.005	0.005	6	0
Tolclofos-methyl	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.05	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.02	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.01	0
Trifloxystrobin	0.010	0.050	15	15	0	0	0.025	0.013	0.005	0.3	0
Triflumuron	0.010	0.010	4	4	0	0	0.005	0.005	0.005	1	0
Trifluralin	0.010	0.050	19	19	0	0	0.025	0.011	0.010	0.1	0
Triticonazole	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.050	15	15	0	0	0.025	0.013	0.005	0.05	0
Zoxamide	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.020	15	15	0	0	0.010	0.007	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Abamectin (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.7	0
Acrinathrin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Aldicarb (sum)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Aldrin and Dieldrin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Amitraz (sum)	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.05	0
Azinphos-ethyl	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.02	0
Azinphos-methyl	0.010	0.100	23	23	0	0	0.050	0.023	0.005	0.05	0
Azoxystrobin	0.010	0.100	23	22	1	0	0.050	0.023	0.005	0.05	0
Benfuracarb	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.3	0
Bitertanol	0.100	0.100	14	14	0	0	0.050	0.050	0.050	2	0
Boscalid	0.010	0.010	14	13	1	0	0.100	0.012	0.005	2	0
Bromopropylate	0.050	0.050	14	14	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.050	23	23	0	0	0.025	0.013	0.005	0.2	0
Buprofezin	0.010	0.100	23	23	0	0	0.050	0.023	0.005	0.5	0
Captan	0.050	0.050	9	9	0	0	0.025	0.025	0.025	3	0
Captan/Folpet (sum)	0.010	0.010	14	13	1	0	0.650	0.051	0.005	3	0
Carbaryl	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	14	8	6	0	0.097	0.027	0.005	0.2	0
Carbofuran (sum)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Chlorfenapyr	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg**

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Chloromequat	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Chlorobenzilate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.050	23	23	0	0	0.025	0.013	0.005	1	0
Chlorpropham (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos	0.010	0.050	23	18	5	0	0.160	0.025	0.013	0.5	0
Chlorpyrifos-methyl	0.010	0.050	23	23	0	0	0.025	0.013	0.005	0.5	0
Clofentezine	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Clothianidin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Cyfluthrin (sum)	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.2	0
Cymoxanil	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.010	0.500	23	23	0	0	0.250	0.101	0.005	1	0
Cyproconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Cyprodinil	0.010	0.010	14	13	1	0	0.017	0.006	0.005	1	0
Cyromazine	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
DDT (sum)	0.020	0.050	23	23	0	0	0.025	0.016	0.010	0.05	0
Deltamethrin	0.010	0.500	23	23	0	0	0.250	0.101	0.005	0.1	0
Diazinon	0.010	0.050	23	23	0	0	0.025	0.013	0.005	0.01	0
Dichlofluanid	0.010	0.050	23	23	0	0	0.025	0.013	0.005	0.01	0
Dichlorvos	0.010	0.050	23	23	0	0	0.025	0.013	0.005	0.01	0
Dicloran	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Dicofol (sum)	0.050	0.050	23	23	0	0	0.025	0.025	0.025	0.02	0
Dicrotophos	0.050	0.050	14	14	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	14	14	0	0	0.005	0.005	0.005	1	0
Difenoconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Diflubenzuron	0.010	0.010	14	13	1	0	0.019	0.006	0.005	5	0
Dimethoate (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Dimethomorph	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Diniconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Diphenylamine	0.010	0.100	14	13	1	0	0.050	0.048	0.050	10	0
Dithiocarbamates	0.100	0.100	14	14	0	0	0.050	0.050	0.050	5	0
EPN	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.005	0.050	23	23	0	0	0.025	0.011	0.003	0.05	0
Endrin	0.020	0.050	23	23	0	0	0.025	0.016	0.010	0.01	0
Epoxiconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Ethephon	0.100	0.100	1	1	0	0	0.050	0.050	0.050	0.05	0
Ethion	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Ethirimol	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Ethoprophos	0.010	0.050	23	23	0	0	0.025	0.013	0.005	0.02	0
Etofenprox	0.010	0.010	14	14	0	0	0.005	0.005	0.005	1	0
Famoxadone	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.3	0
Fenazaquin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Fenbuconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.2	0
Fenbutatin oxide	0.010	0.010	6	6	0	0	0.005	0.005	0.005	2	0
Fenhexamid	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.500	23	19	4	0	0.250	0.109	0.020	1	0
Fenpropathrin	0.010	0.500	23	23	0	0	0.250	0.101	0.005	0.01	0
Fenpropimorph	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Fenthion (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Fipronil (sum)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.005	0
Fludioxonil	0.010	0.010	8	8	0	0	0.005	0.005	0.005	5	0
Flufenoxuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Fluquinconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.2	0
Flusilazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Folpet	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
	0.010	0.050	20	19	1	0	0.650	0.046	0.015	3	0
Formetanate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	.	0
Fosthiazate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Glyphosate	0.100	0.100	1	1	0	0	0.050	0.050	0.050	0.1	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.010	0.050	23	23	0	0	0.025	0.013	0.005	0.01	0
Hexachlorobenzene	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	14	14	0	0	0.003	0.003	0.003	0.01	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	14	14	0	0	0.003	0.003	0.003	0.01	0
Hexaconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Hexythiazox	0.010	0.010	14	14	0	0	0.005	0.005	0.005	1	0
Imazalil	0.020	0.020	14	11	3	0	0.710	0.110	0.010	2	0
Imidacloprid	0.010	0.010	14	10	4	0	0.150	0.021	0.005	0.5	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.3	0
Ioxynil, including its esters expressed as ioxynil	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Iprodione	0.010	0.100	23	23	0	0	0.050	0.023	0.005	5	0
Iprovalicarb	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Isofenphos-methyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Kresoxim-methyl	0.010	0.050	23	23	0	0	0.025	0.013	0.005	0.2	0
Lambda-Cyhalothrin	0.010	0.010	14	12	2	0	0.029	0.007	0.005	0.1	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.050	23	23	0	0	0.025	0.013	0.005	0.01	0
Linuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Lufenuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Mepanipyrim	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Mepiquat	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Metaflumizone (sum of E- and Z- isomers)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	14	14	0	0	0.005	0.005	0.005	1	0
Metazachlor	0.050	0.050	14	14	0	0	0.025	0.025	0.025	0.1	0
Metconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.03	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.010	0.050	23	23	0	0	0.025	0.013	0.005	0.01	0
Methoxyfenozide	0.010	0.010	14	13	1	0	0.042	0.008	0.005	2	0
Metobromuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	14	13	1	0	0.015	0.006	0.005	0.5	0
Nitenpyram	0.050	0.050	14	14	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg



Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	14	13	1	0	0.027	0.007	0.005	0.5	0
Parathion	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.2	0
Pencycuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.100	23	23	0	0	0.050	0.023	0.005	0.05	0
Permethrin (sum of isomers)	0.010	0.500	23	23	0	0	0.250	0.101	0.005	0.05	0
Phenthoate	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.01	0
Phosalone	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	13	12	1	0	0.023	0.006	0.005	0.2	0
	0.010	0.010	1	0	0	1	0.770	0.770	0.770	0.5	0
Phoxim	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	2	0
Pirimiphos-methyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.050	23	23	0	0	0.025	0.013	0.005	0.02	0
Profenofos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	10	0
Propargite	0.010	0.010	14	14	0	0	0.005	0.005	0.005	3	0
Propiconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Propoxur	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Prothioconazole (prothioconazole-desthio)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Prothiofos	0.010	0.050	23	23	0	0	0.025	0.013	0.005	0.01	0
Pymetrozine	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Pyraclostrobin	0.010	0.010	14	12	2	0	0.033	0.008	0.005	0.3	0
Pyrazophos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Pyrethrins	0.010	0.010	14	14	0	0	0.005	0.005	0.005	1	0
Pyridaben	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Pyrimethanil	0.010	0.010	14	14	0	0	0.005	0.005	0.005	5	0
Pyriproxyfen	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.2	0
Quinoxifen	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.050	0.500	15	15	0	0	0.250	0.160	0.250	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	14	13	1	0	0.041	0.008	0.005	1	0
Spirodiclofen	0.010	0.010	14	13	1	0	0.062	0.009	0.005	0.8	0
Spiroxamine	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	14	13	1	0	0.010	0.005	0.005	1	0
Tebufenozide	0.010	0.010	14	14	0	0	0.005	0.005	0.005	1	0
Tebufenpyrad	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.2	0
Teflubenzuron	0.010	0.010	8	8	0	0	0.005	0.005	0.005	1	0
Tefluthrin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.050	23	23	0	0	0.025	0.013	0.005	0.1	0
Tetraconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.3	0
Tetradifon	0.010	0.100	23	23	0	0	0.050	0.023	0.005	0.01	0
Thiabendazole	0.010	0.010	14	13	1	0	0.190	0.018	0.005	5	0
Thiacloprid	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.3	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.3	0
Thiophanate-methyl	0.010	0.010	14	9	4	1	0.510	0.072	0.005	0.5	0
Tolclofos-methyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	11	11	0	0	0.005	0.005	0.005	3	0
	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.02	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Triflumuron	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.5	0
Trifluralin	0.010	0.050	23	23	0	0	0.025	0.013	0.005	0.1	0
Triticonazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Zoxamide	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

**Product=Potatoes Treatment=Unprocessed**

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
2,4-D (sum)	0.050	0.050	1	1	0	0	0.025	0.025	0.025	0.05	0
Abamectin (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.02	0
Acetamiprid	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Aldicarb (sum)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Aldrin and Dieldrin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Azinphos-ethyl	0.020	0.020	25	25	0	0	0.010	0.010	0.010	0.02	0
Azinphos-methyl	0.010	0.100	35	35	0	0	0.050	0.024	0.025	0.05	0
Azoxystrobin	0.010	0.100	35	35	0	0	0.050	0.024	0.025	1	0
Benfuracarb	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Bitertanol	0.100	0.100	15	15	0	0	0.050	0.050	0.050	0.05	0
Boscalid	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Bromopropylate	0.050	0.050	15	15	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.050	35	35	0	0	0.025	0.016	0.025	0.05	0
Buprofezin	0.010	0.100	25	25	0	0	0.050	0.023	0.005	0.05	0
Captan	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Carbaryl	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Carbofuran (sum)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Chlorfenapyr	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.02	0
Chlorobenzilate	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg**

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
				Below LOQ	Above MRL						
Chlorothalonil	0.010	0.050	35	35	0	0	0.025	0.012	0.010	0.02	0
Chlorpropham	0.010	0.010	8	8	0	0	0.005	0.005	0.005	10	0
Chlorpropham (sum)	0.010	0.010	7	7	0	0	0.005	0.005	0.005	.	0
Chlorpyrifos	0.010	0.050	35	33	1	1	0.080	0.018	0.025	0.05	0
Chlorpyrifos-methyl	0.010	0.050	35	35	0	0	0.025	0.016	0.025	0.05	0
Clofentezine	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Clothianidin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Cyfluthrin (sum)	0.020	0.020	25	25	0	0	0.010	0.010	0.010	0.04	0
Cymoxanil	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.010	0.500	35	35	0	0	0.250	0.081	0.025	0.05	0
Cyproconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Cyromazine	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
DDT (sum)	0.020	0.050	25	25	0	0	0.025	0.016	0.010	0.05	0
Deltamethrin	0.010	0.500	35	35	0	0	0.250	0.081	0.025	0.2	0
Diazinon	0.010	0.050	35	35	0	0	0.025	0.012	0.010	0.01	0
Dichlofluanid	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.01	0
Dichlorvos	0.010	0.050	35	35	0	0	0.025	0.012	0.010	0.01	0
Dicloran	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Dicofol (sum)	0.020	0.050	35	35	0	0	0.025	0.021	0.025	0.02	0
Dicrotophos	0.050	0.050	15	15	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Difenoconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Diflubenzuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Dimethoate (sum)	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.02	0
Dimethomorph	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Diniconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Diphenylamine	0.100	0.100	15	15	0	0	0.050	0.050	0.050	0.05	0
Dithiocarbamates	0.100	0.250	25	25	0	0	0.125	0.080	0.050	0.3	0
EPN	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.005	0.050	25	25	0	0	0.025	0.012	0.003	0.05	0
Endrin	0.020	0.050	25	25	0	0	0.025	0.016	0.010	0.01	0
Epoxiconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.01	0
Ethirimol	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Ethoprophos	0.010	0.050	35	35	0	0	0.025	0.016	0.025	0.05	0
Etofenprox	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Famoxadone	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Fenbutatin oxide	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.05	0
Fenhexamid	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Fenitrothion	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.01	0
Fenoxycarb	0.010	0.500	25	25	0	0	0.250	0.103	0.005	0.05	0
Fenpropathrin	0.010	0.500	35	35	0	0	0.250	0.076	0.010	0.01	0
Fenpropimorph	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Fenthion (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Fipronil (sum)	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.01	0
Fluazifop-P-butyl (sum)	0.050	0.050	8	8	0	0	0.025	0.025	0.025	0.1	0
Fludioxonil	0.010	0.010	7	7	0	0	0.005	0.005	0.005	1	0
Flufenoxuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Fluquinconazole	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Flusilazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Folpet	0.010	0.100	35	35	0	0	0.050	0.024	0.025	0.1	0
Formetanate	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Fosthiazate	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Haloxypop including haloxypop-R	0.050	0.050	8	8	0	0	0.025	0.025	0.025	0.1	0
Haloxypop-R (sum animal products)	0.050	0.050	8	8	0	0	0.025	0.025	0.025	.	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.01	0
Hexachlorobenzene	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	15	15	0	0	0.003	0.003	0.003	0.01	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	15	15	0	0	0.003	0.003	0.003	0.01	0
Hexaconazole	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.02	0
Hexythiazox	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Imazalil	0.020	0.020	15	15	0	0	0.010	0.010	0.010	3	0
Imidacloprid	0.010	0.010	15	14	1	0	0.018	0.006	0.005	0.5	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
ioxynil, including its esters expressed as ioxynil	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.05	0
Iprodione	0.010	0.100	35	35	0	0	0.050	0.019	0.010	0.02	0
Iprovalicarb	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Isofenphos-methyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.050	35	35	0	0	0.025	0.016	0.025	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Lambda-Cyhalothrin	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.02	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.01	0
Linuron	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Lufenuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.02	0
Mepanipyrim	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Metaflumizone (sum of E- and Z- isomers)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Metazachlor	0.050	0.050	15	15	0	0	0.025	0.025	0.025	0.3	0
Metconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.01	0
Methidathion	0.020	0.020	25	25	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.01	0
Methoxyfenozide	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Metobromuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.01	0
Myclobutanil	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.02	0
Nitenpyram	0.050	0.050	15	15	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Oxamyl	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg



Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Parathion	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.050	25	25	0	0	0.025	0.016	0.010	0.02	0
Penconazole	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Pencycuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Pendimethalin	0.010	0.100	35	35	0	0	0.050	0.024	0.025	0.05	0
Permethrin (sum of isomers)	0.010	0.500	25	25	0	0	0.250	0.103	0.005	0.05	0
Phenthoate	0.020	0.050	25	25	0	0	0.025	0.016	0.010	0.01	0
Phosalone	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Phoxim	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Pirimiphos-methyl	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.050	35	35	0	0	0.025	0.012	0.010	0.02	0
Profenofos	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	15	14	1	0	0.014	0.006	0.005	0.5	0
Propargite	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Propiconazole	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Propoxur	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.02	0
Prothioconazole (prothioconazole-desthio)	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.01	0
Pymetrozine	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Pyraclostrobin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Pyrazophos	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Pyrethrins	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Pyridaben	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Pyriproxyfen	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Quinoxifen	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.050	0.500	18	18	0	0	0.250	0.150	0.250	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Spirodiclofen	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Spiroxamine	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Tebufenozide	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Teflubenzuron	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.1	0
Tefluthrin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Terbutylazine	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.1	0
Tetraconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.100	35	35	0	0	0.050	0.019	0.010	0.01	0
Thiabendazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	15	0
Thiacloprid	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.3	0
Thiophanate-methyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Tolclofos-methyl	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.2	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.01	0
Trifloxystrobin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

**Product=Potatoes Treatment=Unprocessed**

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Triflumuron	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.05	0
Trifluralin	0.010	0.050	35	35	0	0	0.025	0.012	0.010	0.1	0
Triticonazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Zoxamide	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.01	0

*For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg*

Product=Poultry Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Acrinathrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Aldrin and Dieldrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.2	0
Azinphos-ethyl	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.01	0
Azinphos-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Azoxystrobin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Bitertanol	0.100	0.100	2	2	0	0	0.050	0.050	0.050	0.05	0
Boscalid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Bromopropylate	0.050	0.050	2	2	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Carbaryl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Carbofuran (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Carbosulfan	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Chlorobenzilate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Chlorpyrifos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Clofentezine	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Cyfluthrin (sum)	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.05	0
Cypermethrin (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Cyproconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
DDT (sum)	0.020	0.020	2	2	0	0	0.010	0.010	0.010	1	0
Deltamethrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg**

Product=Poultry Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Diazinon	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Dichlofluanid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Dicofol (sum)	0.050	0.050	2	2	0	0	0.025	0.025	0.025	0.1	0
Diethofencarb	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Difenoconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Diflubenzuron	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Dimethoate (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Dimethomorph	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Diniconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Endosulfan (sum)	0.005	0.005	2	2	0	0	0.003	0.003	0.003	0.05	0
Endrin	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.05	0
Epoxiconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Ethion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Ethoprophos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Famoxadone	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Fenamidone	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenarimol	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Fenhexamid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Fenpyroximate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Poultry Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Fenthion (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Fluquinconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Flusilazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Flutriafol	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Folpet	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fosthiazate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.2	0
Hexachlorobenzene	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.2	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	2	2	0	0	0.003	0.003	0.003	0.2	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	2	2	0	0	0.003	0.003	0.003	0.1	0
Hexaconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Hexythiazox	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Imazalil	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.05	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Iprodione	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Iprovalicarb	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Lambda-Cyhalothrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Linuron	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Mepanipyrim	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Poultry Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Metconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.02	0
Methoxychlor	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Methoxyfenozide	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Metobromuron	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Parathion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	2	2	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Permethrin (sum of isomers)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Phosalone	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Pirimiphos-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Procymidone	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Profenofos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Propargite	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Propiconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Propyzamide	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Pyraclostrobin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Pyrazophos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Pyridaben	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Pyrimethanil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Poultry Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Pyriproxyfen	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.2	0
Spiroxamine	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Tebufenozide	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	1	0
Tetradifon	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Thiophanate-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Tolclofos-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
Trifluralin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
tau-Fluvalinate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg



Product=Poultry Muscle Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Abamectin (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Aldicarb (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Aldrin and Dieldrin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.2	0
Azinphos-ethyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Azinphos-methyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Azoxystrobin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Bitertanol	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Boscalid	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Bromopropylate	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Bromuconazole (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Carbaryl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Carbofuran (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.1	0
Chlorfenapyr	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Chlorfenvinphos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Chlorobenzilate	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.1	0
Chlorpropham	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Chlorpyrifos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Clothianidin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Cyfluthrin (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg**

Product=Poultry Muscle Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Cypermethrin (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.1	0
Cyproconazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
DDT (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	1	0
Deltamethrin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.1	0
Diazinon	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Dichlofluanid	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Difenoconazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.1	0
Dimethoate (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Dimethomorph	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Diphenylamine	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
EPN	0.050	0.050	4	4	0	0	0.025	0.025	0.025	0.01	0
Endosulfan (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Endrin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Epoxiconazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Ethoprophos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Famoxadone	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Fenarimol	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Fenhexamid	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Fenthion (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Poultry Muscle Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Fludioxonil	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Flufenoxuron	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Fluquinconazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Flusilazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Flutriafol	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.2	0
Hexachlorobenzene	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.2	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	4	4	0	0	0.003	0.003	0.003	0.2	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	4	4	0	0	0.003	0.003	0.003	0.1	0
Hexaconazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Hexythiazox	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Imazalil	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Imidacloprid	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.3	0
Iprodione	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Iprovalicarb	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Linuron	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Lufenuron	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Mepanipyrim	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Metconazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Poultry Muscle Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Methamidophos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Methoxyfenozide	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Orthophenylphenol	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Oxadixyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.02	0
	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Penconazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Permethrin (sum of isomers)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Phosalone	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Pirimiphos-methyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Profenofos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Propiconazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Poultry Muscle Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL	MRL					
Propoxur	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Prothiofos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Pyraclostrobin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Pyrazophos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Pyrimethanil	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Pyriproxyfen	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Quinoxifen	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.2	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.2	0
Tebuconazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.1	0
Tebufenozide	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Teflubenzuron	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Thiabendazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Thiacloprid	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Thiophanate-methyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Tolclofos-methyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Trichlorfon	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.1	0
Trifluralin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Poultry Muscle Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Triticonazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
tau-Fluvalinate	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Poultry Muscle Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Abamectin (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Aldicarb (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Aldrin and Dieldrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0
Azinphos-ethyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Azinphos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Azoxystrobin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Bitertanol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Boscalid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Bromopropylate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Bromuconazole (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Carbaryl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Carbofuran (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Chlorfenapyr	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Chlorfenvinphos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Chlorobenzilate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Chlorpropham	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Chlorpyrifos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Clothianidin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Cyfluthrin (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg**

Product=Poultry Muscle Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Cypermethrin (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Cyproconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
DDT (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Deltamethrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Diazinon	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Dichlofluanid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Difenoconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Dimethoate (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Dimethomorph	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Diphenylamine	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
EPN	0.050	0.050	12	12	0	0	0.025	0.025	0.025	0.01	0
Endosulfan (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Endrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Epoxiconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Ethoprophos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Famoxadone	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fenarimol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fenhexamid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Fenthion (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg



Product=Poultry Muscle Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL	MRL					
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Fludioxonil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Flufenoxuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fluquinconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Flusilazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Flutriafol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0
Hexachlorobenzene	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	12	12	0	0	0.003	0.003	0.003	0.2	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	12	12	0	0	0.003	0.003	0.003	0.1	0
Hexaconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Hexythiazox	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Imazalil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Imidacloprid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.3	0
Iprodione	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Iprovalicarb	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Linuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Lufenuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Mepanipyrim	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Metconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Poultry Muscle Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Methamidophos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	11	11	0	0	0.005	0.005	0.005	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Methoxyfenozide	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Orthophenylphenol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Oxadixyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Penconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Permethrin (sum of isomers)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Phosalone	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Pirimiphos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Profenofos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Propiconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Poultry Muscle Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Propoxur	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Prothiofos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Pyraclostrobin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Pyrazophos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Pyrimethanil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Pyriproxyfen	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Quinoxifen	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0
Tebuconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Tebufenozide	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Teflubenzuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Thiabendazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Thiacloprid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Thiophanate-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Tolclofos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Trichlorfon	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Trifluralin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Poultry Muscle Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Triticonazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
tau-Fluvalinate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0

*For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg*

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Abamectin (sum)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Aldicarb (sum)	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
Aldrin and Dieldrin	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Azinphos-ethyl	0.020	0.020	18	18	0	0	0.010	0.010	0.010	0.05	0
Azinphos-methyl	0.010	0.100	32	32	0	0	0.050	0.025	0.005	0.05	0
Azoxystrobin	0.010	0.100	32	32	0	0	0.050	0.025	0.005	5	0
Benfuracarb	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Bitertanol	0.100	0.100	18	18	0	0	0.050	0.050	0.050	0.05	0
Boscalid	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.5	0
Bromide ion	0.500	0.500	14	13	1	0	40.800	3.146	0.250	50	0
Bromopropylate	0.050	0.050	18	18	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.2	0
Bupirimate	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.05	0
Buprofezin	0.010	0.100	32	32	0	0	0.050	0.025	0.005	0.5	0
Captan	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.02	0
Carbaryl	0.010	0.010	21	21	0	0	0.005	0.005	0.005	1	0
Carbendazim and benomyl	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Carbofuran (sum)	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Chlorfenapyr	0.020	0.020	18	18	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Chlorobenzilate	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Chlorothalonil	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.01	0
Chlorpropham (sum)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Chlorpyrifos	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.050	32	32	0	0	0.025	0.014	0.005	3	0
Clofentezine (sum animal products/cereals)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Clothianidin	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Cyfluthrin (sum)	0.020	0.020	18	18	0	0	0.010	0.010	0.010	0.02	0
Cymoxanil	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.010	0.500	32	32	0	0	0.250	0.112	0.005	2	0
Cyproconazole	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.1	0
Cyprodinil	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Cyromazine	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
DDT (sum)	0.020	0.050	32	32	0	0	0.025	0.017	0.010	0.05	0
Deltamethrin	0.010	0.500	32	32	0	0	0.250	0.112	0.005	2	0
Diazinon	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.02	0
Dichlofluanid	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.01	0
Dichlorvos	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.01	0
Dicloran	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Dicofol (sum)	0.050	0.050	32	32	0	0	0.025	0.025	0.025	0.02	0
Dicrotophos	0.050	0.050	18	18	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Difenoconazole	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Diflubenzuron	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Dimethoate (sum)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Diniconazole	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Diphenylamine	0.100	0.100	18	18	0	0	0.050	0.050	0.050	0.05	0
Dithiocarbamates	0.100	0.100	14	14	0	0	0.050	0.050	0.050	0.05	0
EPN	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.005	0.050	32	32	0	0	0.025	0.012	0.003	0.05	0
Endrin	0.020	0.050	32	32	0	0	0.025	0.017	0.010	0.01	0
Epoxiconazole	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.1	0
Ethion	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Ethirimol	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Ethoprophos	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.02	0
Etofenprox	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.5	0
Famoxadone	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Fenhexamid	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Fenoxycarb	0.010	0.500	32	32	0	0	0.250	0.112	0.005	0.05	0
Fenpropathrin	0.010	0.500	32	32	0	0	0.250	0.112	0.005	0.01	0
Fenpropimorph	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Fenthion (sum)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Flufenoxuron	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Fluquinconazole	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Flusilazole	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.5	0
Folpet	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.02	0
Formetanate	0.010	0.010	18	18	0	0	0.005	0.005	0.005	.	0
Fosthiazate	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.01	0
Hexachlorobenzene	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	18	18	0	0	0.003	0.003	0.003	0.01	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	18	18	0	0	0.003	0.003	0.003	0.01	0
Hexaconazole	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Hexythiazox	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.5	0
Imazalil	0.020	0.020	18	18	0	0	0.010	0.010	0.010	0.05	0
Imidacloprid	0.010	0.010	18	18	0	0	0.005	0.005	0.005	1.5	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Iprodione	0.010	0.100	32	32	0	0	0.050	0.025	0.005	3	0
Iprovalicarb	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Isofenphos-methyl	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.05	0
Lambda-Cyhalothrin	0.010	0.010	18	18	0	0	0.005	0.005	0.005	1	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.01	0
Linuron	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Lufenuron	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	8	0
Mepanipyrim	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Metaflumizone (sum of E- and Z- isomers)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg



Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Metazachlor	0.050	0.050	18	18	0	0	0.025	0.025	0.025	0.1	0
Metconazole	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.1	0
Methamidophos	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.020	0.020	18	18	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.1	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.01	0
Methoxyfenozide	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Metobromuron	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Nitenpyram	0.050	0.050	18	18	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Paclobutrazol	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	18	18	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.100	32	32	0	0	0.050	0.025	0.005	0.05	0
Permethrin (sum of isomers)	0.010	0.500	32	32	0	0	0.250	0.112	0.005	0.05	0
Phenthoate	0.020	0.020	18	18	0	0	0.010	0.010	0.010	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Phosalone	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Phoxim	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.2	0
Pirimiphos-methyl	0.010	0.010	18	16	2	0	0.085	0.012	0.005	5	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	1	0
Procymidone	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.02	0
Profenofos	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	.	0
Propargite	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Propiconazole	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.7	0
Propoxur	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.01	0
Pymetrozine	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Pyraclostrobin	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Pyrazophos	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Pyrethrins	0.010	0.010	18	18	0	0	0.005	0.005	0.005	3	0
Pyridaben	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Pyriproxyfen	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Quinoxifen	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.050	0.500	32	32	0	0	0.250	0.123	0.025	0.05	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	1	0
Spirodiclofen	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Spiroxamine	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	18	18	0	0	0.005	0.005	0.005	2	0
Tebufenozide	0.010	0.010	18	18	0	0	0.005	0.005	0.005	3	0
Tebufenpyrad	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Tefluthrin	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.05	0
Tetraconazole	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Tetradifon	0.010	0.100	32	32	0	0	0.050	0.025	0.005	0.01	0
Thiabendazole	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Thiophanate-methyl	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Tolclofos-methyl	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Trifloxystrobin	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Trifluralin	0.010	0.050	32	32	0	0	0.025	0.014	0.005	0.1	0
Triticonazole	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Zoxamide	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Sheep Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Acrinathrin	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Aldrin and Dieldrin	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.2	0
Azinphos-ethyl	0.020	0.020	10	10	0	0	0.010	0.010	0.010	0.01	0
Azinphos-methyl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Azoxystrobin	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.07	0
Bifenthrin	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.2	0
Bitertanol	0.100	0.100	10	10	0	0	0.050	0.050	0.050	0.05	0
Boscalid	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Bromopropylate	0.050	0.050	10	10	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Carbaryl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Carbofuran (sum)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0
Carbosulfan	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Chlorobenzilate	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0
Chlorothalonil	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Chlorpyrifos	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Chlorpyrifos-methyl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Clofentezine	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Cyfluthrin (sum)	0.020	0.020	10	10	0	0	0.010	0.010	0.010	0.05	0
Cypermethrin (sum)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.2	0
Cyproconazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.5	0
DDT (sum)	0.020	0.020	10	10	0	0	0.010	0.010	0.010	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Sheep Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Deltamethrin	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.03	0
Diazinon	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Dichlofluanid	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Dicofol (sum)	0.050	0.050	10	10	0	0	0.025	0.025	0.025	0.5	0
Diethofencarb	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Difenoconazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.2	0
Diflubenzuron	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Dimethoate (sum)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Dimethomorph	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Diniconazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Endosulfan (sum)	0.005	0.005	10	10	0	0	0.003	0.003	0.003	0.05	0
Endrin	0.020	0.020	10	10	0	0	0.010	0.010	0.010	0.05	0
Epoxiconazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.2	0
Ethion	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Ethoprophos	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Famoxadone	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Fenamidone	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Fenarimol	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Fenhexamid	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Sheep Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Fenpyroximate	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Fenthion (sum)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Fluquinconazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.3	0
Flusilazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Flutriafol	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Folpet	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Fosthiazate	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.2	0
Hexachlorobenzene	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.2	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	10	10	0	0	0.003	0.003	0.003	0.2	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	10	10	0	0	0.003	0.003	0.003	0.1	0
Hexaconazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Hexythiazox	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Imazalil	0.020	0.020	10	10	0	0	0.010	0.010	0.010	0.05	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Iprodione	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Iprovalicarb	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Lambda-Cyhalothrin	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
Linuron	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
Mepanipyrim	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Sheep Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Metconazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.020	0.020	10	10	0	0	0.010	0.010	0.010	0.02	0
Methoxychlor	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Methoxyfenozide	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0
Metobromuron	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Parathion	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	10	10	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Permethrin (sum of isomers)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Phosalone	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Pirimiphos-methyl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0
Procymidone	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Profenofos	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Propargite	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0
Propiconazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0
Propyzamide	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Pyraclostrobin	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Pyrazophos	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Sheep Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Pyridaben	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
Pyrimethanil	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Pyriproxyfen	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.5	0
Spiroxamine	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Tebufenozide	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Terbuthylazine	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	10	10	0	0	0.005	0.005	0.005	1	0
Tetradifon	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Thiophanate-methyl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Tolclofos-methyl	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	10	10	0	0	0.005	0.005	0.005	.	0
Trifluralin	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
tau-Fluvalinate	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg



**Product=Spinach Treatment=Unprocessed**

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
2,4-D (sum)	0.050	0.050	1	1	0	0	0.025	0.025	0.025	0.05	0
Abamectin (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	14	14	0	0	0.005	0.005	0.005	4	0
Acrinathrin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Aldicarb (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Aldrin and Dieldrin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Amitraz (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Azinphos-ethyl	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.02	0
Azinphos-methyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Azoxystrobin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Benfuracarb	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Bitertanol	0.100	0.100	14	14	0	0	0.050	0.050	0.050	0.05	0
Boscalid	0.010	0.010	14	13	1	0	0.350	0.030	0.005	30	0
Bromopropylate	0.050	0.050	14	14	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Captan	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Carbaryl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Carbofuran (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Chlorfenapyr	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg**

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
				Below LOQ	Above MRL						
Chlorobenzilate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Chlorpropham (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Clofentezine	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Clothianidin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	2	0
Cyfluthrin (sum)	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.02	0
Cymoxanil	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.07	0
Cypermethrin (sum)	0.010	0.010	14	13	1	0	0.610	0.048	0.005	0.7	0
Cyproconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	14	14	0	0	0.005	0.005	0.005	15	0
Cyromazine	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
DDT (sum)	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.05	0
Deltamethrin	0.010	0.010	14	12	1	1	1.200	0.093	0.005	0.5	1
Diazinon	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Dicofol (sum)	0.050	0.050	14	14	0	0	0.025	0.025	0.025	0.02	0
Dicrotophos	0.050	0.050	14	14	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Difenoconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	2	0
Diflubenzuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.2	0
Dimethoate (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.010	0.010	14	14	0	0	0.005	0.005	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Diniconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Diphenylamine	0.100	0.100	14	14	0	0	0.050	0.050	0.050	0.05	0
Dithiocarbamates	0.100	0.100	14	13	0	1	2.000	0.189	0.050	0.05	1
EPN	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.005	0.005	14	14	0	0	0.003	0.003	0.003	0.05	0
Endrin	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.01	0
Epoxiconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Ethirimol	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Ethoprophos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Etofenprox	0.010	0.010	14	14	0	0	0.005	0.005	0.005	3	0
Famoxadone	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Fenbutatin oxide	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Fenhexamid	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Fenthion (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Fipronil (sum)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.005	0
Fluazifop-P-butyl (sum)	0.050	0.050	8	8	0	0	0.025	0.025	0.025	1	0
Fludioxonil	0.010	0.010	8	8	0	0	0.005	0.005	0.005	15	0
Flufenoxuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Fluquinconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Flusilazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Folpet	0.010	0.010	14	14	0	0	0.005	0.005	0.005	10	0
Formetanate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Fosthiazate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Haloxypop including haloxypop-R	0.050	0.050	8	8	0	0	0.025	0.025	0.025	0.3	0
Haloxypop-R (sum animal products)	0.050	0.050	8	8	0	0	0.025	0.025	0.025	.	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Hexachlorobenzene	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	14	14	0	0	0.003	0.003	0.003	0.01	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	14	14	0	0	0.003	0.003	0.003	0.01	0
Hexaconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Hexythiazox	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Imazalil	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.05	0
Imidacloprid	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	14	14	0	0	0.005	0.005	0.005	2	0
ioxynil, including its esters expressed as ioxynil	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Iprodione	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Iprovalicarb	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Isofenphos-methyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Lambda-Cyhalothrin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Linuron	0.010	0.010	14	13	1	0	0.026	0.007	0.005	0.05	0
Lufenuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Mepanipyrim	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Metaflumizone (sum of E- and Z- isomers)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Metazachlor	0.050	0.050	14	14	0	0	0.025	0.025	0.025	0.3	0
Metconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Methoxychlor	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Methoxyfenozide	0.010	0.010	14	14	0	0	0.005	0.005	0.005	4	0
Metobromuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Nitenpyram	0.050	0.050	14	14	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Parathion	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Permethrin (sum of isomers)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Phenthoate	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.01	0
Phosalone	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Phoxim	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	2	0
Pirimiphos-methyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Profenofos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	30	0
Propargite	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Propiconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Prothioconazole (prothioconazole-desthio)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.4	0
Pyraclostrobin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Pyrazophos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Pyrethrins	0.010	0.010	14	14	0	0	0.005	0.005	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Pyridaben	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Pyriproxyfen	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Quinoxifen	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.050	0.050	6	6	0	0	0.025	0.025	0.025	0.1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	10	0
Spirodiclofen	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Spiroxamine	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Tebufenozide	0.010	0.010	14	14	0	0	0.005	0.005	0.005	10	0
Tebufenpyrad	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Teflubenzuron	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Tefluthrin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	3	0
Thiophanate-methyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Tolclofos-methyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Triflumuron	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg

**Product=Spinach Treatment=Unprocessed**

<i>Compound</i>	<i>Min LOQ</i>	<i>Max LOQ</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Max Residue Level</i>	<i>Mean Residue Level</i>	<i>Median Residue Level</i>	<i>MRL</i>	<i>Non Compliant</i>
Trifluralin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Triticonazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Zoxamide	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0

*For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
 All results expressed in mg/kg*



Table B: Results of the EU co-ordinated programme

Product=Wheat Treatment=Milling - unprocessed flour

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
2,4-D (sum)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	.	0
Abamectin (sum)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.03	0
Acrinathrin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Aldicarb (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Aldrin and Dieldrin	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Azinphos-ethyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Azinphos-methyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Azoxystrobin	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.3	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Bifenthrin	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.5	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Bitertanol	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Boscalid	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.5	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Bromopropylate	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Bromuconazole (sum)	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.2	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0

*For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg*

Table B: Results of the EU co-ordinated programme

Product=Wheat Treatment=Milling - unprocessed flour

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Bupirimate	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Carbaryl	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.5	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Carbendazim and benomyl	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Carbofuran (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Chlorfenapyr	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Chlorobenzilate	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Chlorpropham	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Chlorpyrifos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	13	13	0	0	0.005	0.005	0.005	3	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Clothianidin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Cyfluthrin (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0

*For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg*

Table B: Results of the EU co-ordinated programme

Product=Wheat Treatment=Milling - unprocessed flour

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
				Below LOQ	Above MRL						
Cypermethrin (sum)	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	2	0
Cyproconazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
Cyprodinil	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.5	0
DDT (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Deltamethrin	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	2	0
Diazinon	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Dichlorprop	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Difenoconazole	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Dimethoate (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Dimethomorph	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Diphenylamine	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
EPN	0.050	0.050	17	17	0	0	0.025	0.025	0.025	0.01	0
Endosulfan (sum)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Wheat Treatment=Milling - unprocessed flour

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Endrin	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Epoxiconazole	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.6	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Ethoprophos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Famoxadone	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Fenhexamid	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Fenoxycarb	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.5	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Fenthion (sum)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate (sum of RR, SS, RS and SR isomers)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Fluazifop-P-butyl (sum)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0

*For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg*

Table B: Results of the EU co-ordinated programme

Product=Wheat Treatment=Milling - unprocessed flour

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Fludioxonil	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.2	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Flufenoxuron	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Fluquinconazole	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Flusilazole	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Flutriafol	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.5	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Haloxyfop including haloxyfop-R	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Hexachlorobenzene	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	17	17	0	0	0.003	0.003	0.003	0.01	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	17	17	0	0	0.003	0.003	0.003	0.01	0
Hexaconazole	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Hexythiazox	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.5	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Imazalil	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Imidacloprid	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Iprodione	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Wheat Treatment=Milling - unprocessed flour

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Iprovalicarb	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Lambda-Cyhalothrin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Linuron	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Lufenuron	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	13	13	0	0	0.005	0.005	0.005	8	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Mepanipyrim	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Metconazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.15	0
Methamidophos	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Wheat Treatment=Milling - unprocessed flour

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Methoxyfenozide	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Monocrotophos	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Orthophenylphenol	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Oxadixyl	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Paclobutrazol	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Penconazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Permethrin (sum of isomers)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Wheat Treatment=Milling - unprocessed flour

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Phosalone	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.5	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Pirimiphos-methyl	0.010	0.010	13	7	6	0	0.048	0.018	0.005	5	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Procymidone	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Profenofos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Propiconazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Propoxur	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Pyraclostrobin	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Pyrazophos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg



Table B: Results of the EU co-ordinated programme

Product=Wheat Treatment=Milling - unprocessed flour

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Pyriproxyfen	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Quinoxifen	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	13	13	0	0	0.005	0.005	0.005	1	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Spiroxamine	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.2	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Tebufenozide	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Teflubenzuron	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Tetraconazole	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Tetradifon	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Wheat Treatment=Milling - unprocessed flour

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Thiophanate-methyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Tolclofos-methyl	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.2	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Triazophos	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Trichlorfon	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Trifluralin	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
Triticonazole	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
tau-Fluvalinate	0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

## ProductClass=Cereals

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	and MRL						
Cereals	Rice	Bromide ion	0.500	0.500	13	12	1	0	40.800	3.369	0.250	50	0
		Deltamethrin	0.010	0.500	43	39	4	0	0.250	0.095	0.005	2	0
		Pirimiphos-methyl	0.010	0.010	29	27	2	0	0.085	0.009	0.005	5	0
		Tricyclazole	0.010	0.010	29	28	1	0	0.040	0.006	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	Between LOQ and MRL						
Brassica vegetables	Head brassica	Lambda-Cyhalothrin	0.010	0.020	10	9	1	0	0.160	0.025	0.010	0.2	0
Citrus fruit	Grapefruit	Acetamiprid	0.010	0.010	6	5	1	0	0.020	0.008	0.005	1	0
		Chlorpyrifos	0.010	0.010	6	4	2	0	0.030	0.013	0.005	0.3	0
		Difenoconazole	0.010	0.010	6	5	1	0	0.010	0.006	0.005	0.1	0
		Imazalil	0.010	0.020	6	4	2	0	2.200	0.538	0.008	5	0
		Imidacloprid	0.010	0.010	6	4	2	0	0.020	0.010	0.005	1	0
		Myclobutanil	0.010	0.010	6	5	1	0	0.050	0.013	0.005	3	0
		Thiabendazole	0.010	0.010	6	5	1	0	0.540	0.094	0.005	5	0
	Lemons	Azoxystrobin	0.010	0.100	25	24	1	0	0.050	0.016	0.010	15	0
		Chlorpyrifos	0.010	0.050	25	19	6	0	0.130	0.020	0.005	0.2	0
		Imazalil	0.020	0.050	11	5	5	1	6.900	1.405	0.150	5	0
		Imidacloprid	0.010	0.020	11	10	1	0	0.036	0.010	0.010	1	0
		Prochloraz	0.010	0.050	21	20	1	0	1.593	0.087	0.010	.	0
		Prochloraz (sum of prochloraz and its metabolites containing the 2,4, 6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.050	11	10	1	0	1.593	0.157	0.005	10	0
		Propiconazole	0.010	0.010	1	0	1	0	1.100	1.100	1.100	6	0
			0.010	0.050	20	20	0	0	0.025	0.015	0.015	0.05	0
		Pyraclostrobin	0.010	0.050	11	10	1	0	0.286	0.038	0.005	1	0
		Pyrimethanil	0.010	0.020	11	6	5	0	3.660	0.896	0.010	10	0
		Pyriproxyfen	0.010	0.050	11	9	2	0	0.032	0.018	0.025	0.6	0
		Thiabendazole	0.010	0.030	11	8	3	0	1.300	0.271	0.015	5	0
		Mandarins	Chlorpyrifos	0.010	0.050	29	12	17	0	0.410	0.060	0.030	2
Cypermethrin (sum)	0.010		0.500	29	28	1	0	0.250	0.015	0.005	2	0	
Dimethomorph	0.010		0.010	5	4	0	1	0.020	0.008	0.005	0.01	0	
	0.010		0.020	9	9	0	0	0.010	0.008	0.010	0.05	0	
		Imazalil	0.010	0.050	14	13	1	0	0.860	0.075	0.010	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	MRL						
Oranges	Phosmet		0.010	0.050	16	16	0	0	0.025	0.010	0.005	.	0
			0.010	0.020	7	6	1	0	0.130	0.026	0.010	0.2	0
		Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.050	18	17	1	0	0.130	0.018	0.008	0.2	0
		Pyriproxyfen	0.010	0.050	14	12	2	0	0.025	0.013	0.008	0.6	0
		Carbendazim	0.010	0.050	15	14	1	0	0.025	0.012	0.005	.	0
		Carbendazim and benomyl	0.010	0.050	22	21	1	0	0.025	0.010	0.005	0.2	0
			0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.7	0
		Chlorpyrifos	0.010	0.010	1	0	1	0	0.063	0.063	0.063	2	0
			0.010	0.050	68	49	19	0	0.260	0.020	0.005	0.3	0
		Cypermethrin (sum)	0.010	0.500	69	67	2	0	0.250	0.029	0.005	2	0
		Fenpyroximate	0.010	0.010	9	8	1	0	0.013	0.006	0.005	0.5	0
		Haloxypop (sum baby and infant food)	0.050	0.050	1	1	0	0	0.025	0.025	0.025	.	0
			0.010	0.010	1	0	1	0	0.031	0.031	0.031	0.05	0
		Haloxypop-methyl	0.010	0.050	2	1	1	0	0.031	0.028	0.028	.	0
		Imazalil	0.010	0.050	29	19	10	0	2.200	0.303	0.025	5	0
		Imidacloprid	0.010	0.020	23	20	3	0	0.110	0.013	0.005	1	0
		Phosmet	0.010	0.050	49	48	1	0	0.025	0.010	0.010	.	0
			0.010	0.020	6	6	0	0	0.010	0.009	0.010	0.2	0
		Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.050	50	49	1	0	0.025	0.013	0.010	0.2	0
		Prochloraz	0.010	0.050	37	35	2	0	0.820	0.036	0.010	.	0
	Prochloraz (sum of prochloraz and its metabolites containing the 2,4, 6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.050	23	21	2	0	0.820	0.051	0.005	10	0	
	Pyraclostrobin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	1	0	
		0.010	0.050	22	21	1	0	0.050	0.012	0.005	2	0	
	Pyrimethanil	0.010	0.040	43	36	7	0	3.410	0.241	0.010	10	0	

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	MRL						
Fruiting vegetables	Aubergines (egg plants)	Pyriproxyfen	0.010	0.050	23	21	2	0	0.040	0.012	0.005	0.6	0
		Tebufenpyrad	0.010	0.020	24	23	1	0	0.057	0.008	0.005	0.5	0
		Thiabendazole	0.010	0.030	23	19	4	0	1.560	0.146	0.005	5	0
		Bupirimate	0.010	0.050	53	52	1	0	0.050	0.014	0.010	2	0
		Carbendazim	0.010	0.050	22	21	1	0	0.025	0.015	0.018	.	0
		Carbendazim and benomyl	0.010	0.050	22	21	1	0	0.025	0.015	0.018	0.5	0
		Dimethomorph	0.010	0.020	22	21	1	0	0.040	0.009	0.010	0.3	0
		Ethirimol	0.010	0.010	11	10	1	0	0.020	0.006	0.005	0.1	0
		Fenhexamid	0.010	0.050	33	32	1	0	0.025	0.012	0.005	1	0
		Formetanate	0.010	0.020	33	31	2	0	0.030	0.008	0.005	0.2	0
		Imidacloprid	0.010	0.020	22	17	5	0	0.050	0.014	0.010	0.5	0
		Indoxacarb as sum of the isomers S and R	0.010	0.020	22	21	1	0	0.010	0.008	0.010	0.5	0
		Methamidophos	0.010	0.080	32	31	0	1	0.170	0.021	0.005	0.01	1
	Thiametoxam	0.010	0.010	11	10	1	0	0.040	0.008	0.005	.	0	
		0.050	0.050	11	11	0	0	0.025	0.025	0.025	0.2	0	
	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.050	22	21	1	0	0.040	0.017	0.025	0.2	0	
	Courgettes	Thiophanate-methyl	0.010	0.010	11	10	1	0	0.030	0.007	0.005	2	0
		Acetamiprid	0.010	0.020	16	15	1	0	0.070	0.011	0.005	0.3	0
		Aldrin and Dieldrin	0.010	0.020	40	37	3	0	0.040	0.008	0.005	0.05	0
Boscalid		0.010	0.030	27	26	1	0	0.020	0.011	0.010	3	0	
Metalaxyl		0.010	0.060	22	21	1	0	0.030	0.018	0.025	.	0	
		0.100	0.100	4	4	0	0	0.050	0.050	0.050	0.05	0	
Metalaxyl ( Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers) )		0.010	0.060	22	21	1	0	0.030	0.018	0.025	0.05	0	
Pyraclostrobin	0.010	0.050	16	15	1	0	0.040	0.015	0.005	0.5	0		

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	43	42	1	0	0.050	0.015	0.010	0.2	0
		Triadimenol	0.010	0.050	33	32	1	0	0.050	0.013	0.010	.	0
			0.100	0.100	4	4	0	0	0.050	0.050	0.050	0.2	0
Cucumbers		Aldrin and Dieldrin	0.010	0.020	73	72	0	1	0.060	0.006	0.005	0.02	1
		Azoxystrobin	0.010	0.100	95	94	1	0	0.059	0.016	0.010	1	0
		Chlorothalonil	0.010	0.050	84	82	2	0	0.640	0.019	0.005	1	0
		Chlorpyrifos	0.010	0.050	95	93	2	0	0.035	0.008	0.005	0.05	0
		Cyprodinil	0.010	0.050	47	43	4	0	0.081	0.014	0.010	0.5	0
		Dieldrin	0.010	0.020	33	32	1	0	0.060	0.008	0.005	.	0
			0.050	0.050	1	1	0	0	0.025	0.025	0.025	0.01	0
			0.010	0.050	36	36	0	0	0.025	0.011	0.005	0.02	0
		Dimethomorph	0.010	0.020	36	34	2	0	0.023	0.007	0.005	1	0
		Dithiocarbamates	0.100	0.300	29	28	1	0	0.250	0.103	0.125	2	0
		Endosulfan (sum)	0.005	0.050	84	83	0	1	0.080	0.009	0.005	0.05	0
		Endosulfansulfate	0.005	0.020	33	32	1	0	0.050	0.008	0.005	.	0
			0.005	0.020	26	26	0	0	0.010	0.006	0.003	0.05	0
		Fluopicolide	0.010	0.020	36	33	3	0	0.022	0.008	0.005	0.5	0
		Iprodione	0.010	0.100	95	93	2	0	0.108	0.016	0.010	2	0
		Lambda-Cyhalothrin	0.010	0.040	84	83	1	0	0.026	0.009	0.010	0.1	0
		Metalaxyl	0.010	0.060	20	19	1	0	0.030	0.020	0.030	.	0
			0.050	0.100	22	20	2	0	0.200	0.047	0.038	0.5	0
			0.100	0.100	1	1	0	0	0.050	0.050	0.050	0.05	0
		Metalaxyl ( Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers) )	0.010	0.060	47	44	3	0	0.104	0.019	0.025	0.5	0
		Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.050	36	35	1	0	0.030	0.012	0.005	0.2	0
		Methiocarb sulfone	0.010	0.021	36	35	1	0	0.010	0.007	0.005	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Methiocarb sulfoxide	0.010	0.010	24	23	1	0	0.020	0.006	0.005	.	0
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	1	0	1	0	0.880	0.880	0.880	5	0
			0.010	0.010	14	11	3	0	0.840	0.091	0.005	10	0
		Pyrimethanil	0.010	0.050	58	57	1	0	0.025	0.013	0.010	1	0
		Thiametoxam	0.010	0.010	10	9	1	0	0.027	0.007	0.005	.	0
			0.010	0.050	26	25	1	0	0.075	0.017	0.015	0.3	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.050	36	34	2	0	0.075	0.014	0.005	0.5	0
		alpha-Endosulfan	0.005	0.020	33	32	1	0	0.010	0.007	0.005	.	0
			0.005	0.020	26	26	0	0	0.010	0.006	0.003	0.05	0
		beta-Endosulfan	0.005	0.020	33	32	1	0	0.020	0.007	0.005	.	0
			0.005	0.020	26	26	0	0	0.010	0.006	0.003	0.05	0
Melons		Azoxystrobin	0.010	0.100	45	41	4	0	0.069	0.019	0.010	1	0
		Chlorothalonil	0.010	0.050	45	44	1	0	0.086	0.011	0.010	2	0
		Cypermethrin (sum)	0.010	0.500	45	44	1	0	0.250	0.032	0.010	0.2	0
		Difenoconazole	0.040	0.040	10	10	0	0	0.020	0.020	0.020	0.2	0
			0.010	0.020	21	20	1	0	0.048	0.008	0.005	0.05	0
		Dithiocarbamates	0.250	0.300	13	12	1	0	0.260	0.141	0.125	1	0
		Iprodione	0.010	0.100	45	44	1	0	0.068	0.013	0.010	1	0
		Thiacloprid	0.010	0.050	12	10	2	0	0.025	0.014	0.010	0.2	0
		Trifloxystrobin	0.010	0.020	31	30	1	0	0.030	0.008	0.010	0.3	0
Okra (lady's fingers)		Thiacloprid	0.010	0.050	12	11	1	0	0.025	0.015	0.013	0.02	0
Peppers		Azoxystrobin	0.010	0.100	71	68	3	0	0.063	0.014	0.010	3	0
		Boscalid	0.010	0.020	40	39	1	0	0.050	0.008	0.005	3	0
		Bupirimate	0.010	0.050	71	68	3	0	0.120	0.015	0.010	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg



Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
		Chlorpyrifos	0.010	0.050	71	70	1	0	0.025	0.008	0.005	0.5	0
		Clothianidin	0.010	0.020	40	38	2	0	0.020	0.008	0.005	0.05	0
		Cyfluthrin (sum)	0.010	0.020	62	61	1	0	0.050	0.008	0.010	0.3	0
		Cypermethrin (sum)	0.010	0.500	71	70	1	0	0.250	0.038	0.010	0.5	0
		Deltamethrin	0.010	0.500	69	68	1	0	0.250	0.041	0.010	0.2	0
		Difenoconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.2	0
			0.010	0.020	50	49	1	0	0.026	0.007	0.005	0.5	0
		Dimethoate	0.010	0.010	24	23	1	0	0.070	0.008	0.005	.	0
			0.020	0.020	16	16	0	0	0.010	0.010	0.010	0.02	0
		Dimethoate (sum)	0.010	0.020	50	49	0	1	0.110	0.010	0.010	0.02	1
		Fluopicolide	0.010	0.020	40	39	1	0	0.050	0.008	0.005	1	0
		Imidacloprid	0.010	0.020	40	38	2	0	0.014	0.007	0.005	1	0
		Indoxacarb as sum of the isomers S and R	0.010	0.020	40	39	1	0	0.030	0.008	0.005	0.3	0
		Methomyl	0.010	0.050	40	38	2	0	0.250	0.024	0.005	.	0
			0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.02	0
		Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.050	40	38	0	2	0.250	0.024	0.005	0.02	2
		Omethoate	0.010	0.010	5	5	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	19	18	1	0	0.040	0.007	0.005	0.01	0
			0.020	0.020	16	16	0	0	0.010	0.010	0.010	0.02	0
		Pyraclostrobin	0.010	0.050	40	39	1	0	0.030	0.014	0.005	0.5	0
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	24	23	1	0	0.020	0.006	0.005	2	0
		Spinosyn A	0.010	0.010	24	23	1	0	0.020	0.006	0.005	.	0
		Thiacloprid	0.010	0.050	40	39	1	0	0.090	0.015	0.005	1	0
		Thiametoxam	0.010	0.010	24	22	2	0	0.120	0.013	0.005	.	0
			0.050	0.050	16	16	0	0	0.025	0.025	0.025	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
	Tomatoes	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.050	40	38	2	0	0.120	0.018	0.005	0.7	0
		Acetamiprid	0.010	0.010	11	8	3	0	0.064	0.015	0.005	0.2	0
			0.010	0.020	41	39	2	0	0.080	0.008	0.005	0.15	0
		Boscalid	0.010	0.030	64	52	12	0	0.606	0.037	0.005	3	0
		Buprofezin	0.010	0.100	67	66	1	0	0.060	0.015	0.005	1	0
		Carbendazim	0.010	0.050	32	31	1	0	0.050	0.013	0.005	.	0
		Carbendazim and benomyl	0.010	0.050	52	50	2	0	0.050	0.010	0.005	0.3	0
		Chlorpyrifos	0.010	0.050	105	101	4	0	0.440	0.015	0.005	0.5	0
		Cyprodinil	0.010	0.050	58	54	4	0	0.140	0.013	0.005	1	0
		Difenoconazole	0.010	0.040	74	73	1	0	0.041	0.009	0.005	2	0
			0.010	0.010	11	11	0	0	0.005	0.005	0.005	0.2	0
		Dimethoate	0.010	0.020	59	58	1	0	0.050	0.007	0.005	.	0
			0.010	0.020	11	11	0	0	0.010	0.010	0.010	0.02	0
		Dimethoate (sum)	0.010	0.020	81	80	0	1	0.130	0.009	0.005	0.02	1
		Dimethomorph	0.010	0.020	52	48	4	0	0.065	0.009	0.005	1	0
		Dithiocarbamates	0.250	0.300	15	14	1	0	0.580	0.162	0.125	3	0
		Fenhexamid	0.010	0.050	90	87	3	0	0.317	0.014	0.005	1	0
		Flubendiamide	0.010	0.010	22	21	1	0	0.030	0.006	0.005	0.2	0
		Fludioxonil	0.010	0.080	38	36	2	0	0.080	0.017	0.005	1	0
		Flusilazole	0.010	0.050	52	51	1	0	0.025	0.009	0.005	0.02	0
		Formetanate	0.010	0.020	51	51	0	0	0.010	0.006	0.005	0.2	0
			0.010	0.010	1	0	1	0	0.019	0.019	0.019	0.3	0
		Indoxacarb as sum of the isomers S and R	0.010	0.030	64	61	3	0	0.039	0.008	0.005	0.5	0
		Iprodione	0.010	0.100	100	80	20	0	0.410	0.031	0.010	5	0
		Iprovalicarb	0.010	0.050	41	40	1	0	0.025	0.010	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	Between LOQ and MRL						
			0.010	0.010	11	11	0	0	0.005	0.005	0.005	0.7	0
		Myclobutanil	0.010	0.080	96	95	1	0	0.040	0.012	0.005	0.3	0
		Omethoate	0.010	0.040	37	37	0	0	0.020	0.011	0.005	.	0
			0.010	0.010	22	21	1	0	0.070	0.008	0.005	0.01	0
			0.010	0.020	11	11	0	0	0.010	0.010	0.010	0.02	0
		Pyraclostrobin	0.010	0.050	52	51	1	0	0.068	0.010	0.005	0.3	0
		Pyriproxyfen	0.010	0.050	52	51	1	0	0.027	0.009	0.005	1	0
		Tetraconazole	0.010	0.020	67	66	1	0	0.012	0.006	0.005	0.1	0
		Thiacloprid	0.010	0.050	52	50	2	0	0.068	0.010	0.005	0.5	0
		Thiophanate-methyl	0.010	0.010	42	39	3	0	0.240	0.013	0.005	1	0
		Trifloxystrobin	0.010	0.020	79	78	1	0	0.040	0.007	0.005	0.5	0
Leafy vegetables & fresh herbs	Basil	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	1	0	1	0	2.010	2.010	2.010	30	0
	Beet leaves (chard)	Chlorpyrifos	0.010	0.010	1	0	1	0	0.048	0.048	0.048	0.05	0
	Fresh Herbs	Pendimethalin	0.010	0.010	1	0	0	1	0.090	0.090	0.090	0.05	0
	Lettuce	Acetamiprid	0.010	0.050	44	41	3	0	0.640	0.026	0.005	5	0
		Boscalid	0.010	0.050	46	37	9	0	9.080	0.452	0.008	30	0
		Chlorpyrifos	0.010	0.050	77	72	4	1	0.088	0.008	0.005	0.05	0
		Clothianidin	0.010	0.020	39	37	2	0	0.046	0.007	0.005	2	0
		Cypermethrin (sum)	0.010	0.080	77	75	2	0	0.280	0.018	0.005	2	0
		Cyprodinil	0.010	0.050	51	50	1	0	0.030	0.011	0.005	15	0
		Deltamethrin	0.010	0.050	76	74	2	0	0.500	0.019	0.005	0.5	0
		Dimethomorph	0.010	0.020	28	27	1	0	1.170	0.048	0.005	10	0
			0.010	0.010	11	11	0	0	0.005	0.005	0.005	15	0
		Fludioxonil	0.010	0.080	32	31	1	0	0.040	0.022	0.015	15	0
		Fluopicolide	0.010	0.020	28	28	0	0	0.010	0.007	0.005	8	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
			0.010	0.010	11	10	1	0	0.023	0.007	0.005	9	0
		Imidacloprid	0.010	0.020	39	38	1	0	0.110	0.009	0.005	2	0
		Indoxacarb as sum of the isomers S and R	0.010	0.020	47	47	0	0	0.010	0.007	0.005	2	0
			0.010	0.010	1	0	1	0	0.360	0.360	0.360	3	0
		Iprodione	0.010	0.050	74	73	1	0	0.740	0.021	0.010	10	0
		Lambda-Cyhalothrin	0.010	0.050	76	75	1	0	0.025	0.012	0.005	0.5	0
		Linuron	0.010	0.050	39	37	2	0	0.030	0.011	0.005	0.05	0
		Metalaxyl	0.010	0.060	25	23	2	0	0.030	0.020	0.025	.	0
			0.050	0.050	7	7	0	0	0.025	0.025	0.025	2	0
		Metalaxyl ( Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers) )	0.010	0.060	51	49	2	0	0.030	0.015	0.005	3	0
		Pendimethalin	0.010	0.050	68	67	0	1	0.062	0.009	0.005	0.05	0
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	19	18	1	0	0.590	0.036	0.005	50	0
		Pyraclostrobin	0.010	0.050	39	34	5	0	1.030	0.058	0.005	2	0
		Thiametoxam	0.010	0.010	28	25	3	0	0.330	0.020	0.005	.	0
			0.010	0.050	11	10	1	0	0.025	0.024	0.025	5	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.050	39	35	4	0	0.380	0.023	0.005	5	0
Lettuce and other salad plants, including Brassicacea		Boscalid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	10.800	10.800	10.800	30	0
		Clothianidin	0.010	0.010	3	2	1	0	0.017	0.009	0.005	2	0
		Indoxacarb as sum of the isomers S and R	0.010	0.010	3	2	1	0	1.600	0.537	0.005	2	0
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	3	2	1	0	0.024	0.011	0.005	50	0
		Pyraclostrobin	0.010	0.010	3	2	1	0	1.200	0.403	0.005	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	Between LOQ and MRL						
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	3	2	1	0	0.420	0.143	0.005	10	0
		Spinosyn A	0.010	0.010	3	2	1	0	0.360	0.123	0.005	.	0
		Spinosyn D	0.010	0.010	3	2	1	0	0.055	0.022	0.005	.	0
		Thiametoxam	0.010	0.010	3	2	1	0	0.190	0.067	0.005	.	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	3	2	1	0	0.210	0.073	0.005	5	0
	Rocket, Rucola	Bitertanol	0.010	0.010	4	3	0	1	0.150	0.041	0.005	0.05	1
	Spinach	Boscalid	0.010	0.050	45	42	3	0	1.420	0.049	0.005	30	0
		Chlorpyrifos	0.010	0.010	65	57	7	1	0.074	0.008	0.005	0.05	0
		Clothianidin	0.010	0.020	37	36	1	0	0.030	0.007	0.005	2	0
		Cypermethrin	0.080	0.080	11	10	1	0	0.470	0.079	0.040	0.7	0
			0.020	0.020	9	9	0	0	0.010	0.010	0.010	0.01	0
		Cypermethrin (sum)	0.010	0.080	65	60	4	1	1.000	0.045	0.005	0.7	0
		Deltamethrin	0.010	0.050	65	59	5	1	1.200	0.032	0.010	0.5	1
		Dithiocarbamates	0.100	0.100	14	13	0	1	2.000	0.189	0.050	0.05	1
		Lambda-Cyhalothrin	0.010	0.050	65	64	1	0	0.150	0.013	0.005	0.5	0
		Linuron	0.010	0.050	38	36	2	0	0.026	0.011	0.005	0.05	0
	Vine leaves (grape leaves)	Azoxystrobin	0.010	0.020	20	19	0	1	30.500	1.531	0.005	0.05	1
		Captan	0.010	0.050	17	16	0	1	0.330	0.031	0.010	0.02	1
		Carbendazim	0.010	0.050	10	9	1	0	0.030	0.020	0.025	.	0
		Carbendazim and benomyl	0.010	0.050	20	18	1	1	2.000	0.112	0.005	0.1	1
		Cypermethrin (sum)	0.010	0.020	20	18	0	2	0.420	0.033	0.005	0.05	2
		Cyprodinil	0.010	0.020	20	17	1	2	5.600	0.289	0.005	0.05	1
		Dimethomorph	0.010	0.020	12	9	3	0	2.800	0.295	0.008	10	0
			0.010	0.010	8	6	0	2	1.120	0.147	0.005	0.01	2

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Famoxadone	0.010	0.020	16	15	0	1	0.820	0.058	0.005	0.02	1
		Fludioxonil	0.010	0.030	10	8	1	1	0.490	0.060	0.015	0.05	1
		Imidacloprid	0.010	0.020	20	19	1	0	0.380	0.025	0.005	2	0
		Iprodione	0.010	0.020	17	16	0	1	3.600	0.218	0.005	0.02	1
		Kresoxim-methyl	0.010	0.020	20	18	0	2	0.790	0.056	0.005	0.05	2
		Metalaxyl ( Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers) )	0.010	0.050	20	19	0	1	0.077	0.015	0.005	0.05	0
		Myclobutanil	0.010	0.020	20	13	1	6	2.000	0.187	0.008	0.02	6
		Penconazole	0.010	0.010	20	19	0	1	0.320	0.021	0.005	0.05	1
		Pyraclostrobin	0.010	0.050	20	19	0	1	0.025	0.012	0.005	0.02	0
		Tebuconazole	0.010	0.020	20	16	2	2	0.370	0.039	0.008	0.05	2
		Tetraconazole	0.010	0.020	20	19	0	1	0.280	0.020	0.005	0.02	1
		Thiametoxam	0.010	0.010	14	13	1	0	0.049	0.008	0.005	.	0
			0.050	0.050	6	6	0	0	0.025	0.025	0.025	0.05	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.050	20	19	1	0	0.049	0.013	0.005	0.05	0
		Thiophanate-methyl	0.010	0.010	14	13	0	1	4.300	0.312	0.005	0.1	1
		Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	20	19	0	1	0.340	0.027	0.005	0.1	1
		Triadimenol	0.010	0.050	20	19	1	0	0.340	0.027	0.005	.	0
		Trifloxystrobin	0.010	0.020	20	18	0	2	1.300	0.105	0.005	0.02	2
		Zoxamide	0.010	0.010	14	13	0	1	6.800	0.490	0.005	0.02	1
Legume vegetables (fresh)	Beans (with pods)	Acetamiprid	0.010	0.020	42	41	1	0	0.023	0.007	0.005	0.06	0
			0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.15	0
		Azoxystrobin	0.010	0.100	65	58	7	0	1.400	0.039	0.005	3	0
		Boscalid	0.010	0.020	46	44	2	0	0.057	0.007	0.005	3	0
		Carbendazim and benomyl	0.010	0.050	46	45	0	1	0.300	0.016	0.005	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	MRL						
		Cyprodinil	0.010	0.020	46	43	3	0	0.068	0.010	0.005	2	0
		Deltamethrin	0.010	0.500	65	64	1	0	0.250	0.047	0.005	0.2	0
		Difenoconazole	0.010	0.020	55	54	1	0	0.017	0.006	0.005	1	0
		Dimethoate	0.010	0.010	23	23	0	0	0.005	0.005	0.005	.	0
			0.010	0.020	23	22	1	0	0.078	0.010	0.005	0.02	0
		Dimethoate (sum)	0.010	0.020	46	45	0	1	0.078	0.008	0.005	0.02	1
		Dithiocarbamates	0.100	0.300	18	17	1	0	0.380	0.091	0.050	1	0
		Imidacloprid	0.010	0.020	46	45	1	0	0.014	0.006	0.005	2	0
		Lufenuron	0.010	0.050	35	34	0	1	0.067	0.011	0.005	0.02	1
		Myclobutanil	0.010	0.020	55	54	1	0	0.016	0.006	0.005	0.3	0
		Penconazole	0.010	0.020	55	54	1	0	0.023	0.006	0.005	0.05	0
		Pyridaben	0.010	0.020	42	41	0	1	0.540	0.019	0.005	0.5	0
		Pyriproxyfen	0.010	0.050	46	45	1	0	0.045	0.011	0.005	0.05	0
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	35	34	1	0	0.260	0.012	0.005	0.5	0
		Spinosyn A	0.010	0.010	35	34	1	0	0.210	0.011	0.005	.	0
		Spinosyn D	0.010	0.010	27	26	1	0	0.049	0.007	0.005	.	0
		Thiacloprid	0.010	0.050	46	45	1	0	0.070	0.011	0.005	1	0
		Thiophanate-methyl	0.010	0.010	35	34	0	1	0.300	0.013	0.005	0.1	1
	Peas (with pods)	Carbendazim and benomyl	0.010	0.010	2	1	1	0	0.086	0.046	0.046	0.2	0
		Thiophanate-methyl	0.010	0.010	2	1	0	1	0.140	0.073	0.073	0.1	0
	Peas (without pods)	Flutriafol	0.010	0.010	10	9	1	0	0.066	0.011	0.005	0.1	0
Pome fruit	Apples	Acetamiprid	0.010	0.020	40	32	8	0	0.030	0.010	0.005	0.7	0
			0.010	0.010	9	7	2	0	0.059	0.012	0.005	0.8	0
		Boscalid	0.010	0.030	59	47	12	0	0.580	0.042	0.005	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Carbendazim	0.010	0.050	34	24	10	0	0.140	0.031	0.025	.	0
		Carbendazim and benomyl	0.010	0.050	49	34	15	0	0.150	0.031	0.020	0.2	0
		Chlorpyrifos	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.3	0
			0.010	0.050	97	50	47	0	0.300	0.037	0.010	0.5	0
		Chlorpyrifos-methyl	0.010	0.050	98	96	2	0	0.062	0.008	0.005	0.5	0
		Clothianidin	0.010	0.020	49	48	1	0	0.010	0.006	0.005	0.05	0
		Cyfluthrin (sum)	0.010	0.060	92	91	1	0	0.078	0.012	0.010	0.2	0
			0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.02	0
		Cypermethrin (sum)	0.010	0.500	97	95	2	0	0.250	0.027	0.005	1	0
			0.020	0.020	1	1	0	0	0.010	0.010	0.010	2	0
		Cyprodinil	0.010	0.050	70	69	1	0	0.060	0.011	0.005	1	0
			0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.05	0
		Deltamethrin	0.010	0.500	98	97	1	0	0.250	0.022	0.005	0.2	0
		Difenoconazole	0.010	0.040	83	81	2	0	0.035	0.009	0.005	0.5	0
		Diflubenzuron	0.010	0.020	49	46	3	0	0.070	0.008	0.005	5	0
		Diphenylamine	0.010	0.100	63	63	0	0	0.050	0.018	0.010	5	0
			0.100	0.100	18	17	0	1	0.440	0.072	0.050	0.1	1
		Dodine	0.010	0.010	24	18	6	0	0.040	0.009	0.005	5	0
		Etofenprox	0.010	0.010	39	33	6	0	0.130	0.014	0.005	1	0
		Fenbuconazole	0.010	0.020	49	48	1	0	0.010	0.006	0.005	0.4	0
		Fludioxonil	0.010	0.080	46	44	2	0	0.270	0.022	0.015	5	0
		Fluquinconazole	0.010	0.050	71	70	1	0	0.025	0.011	0.005	0.1	0
		Flutriafol	0.010	0.050	41	38	3	0	0.040	0.011	0.005	0.2	0
			0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.3	0
		Indoxacarb as sum of the isomers S and R	0.010	0.030	59	58	1	0	0.068	0.009	0.005	0.5	0
		Lambda-Cyhalothrin	0.010	0.040	93	91	2	0	0.022	0.009	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg



Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Methoxyfenozide	0.010	0.010	39	34	5	0	0.096	0.011	0.005	2	0
		Phosmet	0.010	0.020	47	46	1	0	0.200	0.013	0.010	.	0
			0.020	0.020	10	9	1	0	0.040	0.013	0.010	0.2	0
			0.010	0.010	1	0	1	0	0.150	0.150	0.150	0.5	0
		Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.020	45	43	2	0	0.200	0.014	0.010	0.2	0
			0.010	0.020	36	25	11	0	0.460	0.029	0.010	0.5	0
		Pirimicarb	0.010	0.040	61	59	2	0	0.040	0.009	0.005	.	0
			0.020	0.100	15	15	0	0	0.050	0.023	0.010	2	0
		Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.040	71	69	2	0	0.040	0.009	0.005	2	0
		Propargite	0.010	0.050	49	46	3	0	0.240	0.015	0.005	3	0
		Pyraclostrobin	0.010	0.050	40	31	9	0	0.120	0.019	0.005	0.3	0
			0.010	0.010	9	8	1	0	0.041	0.009	0.005	0.5	0
		Pyridaben	0.010	0.020	49	47	2	0	0.030	0.007	0.005	0.5	0
		Pyrimethanil	0.010	0.040	71	63	8	0	0.430	0.026	0.010	5	0
		Spirodiclofen	0.010	0.010	39	36	3	0	0.048	0.007	0.005	0.8	0
		Tebuconazole	0.010	0.020	49	47	2	0	0.070	0.008	0.005	1	0
		Tebufenpyrad	0.010	0.020	49	48	1	0	0.030	0.007	0.005	0.2	0
		Thiacloprid	0.010	0.050	49	32	17	0	0.080	0.016	0.010	0.3	0
		Thiametoxam	0.010	0.010	39	35	4	0	0.024	0.006	0.005	.	0
			0.050	0.050	10	10	0	0	0.025	0.025	0.025	0.2	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.050	41	38	3	0	0.025	0.011	0.005	0.3	0
			0.010	0.010	8	7	1	0	0.036	0.009	0.005	0.5	0
		Thiophanate-methyl	0.010	0.010	39	32	7	0	0.340	0.015	0.005	0.5	0
		Trifloxystrobin	0.010	0.050	70	69	1	0	0.025	0.010	0.005	0.5	0
Pears		Acetamiprid	0.010	0.020	38	33	5	0	0.044	0.008	0.005	0.7	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	Between LOQ and MRL						
			0.010	0.010	5	3	2	0	0.095	0.041	0.005	0.8	0
		Azoxystrobin	0.010	0.100	75	74	1	0	0.050	0.014	0.005	0.05	0
		Boscalid	0.010	0.030	53	40	13	0	0.500	0.038	0.005	2	0
		Captan	0.020	0.020	22	21	1	0	0.570	0.035	0.010	.	0
			0.050	0.050	14	13	1	0	0.740	0.076	0.025	3	0
		Captan/Folpet (sum)	0.010	0.020	28	27	1	0	0.650	0.030	0.005	3	0
		Carbendazim	0.010	0.050	16	14	2	0	0.130	0.024	0.005	.	0
		Carbendazim and benomyl	0.010	0.050	43	33	8	2	1.110	0.071	0.005	0.2	2
		Chlorpyrifos	0.010	0.050	75	60	15	0	0.160	0.017	0.005	0.5	0
		Cyfluthrin (sum)	0.010	0.040	65	63	2	0	0.050	0.011	0.010	0.2	0
		Cyprodinil	0.010	0.020	43	42	1	0	0.017	0.006	0.005	1	0
		Deltamethrin	0.010	0.500	66	63	2	1	0.250	0.047	0.005	0.1	0
		Diflubenzuron	0.010	0.020	43	41	2	0	0.160	0.009	0.005	5	0
		Dimethoate	0.010	0.020	40	39	1	0	0.028	0.007	0.005	.	0
			0.010	0.020	13	13	0	0	0.010	0.007	0.005	0.02	0
		Dimethoate (sum)	0.010	0.020	53	52	1	0	0.016	0.007	0.005	0.02	0
		Diphenylamine	0.010	0.100	27	26	1	0	0.050	0.045	0.050	10	0
			0.010	0.100	26	25	0	1	0.120	0.034	0.050	0.1	0
		Dodine	0.010	0.010	12	11	1	0	0.040	0.008	0.005	5	0
		Ethoxyquin	0.010	0.010	39	35	4	0	0.100	0.009	0.005	3	0
		Fenoxycarb	0.010	0.500	53	47	6	0	0.250	0.057	0.005	1	0
		Folpet	0.010	0.020	40	40	0	0	0.010	0.006	0.005	.	0
			0.010	0.050	23	22	1	0	0.650	0.043	0.010	3	0
		Imazalil	0.010	0.050	43	40	3	0	0.710	0.043	0.010	2	0
		Imidacloprid	0.010	0.020	43	38	5	0	0.150	0.011	0.005	0.5	0
		Iprodione	0.010	0.100	66	65	1	0	0.480	0.020	0.005	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
							Above MRL						
		Lambda-Cyhalothrin	0.010	0.020	56	51	5	0	0.029	0.008	0.005	0.1	0
		Malathion	0.010	0.020	40	39	1	0	0.010	0.006	0.005	.	0
			0.010	0.020	13	13	0	0	0.010	0.007	0.005	0.02	0
		Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.020	65	64	1	0	0.010	0.007	0.005	0.02	0
		Methoxyfenozide	0.010	0.010	39	37	2	0	0.310	0.014	0.005	2	0
		Paclobutrazol	0.010	0.020	43	42	1	0	0.027	0.006	0.005	0.5	0
		Phosmet	0.010	0.020	28	26	2	0	0.145	0.012	0.005	.	0
			0.010	0.020	13	10	3	0	0.770	0.068	0.005	0.2	0
		Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.020	52	46	6	0	0.145	0.011	0.005	0.2	0
			0.010	0.010	1	0	0	1	0.770	0.770	0.770	0.5	0
		Pyraclostrobin	0.010	0.050	38	33	5	0	0.080	0.013	0.005	0.3	0
			0.010	0.010	5	3	2	0	0.020	0.011	0.005	0.5	0
		Pyrimethanil	0.010	0.020	43	38	5	0	1.000	0.066	0.005	5	0
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	39	37	2	0	0.070	0.008	0.005	1	0
		Spinosyn A	0.010	0.010	39	37	2	0	0.070	0.007	0.005	.	0
		Spinosyn D	0.010	0.010	27	26	1	0	0.012	0.005	0.005	.	0
		Spirodiclofen	0.010	0.010	39	38	1	0	0.062	0.006	0.005	0.8	0
		Tebuconazole	0.010	0.020	42	40	2	0	0.032	0.006	0.005	1	0
			0.010	0.010	1	0	1	0	0.028	0.028	0.028	0.3	0
		Thiabendazole	0.010	0.030	43	34	9	0	0.670	0.073	0.005	5	0
		Thiacloprid	0.010	0.050	43	35	8	0	0.040	0.011	0.005	0.3	0
		Thiophanate-methyl	0.010	0.010	39	31	7	1	0.510	0.038	0.005	0.5	0
		Trifloxystrobin	0.010	0.020	54	52	2	0	0.042	0.007	0.005	0.5	0
Root and tuber vegetables	Carrots	Boscalid	0.010	0.030	38	37	1	0	0.071	0.011	0.010	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
							Above MRL	MRL					
		Chlorpyrifos	0.010	0.050	61	37	15	9	0.826	0.047	0.005	0.1	2
		Dimethoate	0.010	0.020	41	40	1	0	0.032	0.007	0.005	.	0
			0.010	0.020	11	11	0	0	0.010	0.010	0.010	0.02	0
		Dimethoate (sum)	0.010	0.020	52	51	0	1	0.032	0.009	0.010	0.02	0
		Fluazifop (free acid)	0.010	0.050	13	12	1	0	0.025	0.025	0.025	.	0
		Fluazifop-P-butyl ( sum)	0.010	0.050	13	12	1	0	0.025	0.025	0.025	0.3	0
		Linuron	0.010	0.050	28	26	2	0	0.025	0.013	0.005	0.2	0
	Parsley root	Chlorpyrifos	0.010	0.010	5	4	1	0	0.040	0.012	0.005	0.05	0
	Potatoes	Chlorpyrifos	0.010	0.050	88	77	5	6	0.520	0.023	0.005	0.05	3
		Cypermethrin (sum)	0.010	0.500	88	87	1	0	0.250	0.036	0.005	0.05	0
		Flutolanil	0.010	0.020	57	56	1	0	0.057	0.008	0.005	0.5	0
		Imidacloprid	0.010	0.020	57	55	2	0	0.020	0.007	0.005	0.5	0
		Metalaxyl	0.010	0.050	37	36	1	0	0.025	0.017	0.025	.	0
			0.100	0.100	10	10	0	0	0.050	0.050	0.050	0.05	0
		Metalaxyl ( Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers) )	0.010	0.050	57	55	2	0	0.025	0.013	0.005	0.05	0
		Pencycuron	0.010	0.020	57	55	2	0	0.027	0.008	0.005	0.1	0
		Pirimiphos-methyl	0.010	0.050	67	66	0	1	0.110	0.016	0.005	0.05	1
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	20	19	1	0	0.014	0.005	0.005	0.5	0
Small fruit and berries	Strawberries	Azoxystrobin	0.010	0.100	94	52	42	0	0.906	0.089	0.010	10	0
		Boscalid	0.010	0.020	79	51	28	0	2.060	0.152	0.005	10	0
		Bupirimate	0.010	0.050	94	83	11	0	0.730	0.024	0.005	1	0
		Carbendazim and benomyl	0.010	0.050	79	78	1	0	0.025	0.009	0.005	0.1	0
		Chlorpyrifos	0.010	0.050	94	92	2	0	0.033	0.007	0.005	0.2	0
		Clofentezine	0.010	0.010	79	76	3	0	0.310	0.014	0.005	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Cyprodinil	0.010	0.050	84	64	20	0	0.800	0.059	0.005	5	0
		Dimethomorph	0.010	0.020	79	78	1	0	0.210	0.008	0.005	0.7	0
		Ethirimol	0.010	0.010	65	64	1	0	0.035	0.005	0.005	0.2	0
		Etoxazole	0.010	0.010	65	63	2	0	0.044	0.006	0.005	0.2	0
		Fenhexamid	0.010	0.050	92	91	1	0	0.960	0.019	0.005	5	0
		Fludioxonil	0.010	0.030	31	19	12	0	0.320	0.050	0.015	3	0
		Formetanate	0.010	0.010	63	58	5	0	3.660	0.086	0.005	.	0
			0.010	0.020	31	26	3	2	3.660	0.171	0.010	0.3	2
			0.010	0.010	2	0	1	1	0.440	0.325	0.325	0.4	0
		Imidacloprid	0.010	0.020	79	77	2	0	0.060	0.007	0.005	0.5	0
		Iprodione	0.010	0.100	54	53	1	0	1.180	0.030	0.005	15	0
		Metalaxyl	0.010	0.010	17	13	4	0	0.050	0.009	0.005	.	0
			0.050	0.100	16	16	0	0	0.050	0.028	0.025	0.5	0
		Metalaxyl ( Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers) )	0.010	0.050	79	74	5	0	0.050	0.010	0.005	0.5	0
		Myclobutanil	0.010	0.020	87	79	8	0	0.180	0.011	0.005	1	0
		Penconazole	0.010	0.050	92	68	24	0	0.280	0.020	0.005	0.5	0
		Pyraclostrobin	0.010	0.050	72	55	17	0	0.440	0.034	0.005	1	0
			0.010	0.010	7	6	1	0	0.210	0.034	0.005	1.5	0
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	65	51	14	0	0.230	0.019	0.005	0.3	0
		Spinosyn A	0.010	0.010	65	51	14	0	0.190	0.017	0.005	.	0
		Spinosyn D	0.010	0.010	48	43	5	0	0.045	0.008	0.005	.	0
		Thiametoxam	0.010	0.010	64	63	1	0	0.075	0.006	0.005	.	0
			0.010	0.050	15	15	0	0	0.025	0.024	0.025	0.05	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.050	72	71	1	0	0.075	0.010	0.005	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
			0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.5	0
		Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	84	79	5	0	0.160	0.017	0.005	0.5	0
		Triadimenol	0.010	0.010	65	60	5	0	0.160	0.014	0.005	.	0
			0.050	0.100	16	16	0	0	0.050	0.028	0.025	0.5	0
	Table and Wine grapes	Boscalid	0.010	0.050	12	11	1	0	0.790	0.082	0.025	5	0
		Chlorpyrifos	0.010	0.010	12	11	1	0	0.022	0.006	0.005	0.5	0
		Cyprodinil	0.010	0.010	5	3	2	0	0.180	0.045	0.005	5	0
		Dimethomorph	0.010	0.010	6	5	1	0	0.130	0.026	0.005	3	0
		Ethirimol	0.010	0.010	5	4	1	0	0.018	0.008	0.005	0.5	0
		Fenamidone	0.010	0.010	6	5	1	0	0.010	0.006	0.005	0.5	0
		Fenhexamid	0.010	0.010	6	3	3	0	0.500	0.181	0.058	5	0
		Metalaxyl	0.010	0.010	1	0	1	0	0.110	0.110	0.110	2	0
		Methoxyfenozide	0.010	0.010	6	4	2	0	0.150	0.030	0.005	1	0
		Myclobutanil	0.010	0.010	10	5	5	0	0.042	0.016	0.010	1	0
		Penconazole	0.010	0.020	12	10	2	0	0.067	0.014	0.010	0.2	0
		Pyraclostrobin	0.010	0.010	5	4	1	0	0.088	0.022	0.005	1	0
		Spiroxamine	0.010	0.010	6	5	1	0	0.036	0.010	0.005	1	0
		Tebuconazole	0.010	0.010	6	3	3	0	0.068	0.022	0.010	2	0
		Tetraconazole	0.010	0.010	7	5	2	0	0.037	0.012	0.005	0.5	0
		Thiametoxam	0.010	0.010	5	5	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	2	0	2	0	0.018	0.018	0.018	0.9	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	3	1	2	0	0.018	0.014	0.018	0.5	0
			0.010	0.010	4	4	0	0	0.005	0.005	0.005	0.9	0
	Table grapes	Boscalid	0.010	0.030	42	33	9	0	2.750	0.127	0.008	5	0
		Chlorpyrifos	0.010	0.050	82	61	21	0	0.330	0.025	0.010	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Chlorpyrifos-methyl	0.010	0.050	71	67	3	1	0.220	0.017	0.005	0.2	0
		Cyfluthrin	0.060	0.060	5	5	0	0	0.030	0.030	0.030	.	0
			0.020	0.020	15	10	3	2	0.080	0.025	0.010	0.01	0
		Cyfluthrin (sum)	0.010	0.060	68	63	5	0	0.080	0.014	0.010	0.3	0
		Cypermethrin	0.020	0.080	6	5	1	0	0.040	0.040	0.040	.	0
			0.020	0.020	19	17	2	0	0.063	0.015	0.010	0.01	0
		Cypermethrin (sum)	0.010	0.500	82	77	5	0	0.250	0.054	0.010	0.5	0
		Cyprodinil	0.010	0.050	42	39	3	0	0.280	0.028	0.008	5	0
		Deltamethrin	0.010	0.500	82	76	6	0	0.250	0.054	0.010	0.2	0
		Dimethomorph	0.010	0.020	37	36	1	0	0.140	0.011	0.005	3	0
		Ethirimol	0.010	0.010	22	21	1	0	0.021	0.006	0.005	0.5	0
		Fenhexamid	0.010	0.050	53	52	1	0	0.060	0.013	0.005	5	0
		Fludioxonil	0.010	0.080	27	25	2	0	0.130	0.026	0.015	5	0
		Indoxacarb as sum of the isomers S and R	0.010	0.030	42	37	5	0	0.240	0.017	0.010	2	0
		Iprodione	0.010	0.100	82	80	2	0	0.130	0.018	0.010	10	0
		Lambda-Cyhalothrin	0.010	0.040	68	63	5	0	0.090	0.011	0.010	0.2	0
		Metalaxyl	0.010	0.060	27	24	3	0	0.120	0.028	0.025	.	0
			0.100	0.100	14	14	0	0	0.050	0.050	0.050	2	0
		Metalaxyl ( Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers) )	0.010	0.060	42	38	4	0	0.120	0.020	0.015	2	0
		Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.050	37	36	1	0	0.026	0.014	0.005	0.3	0
		Methiocarb sulfoxide	0.010	0.010	22	21	1	0	0.028	0.006	0.005	.	0
		Methoxyfenozide	0.010	0.010	22	16	6	0	0.190	0.028	0.005	1	0
		Myclobutanil	0.010	0.080	68	58	10	0	0.150	0.019	0.010	1	0
		Penconazole	0.010	0.050	68	61	7	0	0.091	0.014	0.005	0.2	0
		Pyrimethanil	0.010	0.040	42	40	2	0	0.520	0.021	0.005	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	MRL						
		Quinoxifen	0.010	0.020	58	54	4	0	0.030	0.008	0.005	1	0
		Spiroxamine	0.010	0.020	37	34	3	0	0.080	0.010	0.005	1	0
		Tebuconazole	0.010	0.020	36	36	0	0	0.010	0.007	0.005	2	0
			0.010	0.010	1	0	1	0	0.041	0.041	0.041	0.5	0
		Tetraconazole	0.010	0.020	48	44	4	0	0.050	0.008	0.005	0.5	0
		Thiametoxam	0.010	0.010	22	18	4	0	0.030	0.008	0.005	.	0
			0.050	0.050	15	15	0	0	0.025	0.025	0.025	0.5	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.050	37	33	4	0	0.030	0.015	0.010	0.5	0
		Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	57	56	1	0	0.025	0.013	0.010	2	0
		Triadimenol	0.010	0.050	47	46	1	0	0.025	0.013	0.010	.	0
			0.100	0.100	14	14	0	0	0.050	0.050	0.050	2	0
		Trifloxystrobin	0.010	0.020	53	52	1	0	0.030	0.007	0.005	5	0
	Wine grapes	Boscalid	0.010	0.030	18	14	4	0	0.800	0.089	0.015	5	0
		Chlorpyrifos	0.010	0.010	26	23	2	1	1.100	0.048	0.005	0.5	1
		Cypermethrin	0.020	0.020	11	10	1	0	0.081	0.016	0.010	.	0
		Cypermethrin (sum)	0.010	0.040	26	25	1	0	0.081	0.012	0.005	0.5	0
		Deltamethrin	0.010	0.040	26	25	1	0	0.044	0.011	0.005	0.2	0
		Etofenprox	0.010	0.010	7	6	1	0	0.030	0.009	0.005	5	0
		Fenhexamid	0.010	0.050	26	22	4	0	0.216	0.029	0.020	5	0
		Fluopicolide	0.010	0.020	12	9	3	0	0.030	0.010	0.010	2	0
		Lambda-Cyhalothrin	0.010	0.020	26	23	3	0	0.020	0.008	0.010	0.2	0
		Myclobutanil	0.010	0.050	26	25	1	0	0.120	0.015	0.005	1	0
		Pyrimethanil	0.010	0.020	12	11	1	0	0.020	0.008	0.008	5	0
Stem vegetables	Asparagus	Boscalid	0.010	0.020	21	20	1	0	0.030	0.010	0.010	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg



Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	MRL						
Stone fruit	Apricots	Acetamiprid	0.010	0.020	16	14	2	0	0.020	0.008	0.005	0.1	0
		Boscalid	0.010	0.050	34	21	13	0	1.060	0.106	0.020	3	0
		Captan	0.020	0.050	28	13	15	0	1.800	0.208	0.036	4	0
		Captan/Folpet (sum)	0.020	0.020	11	3	8	0	0.722	0.160	0.041	4	0
		Carbendazim	0.010	0.050	15	13	2	0	0.180	0.027	0.005	.	0
		Carbendazim and benomyl	0.010	0.050	15	13	2	0	0.180	0.027	0.005	0.2	0
		Cyfluthrin (sum)	0.010	0.020	41	40	1	0	0.052	0.008	0.005	0.3	0
		Cyprodinil	0.010	0.020	15	13	2	0	0.160	0.023	0.005	2	0
		Deltamethrin	0.010	0.050	41	40	1	0	0.025	0.014	0.010	0.1	0
		Fenbuconazole	0.010	0.020	16	14	2	0	0.030	0.008	0.005	1	0
		Indoxacarb as sum of the isomers S and R	0.010	0.030	34	33	1	0	0.070	0.012	0.010	1	0
		Lambda-Cyhalothrin	0.010	0.050	41	39	2	0	0.040	0.012	0.010	0.2	0
		Penconazole	0.010	0.050	41	40	1	0	0.032	0.013	0.010	0.1	0
		Thiacloprid	0.010	0.050	15	14	1	0	0.050	0.015	0.005	0.3	0
		Thiophanate-methyl	0.010	0.010	10	8	2	0	0.170	0.023	0.005	2	0
Trifloxystrobin	0.010	0.020	26	22	4	0	0.060	0.013	0.010	1	0		
Cherries	Cherries	Acetamiprid	0.010	0.020	20	19	1	0	0.020	0.008	0.010	0.5	0
		Boscalid	0.010	0.010	2	1	1	0	0.074	0.040	0.040	1.5	0
		Boscalid	0.010	0.030	32	21	11	0	0.260	0.034	0.015	4	0
		Carbendazim	0.010	0.050	20	18	2	0	0.210	0.031	0.025	.	0
		Carbendazim and benomyl	0.010	0.050	22	20	2	0	0.210	0.028	0.025	0.5	0
		Chlorpyrifos	0.010	0.010	46	42	4	0	0.020	0.006	0.005	0.3	0
		Deltamethrin	0.010	0.040	46	39	7	0	0.100	0.019	0.010	0.2	0
		Dimethoate	0.010	0.020	27	26	1	0	0.020	0.007	0.005	.	0
			0.020	0.020	10	9	1	0	0.840	0.093	0.010	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Dimethoate (sum)	0.010	0.020	37	35	1	1	0.840	0.035	0.010	0.2	1
		Dodine	0.010	0.010	10	9	1	0	0.060	0.011	0.005	5	0
		Fenbuconazole	0.010	0.020	22	19	3	0	0.050	0.011	0.010	1	0
		Fenhexamid	0.010	0.050	41	39	2	0	0.210	0.020	0.020	5	0
		Omethoate	0.010	0.040	17	17	0	0	0.020	0.015	0.020	.	0
			0.010	0.010	10	9	1	0	0.130	0.018	0.005	0.01	0
			0.020	0.020	10	10	0	0	0.010	0.010	0.010	0.02	0
		Phosmet	0.010	0.020	17	14	3	0	0.680	0.051	0.010	.	0
			0.020	0.020	10	10	0	0	0.010	0.010	0.010	1	0
		Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.020	37	34	3	0	0.680	0.028	0.010	1	0
		Pyraclostrobin	0.010	0.050	20	19	1	0	0.050	0.016	0.015	2	0
			0.010	0.010	2	2	0	0	0.005	0.005	0.005	3	0
		Pyrimethanil	0.010	0.040	27	26	1	0	0.030	0.010	0.010	0.05	0
		Tebuconazole	0.010	0.020	22	19	3	0	0.420	0.034	0.010	5	0
		Thiacloprid	0.010	0.050	22	18	4	0	0.050	0.019	0.025	0.3	0
		Thiametoxam	0.010	0.010	12	11	1	0	0.030	0.007	0.005	.	0
			0.050	0.050	10	10	0	0	0.025	0.025	0.025	0.5	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.050	22	21	1	0	0.030	0.015	0.015	1	0
		Thiophanate-methyl	0.010	0.010	12	9	3	0	0.060	0.015	0.005	0.3	0
Peaches		Acetamiprid	0.010	0.020	32	32	0	0	0.010	0.007	0.005	0.1	0
			0.010	0.010	6	5	1	0	0.021	0.008	0.005	0.7	0
		Boscalid	0.010	0.030	49	38	10	1	4.265	0.120	0.010	3	0
		Carbendazim	0.010	0.050	25	23	2	0	0.030	0.015	0.005	.	0
		Carbendazim and benomyl	0.010	0.050	38	35	3	0	0.031	0.012	0.005	0.2	0
		Chlorpyrifos	0.010	0.050	63	41	22	0	0.140	0.022	0.005	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Cyfluthrin (sum)	0.010	0.040	57	55	1	1	0.626	0.021	0.010	0.3	1
		Cypermethrin (sum)	0.010	0.500	63	62	1	0	0.250	0.034	0.005	2	0
		Cyprodinil	0.010	0.020	38	36	2	0	0.090	0.009	0.005	2	0
		Deltamethrin	0.010	0.500	63	58	5	0	0.250	0.035	0.005	0.1	0
		Diphenylamine	0.010	0.100	38	37	0	1	0.067	0.026	0.025	0.05	0
		Etofenprox	0.010	0.010	22	13	9	0	0.220	0.047	0.005	0.5	0
			0.010	0.010	6	5	1	0	0.180	0.034	0.005	0.6	0
		Fenbuconazole	0.010	0.020	38	35	3	0	0.028	0.008	0.005	0.5	0
		Fludioxonil	0.010	0.030	25	24	1	0	0.170	0.015	0.005	7	0
		Imidacloprid	0.010	0.020	38	36	2	0	0.031	0.007	0.005	0.5	0
		Indoxacarb as sum of the isomers S and R	0.010	0.030	49	48	1	0	0.015	0.008	0.005	1	0
		Iprodione	0.010	0.100	63	62	1	0	0.079	0.012	0.005	3	0
		Lambda-Cyhalothrin	0.010	0.020	57	49	8	0	0.050	0.009	0.005	0.2	0
		Methoxyfenozide	0.010	0.010	28	27	1	0	0.040	0.006	0.005	0.3	0
		Phosmet	0.010	0.020	24	21	3	0	0.100	0.012	0.010	.	0
			0.020	0.020	10	7	2	1	0.160	0.033	0.010	0.05	0
		Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.020	49	39	10	0	0.160	0.019	0.010	1	0
		Propargite	0.010	0.050	38	37	1	0	0.320	0.019	0.005	4	0
		Pyraclostrobin	0.010	0.050	30	30	0	0	0.025	0.012	0.005	0.2	0
			0.010	0.010	8	6	2	0	0.063	0.017	0.005	0.3	0
		Spirodiclofen	0.010	0.010	28	27	1	0	0.060	0.007	0.005	2	0
		Tebuconazole	0.010	0.020	38	21	17	0	0.240	0.045	0.010	1	0
		Thiacloprid	0.010	0.050	38	37	1	0	0.075	0.012	0.005	0.3	0
		Thiophanate-methyl	0.010	0.010	28	25	3	0	0.330	0.017	0.005	2	0
		Trifloxystrobin	0.010	0.020	49	48	1	0	0.013	0.007	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
	Plums	beta-Cyfluthrin	0.040	0.040	11	10	1	0	0.626	0.075	0.020	.	0
		Boscalid	0.010	0.030	22	16	6	0	0.204	0.032	0.015	3	0
		Captan	0.010	0.050	22	21	1	0	0.196	0.022	0.010	7	0
		Captan/Folpet (sum)	0.020	0.020	11	10	1	0	0.196	0.027	0.010	7	0
		Carbendazim	0.010	0.050	10	7	3	0	0.030	0.020	0.025	.	0
		Carbendazim and benomyl	0.010	0.050	11	8	3	0	0.030	0.018	0.025	0.5	0
		Chlorpyrifos	0.010	0.010	29	19	10	0	0.130	0.027	0.005	0.2	0
		Cyfluthrin (sum)	0.010	0.040	29	26	3	0	0.050	0.014	0.010	0.2	0
		Deltamethrin	0.010	0.040	29	28	1	0	0.020	0.012	0.010	0.1	0
		Iprodione	0.010	0.020	29	27	2	0	1.000	0.043	0.010	3	0
		Propargite	0.010	0.050	11	10	1	0	0.025	0.015	0.020	4	0
		Pyrimethanil	0.010	0.020	11	10	1	0	0.540	0.056	0.010	3	0
		Thiophanate-methyl	0.010	0.010	6	3	3	0	0.010	0.008	0.008	0.3	0
		beta-Cyfluthrin	0.040	0.040	11	10	1	0	0.050	0.023	0.020	.	0
Tea, coffee, herbal infusions and cocoa	Tea, Coffee, Herbal infusions and Cocoa	Acetamiprid	0.010	0.010	1	0	1	0	0.011	0.011	0.011	0.1	0
		Imidacloprid	0.010	0.010	1	0	0	1	0.079	0.079	0.079	0.05	0
		Iprodione	0.010	0.010	1	0	1	0	0.070	0.070	0.070	0.1	0
Tropical and subtropical fruit	Bananas	Azoxystrobin	0.010	0.020	29	23	6	0	0.240	0.032	0.005	2	0
		Bifenthrin	0.010	0.010	29	28	1	0	0.017	0.005	0.005	0.1	0
		Buprofezin	0.010	0.010	13	12	1	0	0.028	0.007	0.005	0.5	0
		Chlorpyrifos	0.010	0.020	29	26	3	0	0.280	0.016	0.005	3	0
		Imazalil	0.010	0.020	18	8	10	0	0.430	0.119	0.018	2	0
		Metamitron	0.010	0.010	13	12	1	0	0.066	0.010	0.005	0.1	0
		Thiabendazole	0.010	0.010	13	2	11	0	0.880	0.172	0.067	5	0
	Figs	Phosmet	0.010	0.020	4	3	1	0	0.055	0.020	0.010	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
Kiwi		Thiophanate-methyl	0.010	0.010	1	0	1	0	0.025	0.025	0.025	0.1	0
		Captan	0.050	0.050	8	8	0	0	0.025	0.025	0.025	3	0
			0.010	0.050	27	26	0	1	0.033	0.014	0.010	0.02	0
		Captan/Folpet (sum)	0.020	0.020	10	9	1	0	0.033	0.012	0.010	0.02	0
Mangoes		Iprodione	0.010	0.100	45	35	10	0	1.600	0.223	0.010	5	0
		Tebuconazole	0.010	0.010	2	1	0	1	0.270	0.138	0.138	0.1	1
		Trifloxystrobin	0.010	0.010	2	1	1	0	0.049	0.027	0.027	0.5	0
Pomegranate		Azoxystrobin	0.010	0.020	11	10	1	0	0.018	0.008	0.010	0.05	0
		Boscalid	0.010	0.020	11	10	1	0	0.050	0.011	0.010	0.05	0
Table olives		Imidacloprid	0.010	0.020	11	9	2	0	0.100	0.021	0.010	1	0
		Cypermethrin	0.020	0.020	19	18	1	0	0.093	0.014	0.010	.	0
		Cypermethrin (sum)	0.010	0.040	23	22	0	1	0.093	0.021	0.020	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg

**ProductClass=Sum of fruits and nuts, vegetables, other plant products**

Prod. Group	Product	Treatment	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
							Below LOQ								
Citrus fruit	Oranges	Unprocessed	Chlorpyrifos	0.010	0.010	9	8	1	0	0.040	0.009	0.005	0.3	0	
Fruiting vegetables	Cucurbits, edible peel	Unprocessed	Chlorothalonil	0.010	0.010	1	0	1	0	0.022	0.022	0.022	5	0	
	Tomatoes	Unprocessed	Indoxacarb as sum of the isomers S and R	0.010	0.030	6	5	1	0	0.035	0.013	0.010	0.5	0	
Pome fruit	Apples	Unprocessed	Chlorpyrifos	0.010	0.010	4	3	1	0	0.013	0.007	0.005	0.5	0	
			Cypermethrin (sum)	0.010	0.040	4	3	1	0	0.051	0.020	0.013	1	0	
	Pears	Unprocessed	Myclobutanil	0.010	0.020	4	3	1	0	0.015	0.009	0.008	0.5	0	
Pulses	Beans (dry)	Unprocessed	Carbaryl	0.010	0.010	2	1	0	1	0.089	0.047	0.047	0.05	0	
			Chlorpyrifos	0.010	0.010	2	1	1	0	0.024	0.015	0.015	0.05	0	
			Cypermethrin (sum)	0.010	0.010	2	1	0	1	0.061	0.033	0.033	0.05	0	
	Other pulses, dry	Unprocessed	Carbaryl	0.010	0.010	6	5	1	0	0.029	0.009	0.005	0.05	0	
			Chlorpyrifos	0.010	0.010	6	0	6	0	0.036	0.025	0.026	0.05	0	
			Cypermethrin (sum)	0.010	0.010	6	5	0	1	0.130	0.026	0.005	0.05	1	
			Malathion	0.010	0.010	6	4	2	0	0.080	0.020	0.005	.	0	
				Malathion (sum of malathion and malaaxon expressed as malathion)	0.010	0.010	6	4	1	1	0.080	0.020	0.005	0.02	1
	Pulses, Dry	Unprocessed	Carbaryl	0.010	0.010	1	0	0	1	0.140	0.140	0.140	0.05	1	
			Chlorpyrifos	0.010	0.010	1	0	1	0	0.013	0.013	0.013	0.05	0	
Cypermethrin (sum)			0.010	0.010	1	0	0	1	0.200	0.200	0.200	0.05	1		
Malathion			0.010	0.010	1	0	1	0	0.098	0.098	0.098	.	0		
Malathion (sum of malathion and malaaxon expressed as malathion)			0.010	0.010	1	0	0	1	0.098	0.098	0.098	0.02	1		

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted**  
**All results expressed in mg/kg**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table C3: Results of national programme processed conventional products where residues were detected**

**ProductClass=Cereals**

<i>Prod. Group</i>	<i>Product</i>	<i>Treatment</i>	<i>Compound</i>	<i>Min LOQ</i>	<i>Max LOQ</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Max Residue Level</i>	<i>Mean Residue Level</i>	<i>Median Residue Level</i>	<i>Non Compliant</i>
Cereals	Cereals	Milling	Pirimiphos-methyl	0.010	0.010	2	1	1	0	0.030	0.018	0.018	0
	Wheat	Milling - unprocessed flour	Pirimiphos-methyl	0.010	0.010	13	7	6	0	0.048	0.018	0.005	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted**  
**All results expressed in mg/kg**

Table C3: Results of national programme processed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Treatment	Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	Non Compliant
							Below LOQ	and MRL					
Citrus fruit	Oranges	Juicing	Imazalil	0.010	0.010	8	5	3	0	0.062	0.017	0.005	0
Leafy vegetables & fresh herbs	Vine leaves (grape leaves)	Processed	Chlorpyrifos	0.010	0.010	1	0	1	0	0.067	0.067	0.067	0
			Famoxadone	0.010	0.010	1	0	1	0	2.500	2.500	2.500	0
			Fenoxycarb	0.010	0.010	1	0	1	0	0.082	0.082	0.082	0
			Penconazole	0.010	0.010	1	0	1	0	0.011	0.011	0.011	0
			Pyraclostrobin	0.010	0.010	1	0	1	0	0.026	0.026	0.026	0
			Quinoxifen	0.010	0.010	1	0	1	0	0.750	0.750	0.750	0
			Spiroxamine	0.010	0.010	1	0	1	0	0.063	0.063	0.063	0
Oilseeds and oilfruits	Olives for oil production	Oil production	Chlorpyrifos	0.010	0.020	202	192	10	0	0.540	0.014	0.010	0
			Deltamethrin	0.010	0.050	202	201	1	0	0.070	0.018	0.020	0
			Dimethoate	0.010	0.020	202	199	3	0	0.020	0.009	0.010	0
			Dimethoate (sum)	0.010	0.020	202	199	3	0	0.020	0.009	0.010	0
			Fenthion	0.010	0.050	202	200	2	0	1.850	0.020	0.010	0
			Fenthion (sum)	0.010	0.050	202	200	2	0	1.850	0.027	0.020	0
			Methidathion	0.010	0.040	202	201	1	0	0.050	0.017	0.020	0
Pome fruit	Pears	Processed	Chlormequat	0.010	0.010	4	1	3	0	0.093	0.050	0.051	0
Small fruit and berries	Wine grapes	Wine production	Iprodione	0.010	0.010	8	6	2	0	0.030	0.009	0.005	0
			Thiophanate-methyl	0.010	0.010	8	4	4	0	0.125	0.038	0.010	0
		Wine production - white wine	Dimethomorph	0.010	0.010	2	1	1	0	0.022	0.014	0.014	0
		Fenhexamid	0.010	0.010	2	0	2	0	0.055	0.037	0.037	0	
			Thiophanate-methyl	0.010	0.010	2	0	2	0	0.150	0.115	0.115	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted  
All results expressed in mg/kg



**Strategy=Enforcement**

<i>Lab Sample Code</i>	<i>Orig Country</i>	<i>Product</i>	<i>Sampling Point</i>	<i>Treatment</i>	<i>Organic Residue</i>	<i>LOQ</i>	<i>Level</i>	<i>Unit</i>	<i>MRL</i>	<i>Result Evaluation</i>
GR-002-14-002	TR	Peppers	Border inspection activities	Unprocessed	Captan	0.020	0.200	mg/kg	0.10	Numerical exceedence
GR-002-14-252	GR	Peppers	Primary production	Unprocessed	Formetanate	0.010	0.520	mg/kg	0.05	Non compliant
GR-002-14-076	GR	Strawberries	Wholesale	Unprocessed	Formetanate	0.010	4.970	mg/kg	0.30	Non compliant
GR-003-14-095	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Boscalid	0.020	0.140	mg/kg	0.05	Non compliant
GR-003-14-095	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Triadimefon (sum of Triadimefon and Triadimenol)	0.050	0.370	mg/kg	0.10	Non compliant

**Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration**

**Strategy=Surveillance**

<i>Lab Sample Code</i>	<i>Orig Country</i>	<i>Product</i>	<i>Sampling Point</i>	<i>Treatment</i>	<i>Organic</i>	<i>Residue</i>	<i>LOQ</i>	<i>Level</i>	<i>Unit</i>	<i>MRL</i>	<i>Result Evaluation</i>
GR-001-14-817	GR	Apples	Retail	Unprocessed		Diphenylamine	0.100	0.440	mg/kg	0.10	Non compliant
GR-002-14-272	GR	Aubergines (egg plants)	Retail	Unprocessed		Methamidophos	0.010	0.170	mg/kg	0.01	Non compliant
GR-001-14-1687	GR	Beans (dry)	Retail	Unprocessed	Y	Carbaryl	0.010	0.089	mg/kg	0.05	Numerical exceedence
GR-001-14-1687	GR	Beans (dry)	Retail	Unprocessed	Y	Cypermethrin (sum)	0.010	0.061	mg/kg	0.05	Numerical exceedence
GR-001-14-1163	GR	Beans (with pods)	Retail	Unprocessed		Carbendazim and benomyl	0.010	0.300	mg/kg	0.20	Numerical exceedence
GR-001-14-1163	GR	Beans (with pods)	Retail	Unprocessed		Lufenuron	0.010	0.067	mg/kg	0.02	Non compliant
GR-001-14-1163	GR	Beans (with pods)	Retail	Unprocessed		Thiophanate-methyl	0.010	0.300	mg/kg	0.10	Non compliant
GR-001-14-1659	GR	Beans (with pods)	Retail	Unprocessed		Pyridaben	0.010	0.540	mg/kg	0.50	Numerical exceedence
GR-003-14-213	GR	Beans (with pods)	Retail	Unprocessed		Dimethoate (sum)	0.020	0.078	mg/kg	0.02	Non compliant
GR-001-14-346	GR	Carrots	Retail	Unprocessed		Chlorpyrifos	0.010	0.110	mg/kg	0.10	Numerical exceedence
GR-003-14-216	GR	Carrots	Retail	Unprocessed		Chlorpyrifos	0.010	0.180	mg/kg	0.10	Numerical exceedence
GR-004-14-012	GR	Carrots	Distribution: wholesale and retail sale	Unprocessed		Chlorpyrifos	0.050	0.110	mg/kg	0.10	Numerical exceedence
GR-004-14-016	GR	Carrots	Distribution: wholesale and retail sale	Unprocessed		Chlorpyrifos	0.050	0.140	mg/kg	0.10	Numerical exceedence
GR-004-14-036	GR	Carrots	Distribution: wholesale and retail sale	Unprocessed		Chlorpyrifos	0.050	0.140	mg/kg	0.10	Numerical exceedence
GR-004-14-138	GR	Carrots	Distribution: wholesale and retail sale	Unprocessed		Chlorpyrifos	0.050	0.140	mg/kg	0.10	Numerical exceedence
GR-005-14-001	GR	Carrots	Retail	Unprocessed		Chlorpyrifos	0.010	0.826	mg/kg	0.10	Non compliant

**Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration**

Strategy=Surveillance

Lab Sample Code	Orig Country	Product	Sampling Point	Treatment	Organic Residue	LOQ	Level	Unit	MRL	Result Evaluation
GR-005-14-006	GR	Carrots	Retail	Unprocessed	Chlorpyrifos	0.010	0.237	mg/kg	0.10	Non compliant
GR-005-14-138	GR	Carrots	Retail	Unprocessed	Chlorpyrifos	0.010	0.160	mg/kg	0.10	Numerical exceedence
GR-005-14-138	GR	Carrots	Retail	Unprocessed	Dimethoate (sum)	0.020	0.032	mg/kg	0.02	Numerical exceedence
GR-003-14-086	GR	Cherries	Retail	Unprocessed	Dimethoate (sum)	0.020	0.840	mg/kg	0.20	Non compliant
GR-002-14-225	GR	Cucumbers	Retail	Unprocessed	Endosulfan (sum)	0.010	0.080	mg/kg	0.05	Numerical exceedence
GR-007-14-092	GR	Cucumbers	Retail	Unprocessed	Aldrin and Dieldrin	0.020	0.060	mg/kg	0.02	Non compliant
GR-001-14-1155	GR	Fresh Herbs	Retail	Unprocessed	Pendimethalin	0.010	0.090	mg/kg	0.05	Numerical exceedence
GR-005-14-163	GR	Kiwi	Wholesale	Unprocessed	Captan	0.020	0.033	mg/kg	0.02	Numerical exceedence
GR-001-14-1024	AR	Lemons	Border inspection activities	Unprocessed	Imazalil	0.020	6.900	mg/kg	5.00	Numerical exceedence
GR-001-14-1269	GR	Lettuce	Retail	Unprocessed	Pendimethalin	0.010	0.062	mg/kg	0.05	Numerical exceedence
GR-009-14-005	GR	Lettuce	Retail	Unprocessed	Chlorpyrifos	0.010	0.088	mg/kg	0.05	Numerical exceedence
GR-002-14-047	GR	Mandarins	Wholesale	Unprocessed	Dimethomorph	0.010	0.020	mg/kg	0.01	Numerical exceedence
GR-001-14-324	PK	Mangoes	Air transport	Unprocessed	Tebuconazole	0.010	0.270	mg/kg	0.10	Non compliant
GR-001-14-1690	GR	Other pulses, dry	Retail	Unprocessed	Cypermethrin (sum)	0.010	0.130	mg/kg	0.05	Non compliant
GR-001-14-1690	GR	Other pulses, dry	Retail	Unprocessed	Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.080	mg/kg	0.02	Non compliant
GR-001-14-826	GR	Peaches	Retail	Unprocessed	Diphenylamine	0.010	0.067	mg/kg	0.05	Numerical exceedence
GR-003-14-154	GR	Peaches	Wholesale	Unprocessed	Phosmet	0.020	0.083	mg/kg	0.05	Numerical exceedence
GR-005-14-096	GR	Peaches	Retail	Unprocessed	Boscalid	0.030	4.265	mg/kg	3.00	Numerical exceedence
GR-005-14-096	GR	Peaches	Retail	Unprocessed	Cyfluthrin (sum)	0.040	0.626	mg/kg	0.30	Non compliant

**Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration**

**Strategy=Surveillance**

<i>Lab Sample Code</i>	<i>Orig Country</i>	<i>Product</i>	<i>Sampling Point</i>	<i>Treatment</i>	<i>Organic</i>	<i>Residue</i>	<i>LOQ</i>	<i>Level</i>	<i>Unit</i>	<i>MRL</i>	<i>Result Evaluation</i>
GR-001-14-1299	GR	Pears	Retail	Unprocessed		Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.770	mg/kg	0.50	Numerical exceedence
GR-001-14-1299	GR	Pears	Retail	Unprocessed		Thiophanate-methyl	0.010	0.510	mg/kg	0.50	Numerical exceedence
GR-001-14-254	AR	Pears	Border inspection activities	Unprocessed		Carbendazim and benomyl	0.010	1.110	mg/kg	0.20	Non compliant
GR-001-14-626	GR	Pears	Retail	Unprocessed		Carbendazim and benomyl	0.010	1.110	mg/kg	0.20	Non compliant
GR-002-14-389	GR	Pears	Wholesale	Unprocessed		Diphenylamine	0.010	0.120	mg/kg	0.10	Numerical exceedence
GR-006-14-228	GR	Pears	Retail	Unprocessed		Deltamethrin	0.010	0.130	mg/kg	0.10	Numerical exceedence
GR-001-14-637	GR	Peas (with pods)	Retail	Unprocessed		Thiophanate-methyl	0.010	0.140	mg/kg	0.10	Numerical exceedence
GR-002-14-189	GR	Peppers	Retail	Unprocessed		Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.210	mg/kg	0.02	Non compliant
GR-002-14-239	GR	Peppers	Retail	Unprocessed		Dimethoate (sum)	0.010	0.110	mg/kg	0.02	Non compliant
GR-002-14-246	GR	Peppers	Retail	Unprocessed		Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.250	mg/kg	0.02	Non compliant
GR-001-14-121	GR	Potatoes	Retail	Unprocessed		Chlorpyrifos	0.010	0.092	mg/kg	0.05	Numerical exceedence
GR-003-14-192	GR	Potatoes	Retail	Unprocessed		Chlorpyrifos	0.010	0.150	mg/kg	0.05	Non compliant
GR-003-14-233	GR	Potatoes	Retail	Unprocessed		Chlorpyrifos	0.010	0.210	mg/kg	0.05	Non compliant
GR-003-14-233	GR	Potatoes	Retail	Unprocessed		Pirimiphos-methyl	0.050	0.110	mg/kg	0.05	Non compliant
GR-003-14-234	GR	Potatoes	Retail	Unprocessed		Chlorpyrifos	0.010	0.520	mg/kg	0.05	Non compliant
GR-003-14-302	GR	Potatoes	Retail	Unprocessed		Chlorpyrifos	0.010	0.060	mg/kg	0.05	Numerical exceedence
GR-004-14-015	GR	Potatoes	Distribution: wholesale and retail sale	Unprocessed		Chlorpyrifos	0.050	0.080	mg/kg	0.05	Numerical exceedence
GR-001-14-1174	GR	Pulses, Dry	Retail	Unprocessed	Y	Carbaryl	0.010	0.140	mg/kg	0.05	Non compliant
GR-001-14-1174	GR	Pulses, Dry	Retail	Unprocessed	Y	Cypermethrin (sum)	0.010	0.200	mg/kg	0.05	Non compliant

**Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration**

**Strategy=Surveillance**

<i>Lab Sample Code</i>	<i>Orig Country</i>	<i>Product</i>	<i>Sampling Point</i>	<i>Treatment</i>	<i>Organic</i>	<i>Residue</i>	<i>LOQ</i>	<i>Level</i>	<i>Unit</i>	<i>MRL</i>	<i>Result Evaluation</i>
GR-001-14-1174	GR	Pulses, Dry	Retail	Unprocessed	Y	Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.098	mg/kg	0.02	Non compliant
GR-002-14-363	GR	Rocket, Rucola	Retail	Unprocessed		Bitertanol	0.010	0.150	mg/kg	0.05	Non compliant
GR-001-14-1276	GR	Spinach	Retail	Unprocessed		Dithiocarbamates	0.100	2.000	mg/kg	0.05	Non compliant
GR-001-14-1447	GR	Spinach	Retail	Unprocessed		Deltamethrin	0.010	1.200	mg/kg	0.50	Non compliant
GR-006-14-196	GR	Spinach	Retail	Unprocessed		Cypermethrin (sum)	0.010	1.000	mg/kg	0.70	Numerical exceedence
GR-006-14-214	GR	Spinach	Retail	Unprocessed		Chlorpyrifos	0.010	0.074	mg/kg	0.05	Numerical exceedence
GR-001-14-431	GR	Strawberries	Retail	Unprocessed		Formetanate	0.010	0.440	mg/kg	0.40	Numerical exceedence
GR-002-14-065	GR	Strawberries	Wholesale	Unprocessed		Formetanate	0.010	3.660	mg/kg	0.30	Non compliant
GR-002-14-101	GR	Strawberries	Retail	Unprocessed		Formetanate	0.010	1.360	mg/kg	0.30	Non compliant
GR-003-14-226	GR	Table grapes	Retail	Unprocessed		Chlorpyrifos-methyl	0.010	0.220	mg/kg	0.20	Numerical exceedence
GR-003-14-229	GR	Table grapes	Retail	Unprocessed		Cyfluthrin	0.020	0.020	mg/kg	0.01	Numerical exceedence
GR-003-14-265	GR	Table grapes	Retail	Unprocessed		Cyfluthrin	0.020	0.020	mg/kg	0.01	Numerical exceedence
GR-005-14-132	GR	Table olives	Manufacturing	Unprocessed		Cypermethrin (sum)	0.040	0.093	mg/kg	0.05	Numerical exceedence
GR-001-14-288	GR	Tea, Coffee, Herbal infusions and Cocoa	Border inspection activities	Unprocessed		Imidacloprid	0.010	0.079	mg/kg	0.05	Numerical exceedence
GR-002-14-301	MK	Tomatoes	Border inspection activities	Unprocessed		Dimethoate (sum)	0.010	0.130	mg/kg	0.02	Non compliant
GR-001-14-608	GR	Vine leaves (grape leaves)	Retail	Unprocessed		Zoxamide	0.010	6.800	mg/kg	0.02	Non compliant
GR-001-14-609	GR	Vine leaves (grape leaves)	Retail	Unprocessed		Penconazole	0.010	0.320	mg/kg	0.05	Non compliant

**Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration**

**Strategy=Surveillance**

<i>Lab Sample Code</i>	<i>Orig Country</i>	<i>Product</i>	<i>Sampling Point</i>	<i>Treatment</i>	<i>Organic Residue</i>	<i>LOQ</i>	<i>Level</i>	<i>Unit</i>	<i>MRL</i>	<i>Result Evaluation</i>
GR-001-14-664	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Carbendazim and benomyl	0.010	2.000	mg/kg	0.10	Non compliant
GR-001-14-664	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Cypermethrin (sum)	0.010	0.120	mg/kg	0.05	Non compliant
GR-001-14-664	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Dimethomorph	0.010	0.026	mg/kg	0.01	Non compliant
GR-001-14-664	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Myclobutanil	0.010	2.000	mg/kg	0.02	Non compliant
GR-001-14-664	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Tebuconazole	0.010	0.220	mg/kg	0.05	Non compliant
GR-001-14-664	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Thiophanate-methyl	0.010	4.300	mg/kg	0.10	Non compliant
GR-001-14-667	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Cypermethrin (sum)	0.010	0.420	mg/kg	0.05	Non compliant
GR-001-14-667	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Tetraconazole	0.010	0.280	mg/kg	0.02	Non compliant
GR-001-14-761	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Tebuconazole	0.010	0.370	mg/kg	0.05	Non compliant
GR-001-14-762	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Myclobutanil	0.010	0.410	mg/kg	0.02	Non compliant
GR-001-14-763	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Myclobutanil	0.010	0.089	mg/kg	0.02	Non compliant
GR-001-14-832	GR	Vine leaves (grape leaves)	Primary production	Unprocessed	Azoxystrobin	0.010	30.500	mg/kg	0.05	Non compliant
GR-001-14-832	GR	Vine leaves (grape leaves)	Primary production	Unprocessed	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.077	mg/kg	0.05	Numerical exceedence
GR-001-14-832	GR	Vine leaves (grape leaves)	Primary production	Unprocessed	Pyraclostrobin	0.010	0.022	mg/kg	0.02	Numerical exceedence
GR-002-14-127	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Dimethomorph	0.010	1.120	mg/kg	0.01	Non compliant
GR-002-14-127	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Trifloxystrobin	0.010	0.690	mg/kg	0.02	Non compliant

**Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration**

**Strategy=Surveillance**

<i>Lab Sample Code</i>	<i>Orig Country</i>	<i>Product</i>	<i>Sampling Point</i>	<i>Treatment</i>	<i>Organic Residue</i>	<i>LOQ</i>	<i>Level</i>	<i>Unit</i>	<i>MRL</i>	<i>Result Evaluation</i>
GR-002-14-128	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Kresoxim-methyl	0.010	0.790	mg/kg	0.05	Non compliant
GR-003-14-069	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Captan	0.050	0.330	mg/kg	0.02	Non compliant
GR-003-14-069	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Myclobutanil	0.020	0.210	mg/kg	0.02	Non compliant
GR-003-14-074	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Cyprodinil	0.020	5.600	mg/kg	0.05	Non compliant
GR-003-14-074	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Famoxadone	0.020	0.820	mg/kg	0.02	Non compliant
GR-003-14-074	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Fludioxonil	0.030	0.490	mg/kg	0.05	Non compliant
GR-003-14-074	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Iprodione	0.020	3.600	mg/kg	0.02	Non compliant
GR-003-14-074	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Kresoxim-methyl	0.020	0.210	mg/kg	0.05	Non compliant
GR-003-14-074	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Myclobutanil	0.020	0.260	mg/kg	0.02	Non compliant
GR-003-14-075	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Cyprodinil	0.020	0.060	mg/kg	0.05	Numerical exceedence
GR-003-14-075	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Myclobutanil	0.020	0.690	mg/kg	0.02	Non compliant
GR-003-14-075	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Triadimefon (sum of Triadimefon and Triadimenol)	0.050	0.340	mg/kg	0.10	Non compliant
GR-003-14-075	GR	Vine leaves (grape leaves)	Retail	Unprocessed	Trifloxystrobin	0.020	1.300	mg/kg	0.02	Non compliant
GR-006-14-179	GR	Wine grapes	Processing plant	Unprocessed	Chlorpyrifos	0.010	1.100	mg/kg	0.50	Non compliant

**Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration**

ProductClass	Product	Processed	n0	n1	n2	n3	n4	n5	n6	n7	n8
Animal products	Bovine Liver		3	.	.	.	.	.	.	.	.
Animal products	Honey		9	.	.	.	.	.	.	.	.
Animal products	Milk		3	.	.	.	.	.	.	.	.
Animal products	Poultry Liver		2	.	.	.	.	.	.	.	.
Animal products	Poultry Muscle		16	.	.	.	.	.	.	.	.
Animal products	Sheep Liver		10	.	.	.	.	.	.	.	.
Baby food	Baby food for infants and young children	Y	27	.	.	.	.	.	.	.	.
Baby food	Processed cereal-based baby foods (e.g. cereal and pastas to be reconstituted with milk or other liq	Y	5	.	.	.	.	.	.	.	.
Cereals	Barley		1	.	.	.	.	.	.	.	.
Cereals	Cereals	Y	1	1	.	.	.	.	.	.	.
Cereals	Oats	Y	1	.	.	.	.	.	.	.	.
Cereals	Rice		36	8	.	.	.	.	.	.	.
Cereals	Wheat		6	.	.	.	.	.	.	.	.
Cereals	Wheat	Y	11	7	.	.	.	.	.	.	.
Fruits and nuts	Apples		33	29	8	8	5	9	6	2	2
Fruits and nuts	Apricots		11	15	12	2	1	.	.	.	.
Fruits and nuts	Apricots	Y	.	1	.	.	.	.	.	.	.
Fruits and nuts	Bananas		13	6	6	5	.	.	.	.	.
Fruits and nuts	Blueberries	Y	2	.	.	.	.	.	.	.	.
Fruits and nuts	Cherries		17	16	8	3	1	1	.	.	.
Fruits and nuts	Figs		3	1	.	.	.	.	.	.	.
Fruits and nuts	Figs	Y	1	.	.	.	.	.	.	.	.
Fruits and nuts	Grapefruit		2	1	1	1	1	.	.	1	.
Fruits and nuts	Kiwi		38	11	.	.	.	.	.	.	.
Fruits and nuts	Lemons		13	5	1	4	2	.	.	.	.
Fruits and nuts	Mandarins		15	13	5	.	.	.	.	.	.
Fruits and nuts	Mangoes		1	.	1	.	.	.	.	.	.
Fruits and nuts	Medlar		1	.	.	.	.	.	.	.	.
Fruits and nuts	Oranges		45	24	3	3	2	.	2	.	.

**Column nX indicates number of residues detected in product.  
 To avoid duplicates residues marked as part of sum are excluded**



<i>ProductClass</i>	<i>Product</i>	<i>Processed</i>	<i>n0</i>	<i>n1</i>	<i>n2</i>	<i>n3</i>	<i>n4</i>	<i>n5</i>	<i>n6</i>	<i>n7</i>	<i>n8</i>
Fruits and nuts	Oranges	Y	5	3	.	.	.	.	.	.	.
Fruits and nuts	Other kind of small fruit and berries		2	.	.	.	.	.	.	.	.
Fruits and nuts	Other small fruit and berries		1	.	.	.	.	.	.	.	.
Fruits and nuts	Peaches		14	18	15	9	2	3	1	1	.
Fruits and nuts	Peaches	Y	1	.	.	.	.	.	.	.	.
Fruits and nuts	Pears		28	16	10	10	7	4	1	2	1
Fruits and nuts	Pears	Y	1	4	.	.	.	.	.	.	.
Fruits and nuts	Plums		10	13	4	2	1	.	.	.	.
Fruits and nuts	Pomegranate		7	4	.	.	.	.	.	.	.
Fruits and nuts	Strawberries		22	21	15	18	12	3	3	2	2
Fruits and nuts	Table and Wine grapes		2	1	3	3	1	2	.	.	.
Fruits and nuts	Table grapes		31	24	9	8	5	.	3	2	.
Fruits and nuts	Table grapes	Y	4	.	.	.	.	.	.	.	.
Fruits and nuts	Table olives		22	1	.	.	.	.	.	.	.
Fruits and nuts	Wine grapes		18	4	1	1	2	1	.	.	.
Fruits and nuts	Wine grapes	Y	5	4	2	1	.	.	.	.	.
Other plant products	Beans (dry)		3	.	.	1	.	.	.	.	.
Other plant products	Lentils (dry)		2	.	.	.	.	.	.	.	.
Other plant products	Olives for oil production		4	.	.	.	.	.	.	.	.
Other plant products	Olives for oil production	Y	192	17	.	.	.	.	.	.	.
Other plant products	Other pulses, dry		.	4	1	.	1	.	.	.	.
Other plant products	Peas (dry)		1	.	.	.	.	.	.	.	.
Other plant products	Pulses, Dry		.	.	.	.	1	.	.	.	.
Other plant products	Soya bean		1	.	.	.	.	.	.	.	.
Other plant products	Sugar cane	Y	2	.	.	.	.	.	.	.	.
Other plant products	Sunflower seed	Y	1	.	.	.	.	.	.	.	.
Other plant products	Tea		1	.	1	.	.	.	.	.	.
Other plant products	Tea	Y	1	.	.	.	.	.	.	.	.
Other plant products	Tea, Coffee, Herbal infusions and Cocoa		2	.	.	1	.	.	.	.	.

**Column nX indicates number of residues detected in product.**  
**To avoid duplicates residues marked as part of sum are excluded**

<i>ProductClass</i>	<i>Product</i>	<i>Processed</i>	<i>n0</i>	<i>n1</i>	<i>n2</i>	<i>n3</i>	<i>n4</i>	<i>n5</i>	<i>n6</i>	<i>n7</i>	<i>n8</i>
Other plant products	Tea, Coffee, Herbal infusions and Cocoa	Y	2	.	.	.	.	.	.	.	.
Vegetables	Asparagus		20	1	.	.	.	.	.	.	.
Vegetables	Aubergines (egg plants)		46	3	2	.	2	.	.	.	.
Vegetables	Basil		.	1	.	.	.	.	.	.	.
Vegetables	Beans (with pods)		50	10	5	1	1	.	.	.	.
Vegetables	Beet leaves (chard)		.	1	.	.	.	.	.	.	.
Vegetables	Broccoli		10	.	.	.	.	.	.	.	.
Vegetables	Carrots		42	25	2	.	.	.	.	.	.
Vegetables	Cauliflower		15	.	.	.	.	.	.	.	.
Vegetables	Courgettes		51	4	1	1	.	.	.	.	.
Vegetables	Cucumbers		84	13	3	4	.	.	.	.	.
Vegetables	Cucurbits, edible peel		1	1	.	.	.	.	.	.	.
Vegetables	Fresh Herbs		.	1	.	.	.	.	.	.	.
Vegetables	Head brassica		9	1	.	.	.	.	.	.	.
Vegetables	Head cabbage		13	.	.	.	.	.	.	.	.
Vegetables	Leaf vegetables and fresh herbs		1	.	.	.	.	.	.	.	.
Vegetables	Leek		14	.	.	.	.	.	.	.	.
Vegetables	Lentils (fresh)		4	.	.	.	.	.	.	.	.
Vegetables	Lettuce		58	10	7	4	.	2	.	.	.
Vegetables	Lettuce and other salad plants, including Brassicacea		12	1	.	.	.	.	1	.	.
Vegetables	Melons		37	7	1	1	.	.	.	.	.
Vegetables	Okra (lady's fingers)		11	1	.	.	.	.	.	.	.
Vegetables	Onions		12	.	.	.	.	.	.	.	.
Vegetables	Parsley root		4	1	.	.	.	.	.	.	.
Vegetables	Peas (with pods)		2	.	1	.	.	.	.	.	.
Vegetables	Peas (without pods)		24	1	.	.	.	.	.	.	.
Vegetables	Peppers		79	15	19	6	5	4	2	.	1
Vegetables	Potatoes		77	14	2	1	.	.	.	.	.
Vegetables	Rocket, Rucola		3	1	.	.	.	.	.	.	.

**Column nX indicates number of residues detected in product.**  
**To avoid duplicates residues marked as part of sum are excluded**

<i>ProductClass</i>	<i>Product</i>	<i>Processed</i>	<i>n0</i>	<i>n1</i>	<i>n2</i>	<i>n3</i>	<i>n4</i>	<i>n5</i>	<i>n6</i>	<i>n7</i>	<i>n8</i>
Vegetables	Spinach		52	12	4	3	.	.	.	.	.
Vegetables	Spinach and similar (leaves)		6	.	.	.	.	.	.	.	.
Vegetables	Spring onions		2	.	.	.	.	.	.	.	.
Vegetables	Tomatoes		68	33	5	4	4	.	.	1	.
Vegetables	Vine leaves (grape leaves)		9	5	4	.	3	.	2	1	.
Vegetables	Vine leaves (grape leaves)	Y	.	.	.	.	.	.	.	1	.
Vegetables	Watermelons		20	.	.	.	.	.	.	.	.
			<b>1547</b>	<b>434</b>	<b>162</b>	<b>105</b>	<b>59</b>	<b>29</b>	<b>21</b>	<b>13</b>	<b>6</b>

**Column nX indicates number of residues detected in product.**  
**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Apples**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-001-14-1037	GR	6	Thiacloprid(0.041)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.15)	Propargite(0.051)	Phosmet(0.15)
GR-001-14-106	GR	2	Chlorpyrifos(0.015)	Pyridaben(0.03)		
GR-001-14-1273	GR	7	Carbendazim and benomyl(0.02)	Boscalid(0.22)	Etofenprox(0.031)	Acetamiprid(0.012)
GR-001-14-130	GR	5	Carbendazim and benomyl(0.15)	Indoxacarb as sum of the isomers S and R(0.068)	Spirodiclofen(0.048)	Chlorpyrifos(0.14)
GR-001-14-1343	GR	3	Chlorpyrifos(0.019)	Methoxyfenozide(0.068)	Thiacloprid(0.017)	
GR-001-14-1431	GR	3	Thiophanate-methyl(0.021)	Carbendazim and benomyl(0.1)	Etofenprox(0.016)	
GR-001-14-147	GR	3	Thiacloprid(0.08)	Methoxyfenozide(0.096)	Chlorpyrifos(0.017)	
GR-001-14-339	GR	5	Chlorpyrifos(0.086)	Methoxyfenozide(0.024)	Carbendazim and benomyl(0.023)	Etofenprox(0.03)
GR-001-14-438	GR	3	Thiacloprid(0.056)	Methoxyfenozide(0.033)	Chlorpyrifos(0.015)	

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-1037	Methoxyfenozide(0.047)	Chlorpyrifos(0.037)				
GR-001-14-106						
GR-001-14-1273	Pyraclostrobin(0.041)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.011)	Chlorpyrifos(0.014)			
GR-001-14-130	Thiophanate-methyl(0.34)					
GR-001-14-1343						
GR-001-14-1431						
GR-001-14-147						
GR-001-14-339	Thiacloprid(0.012)					
GR-001-14-438						

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Apples**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-001-14-440	GR	4	Acetamiprid(0.059)	Thiametoxam(0.024)	Clothianidin(0.01)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.036)
GR-001-14-604	GR	2	Thiacloprid(0.017)	Pyrimethanil(0.35)		
GR-001-14-817	GR	6	Phosmet(0.2)	Carbendazim and benomyl(0.12)	Propargite(0.24)	Diphenylamine(0.44)
GR-002-14-003	MK	5	Carbendazim and benomyl(0.04)	Carbendazim(0.04)	Chlorpyrifos(0.02)	Acetamiprid(0.02)
GR-002-14-007	MK	3	Flutriafol(0.01)	Dodine(0.02)	Trifloxystrobin(0.02)	
GR-002-14-010	MK	6	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.01)	Flutriafol(0.01)	Carbendazim(0.04)	Carbendazim and benomyl(0.04)
GR-002-14-035	RS	3	Thiacloprid(0.03)	Pyraclostrobin(0.02)	Boscalid(0.04)	

  

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-440						
GR-001-14-604						
GR-001-14-817	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.2)		Chlorpyrifos(0.089)			
GR-002-14-003	Spirodiclofen(0.01)					
GR-002-14-007						
GR-002-14-010	Thiacloprid(0.01)		Chlorpyrifos(0.02)			
GR-002-14-035						

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Apples**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-002-14-038	MK	9	Thiacloprid(0.01)	Flutriafol(0.04)	Pyrimethanil(0.01)	Pyraclostrobin(0.01)
GR-002-14-039	MK	7	Thiophanate-methyl(0.02)	Pyrimethanil(0.03)	Thiacloprid(0.06)	Carbendazim and benomyl(0.1)
GR-002-14-151	CL	4	Thiacloprid(0.02)	Acetamiprid(0.03)	Pyrimethanil(0.43)	Fludioxonil(0.02)
GR-002-14-313	GR	5	Acetamiprid(0.02)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.06)	Chlorpyrifos(0.07)	Boscalid(0.12)
GR-002-14-315	RS	5	Chlorpyrifos(0.01)	Carbendazim and benomyl(0.08)	Acetamiprid(0.02)	Thiophanate-methyl(0.01)
GR-002-14-316	GR	7	Thiametoxam(0.02)	Pirimicarb(0.02)	Pyraclostrobin(0.04)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.02)
GR-002-14-317	GR	9	Chlorpyrifos(0.01)	Acetamiprid(0.02)	Thiacloprid(0.01)	Spirodiclofen(0.02)

  

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-002-14-038	Carbendazim and benomyl(0.14)	Cypermethrin (sum)(0.11)	Carbendazim(0.14)	Chlorpyrifos(0.08)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.03)	
GR-002-14-039	Chlorpyrifos(0.08)	Cypermethrin (sum)(0.12)	Carbendazim(0.1)			
GR-002-14-151						
GR-002-14-313	Pyraclostrobin(0.05)					
GR-002-14-315	Carbendazim(0.08)					
GR-002-14-316	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.02)	Dodine(0.02)	Boscalid(0.07)			
GR-002-14-317	Thiametoxam(0.02)	Pyridaben(0.02)	Tebufenpyrad(0.03)	Dodine(0.01)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.02)	

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Apples**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-002-14-322	GR	6	Dodine(0.01)	Boscalid(0.11)	Diflubenzuron(0.07)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.03)
GR-002-14-324	GR	6	Dodine(0.02)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.46)	Difenoconazole(0.01)	Boscalid(0.09)
GR-002-14-325	GR	7	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.03)	Thiophanate-methyl(0.01)	Pyraclostrobin(0.04)	Carbendazim(0.09)
GR-002-14-369	GR	7	Pyrimethanil(0.03)	Dodine(0.04)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.01)	Pirimicarb(0.04)
GR-002-14-370	GR	2	Chlorpyrifos(0.11)	Fludioxonil(0.27)		
GR-002-14-376	GR	7	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.06)	Pyraclostrobin(0.09)	Etofenprox(0.1)	Thiacloprid(0.01)

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-002-14-322	Pyraclostrobin(0.02)	Acetamiprid(0.02)				
GR-002-14-324	Pyrimethanil(0.05)	Pyraclostrobin(0.12)				
GR-002-14-325	Etofenprox(0.13)	Boscalid(0.1)	Carbendazim and benomyl(0.09)			
GR-002-14-369	Chlorpyrifos(0.3)	Thiametoxam(0.01)	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.04)			
GR-002-14-370						
GR-002-14-376	Boscalid(0.22)	Diflubenzuron(0.03)	Cyprodinil(0.06)			

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Apples**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-002-14-377	GR	4	Etofenprox(0.07)	Pyraclostrobin(0.02)	Diflubenzuron(0.02)	Boscalid(0.07)
GR-002-14-394	GR	7	Thiophanate-methyl(0.02)	Carbendazim(0.07)	Tebuconazole(0.04)	Carbendazim and benomyl(0.07)
GR-002-14-395	GR	3	Thiacloprid(0.01)	Carbendazim and benomyl(0.05)	Carbendazim(0.05)	
GR-002-14-413	GR	6	Carbendazim(0.04)	Carbendazim and benomyl(0.04)	Thiacloprid(0.03)	Acetamiprid(0.03)
GR-002-14-414	GR	7	Carbendazim and benomyl(0.07)	Carbendazim(0.07)	Acetamiprid(0.02)	Chlorpyrifos(0.11)
GR-003-14-201	GR	4	Phosmet(0.04)	Chlorpyrifos(0.1)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.04)	Tebuconazole(0.07)
GR-003-14-268	GR	2	Chlorpyrifos-methyl(0.01)	Chlorpyrifos(0.09)		
GR-005-14-102	GR	2	Chlorpyrifos(0.168)	Cyfluthrin (sum)(0.078)		

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-002-14-377						
GR-002-14-394	Chlorpyrifos(0.03)	Thiacloprid(0.01)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.03)			
GR-002-14-395						
GR-002-14-413	Fenbuconazole(0.01)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.01)				
GR-002-14-414	Thiophanate-methyl(0.02)	Pyrimethanil(0.03)	Thiacloprid(0.02)			
GR-003-14-201						
GR-003-14-268						
GR-005-14-102						

**To avoid duplicates residues marked as part of sum are excluded**



*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table E2: Full listing of samples containing more than one residue by product**  
*All samples from National and EU programmes, surveillance and enforcement*

**Product=Apples**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
<i>GR-005-14-131</i>	<i>GR</i>	<i>2</i>	<i>Cypermethrin (sum)(0.051)</i>	<i>Chlorpyrifos(0.013)</i>		
<i>GR-006-14-195</i>	<i>GR</i>	<i>2</i>	<i>Lambda-Cyhalothrin(0.019)</i>	<i>Chlorpyrifos(0.069)</i>		
<i>GR-006-14-206</i>	<i>GR</i>	<i>4</i>	<i>Difenoconazole(0.035)</i>	<i>Lambda-Cyhalothrin(0.022)</i>	<i>Fluquinconazole(0.013)</i>	<i>Chlorpyrifos-methyl(0.062)</i>

  

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
<i>GR-005-14-131</i>						
<i>GR-006-14-195</i>						
<i>GR-006-14-206</i>						

*To avoid duplicates residues marked as part of sum are excluded*

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Apricots**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-002-14-144	GR	2	Captan(0.44)	Acetamiprid(0.02)		
GR-002-14-145	GR	2	Lambda-Cyhalothrin(0.01)	Trifloxystrobin(0.03)		
GR-002-14-146	GR	3	Indoxacarb as sum of the isomers S and R(0.07)	Captan(0.22)	Trifloxystrobin(0.06)	
GR-002-14-147	GR	2	Lambda-Cyhalothrin(0.04)	Captan(1.8)		
GR-002-14-161	GR	5	Thiophanate-methyl(0.17)	Fenbuconazole(0.03)	Cyprodinil(0.09)	Carbendazim(0.18)
GR-002-14-167	GR	2	Boscalid(0.06)	Cyprodinil(0.16)		
GR-002-14-168	GR	4	Thiophanate-methyl(0.02)	Captan(0.1)	Carbendazim(0.06)	Carbendazim and benomyl(0.06)
GR-002-14-169	GR	2	Captan(0.9)	Thiacloprid(0.05)		
GR-005-14-033	GR	3	Captan(0.579)	Captan/Folpet (sum)(0.579)	Trifloxystrobin(0.04)	
GR-005-14-037	GR	2	Captan/Folpet (sum)(0.722)	Captan(0.722)		
GR-005-14-039	GR	3	Captan/Folpet (sum)(0.036)	Captan(0.036)	Boscalid(0.077)	
GR-005-14-042	GR	3	Boscalid(0.174)	Captan/Folpet (sum)(0.075)	Captan(0.075)	
GR-005-14-043	GR	3	Captan/Folpet (sum)(0.041)	Captan(0.041)	Boscalid(0.119)	

  

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-002-14-144						
GR-002-14-145						
GR-002-14-146						
GR-002-14-147						
GR-002-14-161	Carbendazim and benomyl(0.18)					
GR-002-14-167						
GR-002-14-168						
GR-002-14-169						
GR-005-14-033						
GR-005-14-037						
GR-005-14-039						
GR-005-14-042						
GR-005-14-043						

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Apricots**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-005-14-045	GR	3	Captan/Folpet (sum)(0.045)	Captan(0.045)	Boscalid(0.05)	
GR-005-14-054	GR	2	Captan(0.036)	Captan/Folpet (sum)(0.036)		
GR-005-14-060	GR	2	Captan(0.196)	Captan/Folpet (sum)(0.196)		
GR-009-14-006	GR	2	Acetamiprid(0.013)	Fenbuconazole(0.01)		
GR-009-14-018	GR	2	Captan(0.34)	Boscalid(0.16)		

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-005-14-045						
GR-005-14-054						
GR-005-14-060						
GR-009-14-006						
GR-009-14-018						

**Product=Aubergines (egg plants)**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-002-14-188	GR	3	Thiametoxam(0.04)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.04)	Imidacloprid(0.05)	
GR-002-14-205	GR	4	Imidacloprid(0.02)	Bupirimate(0.05)	Dimethomorph(0.04)	Ethirimol(0.02)
GR-002-14-264	GR	6	Thiophanate-methyl(0.03)	Indoxacarb as sum of the isomers S and R(0.01)	Formetanate(0.03)	Formetanate(0.03)
GR-002-14-272	GR	2	Methamidophos(0.17)	Imidacloprid(0.05)		

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-002-14-188						
GR-002-14-205						
GR-002-14-264	Carbendazim and benomyl(0.01)	Carbendazim(0.01)				
GR-002-14-272						

**To avoid duplicates residues marked as part of sum are excluded**

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Bananas**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-14-1156	EC	3	Chlorpyrifos(0.28)	Imazalil(0.19)	Thiabendazole(0.067)		
GR-001-14-1157	CR	3	Thiabendazole(0.33)	Buprofezin(0.028)	Azoxystrobin(0.17)		
GR-001-14-1158	EC	2	Imazalil(0.32)	Thiabendazole(0.22)			
GR-001-14-1331	EC	3	Thiabendazole(0.055)	Imazalil(0.06)	Metamitron(0.066)		
GR-001-14-136	GR	3	Imazalil(0.026)	Thiabendazole(0.012)	Bifenthrin(0.017)		
GR-001-14-1376	MX	2	Thiabendazole(0.88)	Imazalil(0.42)			
GR-002-14-009	EC	2	Thiabendazole(0.02)	Imazalil(0.01)			
GR-002-14-064	EC	3	Chlorpyrifos(0.02)	Thiabendazole(0.06)	Imazalil(0.08)		
GR-002-14-109	EC	2	Thiabendazole(0.18)	Imazalil(0.32)			
GR-002-14-157	EC	2	Thiabendazole(0.16)	Imazalil(0.23)			
GR-002-14-218	EC	2	Thiabendazole(0.24)	Imazalil(0.43)			

  

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-1156					
GR-001-14-1157					
GR-001-14-1158					
GR-001-14-1331					
GR-001-14-136					
GR-001-14-1376					
GR-002-14-009					
GR-002-14-064					
GR-002-14-109					
GR-002-14-157					
GR-002-14-218					

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Beans (dry)**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
GR-001-14-1687	GR	3	Cypermethrin (sum)(0.061)	Chlorpyrifos(0.024)	Carbaryl(0.089)

  

<i>LABSAMPCODE</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-1687							

**Product=Beans (with pods)**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-001-14-1163	GR	3	Thiophanate-methyl(0.3)	Carbendazim and benomyl(0.3)	Lufenuron(0.067)	
GR-001-14-1553	GR	4	Pyriproxyfen(0.045)	Difenoconazole(0.017)	Acetamiprid(0.023)	Azoxystrobin(0.082)
GR-001-14-1554	GR	2	Cyprodinil(0.067)	Azoxystrobin(0.029)		
GR-001-14-1555	GR	2	Cyprodinil(0.068)	Azoxystrobin(0.11)		
GR-001-14-1614	GR	2	Myclobutanil(0.016)	Dithiocarbamates(0.38)		
GR-001-14-1653	GR	2	Cyprodinil(0.043)	Azoxystrobin(0.035)		
GR-001-14-711	GR	4	Imidacloprid(0.014)	Spinosyn A(0.21)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.26)	Spinosyn D(0.049)
GR-003-14-213	GR	2	Dimethoate (sum)(0.078)	Dimethoate(0.078)		

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
--------------------	------------------	------------------	------------------	------------------	------------------	-------------------

GR-001-14-1163

GR-001-14-1553

GR-001-14-1554

GR-001-14-1555

GR-001-14-1614

GR-001-14-1653

GR-001-14-711

GR-003-14-213

**To avoid duplicates residues marked as part of sum are excluded**

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table E2: Full listing of samples containing more than one residue by product**  
*All samples from National and EU programmes, surveillance and enforcement*

**Product=Carrots**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-001-14-654	GR	3	Fluazifop-P-butyl (sum)(0.019)	Chlorpyrifos(0.023)	Fluazifop (free acid)(0.019)	
GR-005-14-138	GR	3	Chlorpyrifos(0.16)	Dimethoate(0.032)	Dimethoate (sum)(0.032)	

  

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-654						
GR-005-14-138						

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Cherries**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-14-636	GR	3	Thiophanate-methyl(0.032)	Fenbuconazole(0.032)	Acetamiprid(0.074)		
GR-002-14-136	GR	2	Boscalid(0.02)	Tebuconazole(0.13)			
GR-002-14-137	GR	2	Fenbuconazole(0.05)	Acetamiprid(0.02)			
GR-002-14-138	GR	5	Fenhexamid(0.21)	Thiacloprid(0.03)	Thiophanate-methyl(0.04)	Carbendazim(0.11)	Carbendazim and benomyl(0.11)
GR-002-14-139	GR	6	Thiophanate-methyl(0.06)	Carbendazim and benomyl(0.21)	Carbendazim(0.21)	Fenhexamid(0.07)	Boscalid(0.01)
GR-002-14-141	GR	4	Dimethoate (sum)(0.16)	Dimethoate(0.02)	Omethoate(0.13)	Fenbuconazole(0.01)	
GR-002-14-152	GR	3	Thiacloprid(0.03)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.03)	Thiametoxam(0.03)		
GR-002-14-153	GR	2	Dodine(0.06)	Boscalid(0.05)			
GR-002-14-165	GR	3	Tebuconazole(0.06)	Boscalid(0.05)	Thiacloprid(0.02)		
GR-003-14-072	GR	3	Pyraclostrobin(0.05)	Chlorpyrifos(0.02)	Boscalid(0.26)		
<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>		
GR-001-14-636							
GR-002-14-136							
GR-002-14-137							
GR-002-14-138							
GR-002-14-139	Thiacloprid(0.05)						
GR-002-14-141							
GR-002-14-152							
GR-002-14-153							
GR-002-14-165							
GR-003-14-072							

**To avoid duplicates residues marked as part of sum are excluded**

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Cherries**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
<i>GR-003-14-077</i>	GR	2	Chlorpyrifos(0.01)	Boscalid(0.03)			
<i>GR-003-14-086</i>	GR	3	Pyrimethanil(0.03)	Dimethoate(0.84)	Dimethoate (sum)(0.84)		
<i>GR-007-14-069</i>	GR	2	Phosmet(0.68)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.68)			
<i>GR-007-14-071</i>	GR	3	Deltamethrin(0.06)	Phosmet(0.04)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.04)		
<i>GR-007-14-072</i>	GR	2	Phosmet(0.02)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.02)			
<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>		
<i>GR-003-14-077</i>							
<i>GR-003-14-086</i>							
<i>GR-007-14-069</i>							
<i>GR-007-14-071</i>							
<i>GR-007-14-072</i>							

**To avoid duplicates residues marked as part of sum are excluded**



**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Courgettes**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
GR-001-14-1092	GR	2	Aldrin and Dieldrin(0.012)	Dieldrin(0.012)				
GR-002-14-006	TR	5	Triadimenol(0.05)	Triadimefon (sum of Triadimefon and Triadimenol)(0.05)	Acetamiprid(0.07)	Metalaxyl(0.01)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.01)	
GR-002-14-211	GR	2	Pyraclostrobin(0.04)	Boscalid(0.02)				
<i>LABSAMPCODE</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>				
GR-001-14-1092								
GR-002-14-006								
GR-002-14-211								

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Cucumbers**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-001-14-1418	GR	2	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.18)	Fluopicolide(0.022)		
GR-001-14-1419	GR	3	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.2)	Fluopicolide(0.02)	Dimethomorph(0.014)	
GR-001-14-1615	GR	4	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.88)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.031)	Thiametoxam(0.027)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.027)
GR-001-14-178	GR	2	Cyprodinil(0.027)	Dithiocarbamates(0.25)		
GR-001-14-338	GR	3	Cyprodinil(0.014)	Dimethomorph(0.023)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.84)	

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
--------------------	------------------	------------------	------------------	------------------	------------------	-------------------

GR-001-14-1418

GR-001-14-1419

GR-001-14-1615

GR-001-14-178

GR-001-14-338

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Cucumbers**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-001-14-467	GR	4	Thiametoxam(0.075)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.03)	Azoxystrobin(0.059)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.075)
GR-002-14-129	GR	5	Methiocarb sulfoxide(0.02)	Methiocarb sulfone(0.01)	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)(0.03)	Metalaxyl(0.03)
GR-002-14-225	GR	4	Endosulfansulfate(0.05)	Endosulfan (sum)(0.08)	alpha-Endosulfan(0.01)	beta-Endosulfan(0.02)
GR-003-14-168	TR	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.104)	Metalaxyl(0.104)		
GR-007-14-092	GR	2	Aldrin and Dieldrin(0.06)	Dieldrin(0.06)		

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-467						
GR-002-14-129	Cyprodinil(0.05)					
GR-002-14-225						
GR-003-14-168						
GR-007-14-092						

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Grapefruit**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-002-14-001	CN	8	Myclobutanil(0.02)	Bupirimate(0.03)	Acetamiprid(0.01)	Chlorpyrifos(0.04)	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)(0.02)
GR-002-14-133	ZA	3	Thiabendazole(0.54)	Imidacloprid(0.02)	Imazalil(1)		
GR-002-14-318	CN	2	Difenoconazole(0.01)	Chlorpyrifos(0.03)			
GR-002-14-393	CN	4	Imidacloprid(0.02)	Chlorpyrifos(0.03)	Acetamiprid(0.02)	Myclobutanil(0.05)	

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-002-14-001	Difenoconazole(0.02)	Prochloraz(0.02)	Imazalil(0.1)		

GR-002-14-133

GR-002-14-318

GR-002-14-393

**Product=Kiwi**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-005-14-163	GR	2	Captan/Folpet (sum)(0.033)	Captan(0.033)		

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-005-14-163						

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Lemons**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-001-14-1024	AR	4	Pyrimethanil(1.72)	Thiabendazole(0.49)	Pyriproxyfen(0.032)	Imazalil(6.9)
GR-001-14-1025	UY	4	Pyrimethanil(1.6)	Propiconazole(1.1)	Imazalil(2.9)	Azoxystrobin(0.02)
GR-001-14-1028	GR	3	Pyriproxyfen(0.02)	Pyrimethanil(3.66)	Imazalil(0.79)	
GR-001-14-1100	IL	3	Thiabendazole(1.1)	Pyrimethanil(2.1)	Imazalil(3.1)	
GR-001-14-702	ZA	3	Thiabendazole(1.3)	Imidacloprid(0.036)	Imazalil(1.5)	
GR-003-14-178	AR	4	Prochloraz(1.593)	Pyrimethanil(0.725)	Pyraclostrobin(0.286)	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)(1.593)
GR-003-14-261	TR	2	Imazalil(0.15)	Chlorpyrifos(0.08)		

  

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-1024						
GR-001-14-1025						
GR-001-14-1028						
GR-001-14-1100						
GR-001-14-702						
GR-003-14-178						
GR-003-14-261						

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Lettuce**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-14-1038	GR	3	Thiametoxam(0.057)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.057)	Linuron(0.017)		
GR-001-14-1341	GR	3	Boscalid(0.98)	Indoxacarb as sum of the isomers S and R(0.36)	Pyraclostrobin(0.034)		
GR-001-14-1738	GR	3	Thiametoxam(0.012)	Clothianidin(0.01)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.024)		
GR-001-14-239	GR	3	Pyraclostrobin(0.43)	Acetamiprid(0.14)	Boscalid(1.2)		
GR-001-14-813	GR	3	Deltamethrin(0.5)	Chlorpyrifos(0.029)	Imidacloprid(0.11)		
GR-001-14-828	GR	3	Chlorpyrifos(0.016)	Fluopicolide(0.023)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.59)		

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
--------------------	------------------	------------------	------------------	------------------	-------------------

GR-001-14-1038

GR-001-14-1341

GR-001-14-1738

GR-001-14-239

GR-001-14-813

GR-001-14-828

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Lettuce**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-14-838	GR	6	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.38)	Boscalid(9.08)	Clothianidin(0.046)	Acetamiprid(0.64)	Pyraclostrobin(0.2)
GR-002-14-029	GR	3	Dimethomorph(1.17)	Metalaxyl(0.01)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.01)		
GR-002-14-041	GR	5	Pyraclostrobin(0.2)	Cyprodinil(0.03)	Boscalid(1.2)	Fludioxonil(0.03)	Iprodione(0.74)
GR-002-14-061	GR	2	Thiametoxam(0.05)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.05)			
GR-002-14-100	GR	2	Linuron(0.03)	Boscalid(0.05)			
GR-002-14-108	GR	3	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.01)	Metalaxyl(0.01)	Acetamiprid(0.03)		

---

*LABSAMPCODE* *Compound6* *Compound7* *Compound8* *Compound9* *Compound10*

GR-001-14-838 Thiametoxam(0.33)

GR-002-14-029

GR-002-14-041

GR-002-14-061

GR-002-14-100

GR-002-14-108

---

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Lettuce**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-003-14-020	GR	2	Pyraclostrobin(1.03)	Boscalid(2.7)			
GR-006-14-203	GR	2	Chlorpyrifos(0.046)	Cypermethrin (sum)(0.15)			

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-003-14-020					
GR-006-14-203					

**Product=Lettuce and other salad plants, including Brassicacea**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
GR-001-14-1175	GR	9	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.21)	Thiametoxam(0.19)	Spinosyn D(0.055)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.42)	Clothianidin(0.017)	Boscalid(10.8)

<i>LABSAMPCODE</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-1175	Pyraclostrobin(1.2)	Spinosyn A(0.36)	Indoxacarb as sum of the isomers S and R(1.6)	

**To avoid duplicates residues marked as part of sum are excluded**



**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Mandarins**

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
GR-001-14-110	GR	2	Pyriproxyfen(0.018)	Chlorpyrifos(0.09)		
GR-002-14-047	GR	2	Dimethomorph(0.02)	Chlorpyrifos(0.03)		
GR-002-14-068	GR	2	Pyriproxyfen(0.01)	Chlorpyrifos(0.07)		
GR-003-14-263	GR	3	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.13)	Phosmet(0.13)	Chlorpyrifos(0.15)	
GR-006-14-237	GR	2	Cypermethrin (sum)(0.038)	Chlorpyrifos(0.1)		

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10
GR-001-14-110						
GR-002-14-047						
GR-002-14-068						
GR-003-14-263						
GR-006-14-237						

**Product=Mangoes**

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
GR-001-14-324	PK	2	Tebuconazole(0.27)	Trifloxystrobin(0.049)				

LABSAMPCODE	Compound7	Compound8	Compound9	Compound10
GR-001-14-324				

**Product=Melons**

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
GR-006-14-096	GR	3	Trifloxystrobin(0.03)	Difenoconazole(0.048)	Azoxystrobin(0.069)		
GR-006-14-132	GR	2	Iprodione(0.068)	Azoxystrobin(0.065)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9	Compound10
GR-006-14-096					
GR-006-14-132					

**To avoid duplicates residues marked as part of sum are excluded**

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Olives for oil production**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
GR-007-14-204	GR	2	Fenthion (sum)(1.85)	Fenthion(1.85)				
GR-007-14-210	GR	2	Dimethoate(0.02)	Dimethoate (sum)(0.02)				
GR-007-14-239	GR	2	Fenthion(0.06)	Fenthion (sum)(0.06)				
GR-007-14-306	GR	2	Dimethoate (sum)(0.02)	Dimethoate(0.02)				
GR-007-14-310	GR	2	Dimethoate (sum)(0.02)	Dimethoate(0.02)				
<i>LABSAMPCODE</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>				
GR-007-14-204								
GR-007-14-210								
GR-007-14-239								
GR-007-14-306								
GR-007-14-310								

**To avoid duplicates residues marked as part of sum are excluded**

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Oranges**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-14-1083	GR	3	Thiabendazole(0.14)	Imidacloprid(0.11)	Imazalil(0.4)		
GR-001-14-658	GR	5	Imazalil(2.2)	Pyrimethanil(0.72)	Haloxypop-methyl(0.031)	Haloxypop (sum baby and infant food)(0.031)	Chlorpyrifos(0.063)
GR-002-14-048	GR	3	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)(0.15)	Prochloraz(0.15)	Chlorpyrifos(0.03)		
GR-002-14-067	GR	3	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)(0.82)	Prochloraz(0.82)	Chlorpyrifos(0.06)		
GR-002-14-125	EG	2	Thiabendazole(3.61)	Imazalil(3.83)			
GR-002-14-271	ZA	3	Imazalil(1.14)	Pyrimethanil(2.35)	Pyraclostrobin(0.05)		
GR-002-14-308	ZA	6	Thiabendazole(0.04)	Pyriproxyfen(0.03)	Pyrimethanil(1.41)	Imidacloprid(0.03)	Imazalil(0.75)
<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>		
GR-001-14-1083							
GR-001-14-658							
GR-002-14-048							
GR-002-14-067							
GR-002-14-125							
GR-002-14-271							
GR-002-14-308	Cypermethrin (sum)(0.05)						

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Oranges**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-002-14-309	ZA	7	Carbendazim and benomyl(0.01)	Thiabendazole(1.56)	Pyrimethanil(0.05)	Imidacloprid(0.04)	Imazalil(1.99)
GR-002-14-319	ZA	3	Pyrimethanil(1.16)	Imazalil(0.68)	Thiabendazole(1.48)		
GR-009-14-029	GR	5	Tebufenpyrad(0.057)	Phosmet(0.024)	Fenpyroximate(0.013)	Chlorpyrifos(0.042)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.024)

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-002-14-309	Chlorpyrifos(0.02)	Carbendazim(0.01)			
GR-002-14-319					
GR-009-14-029					

**Product=Other pulses, dry**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-14-1688	GR	3	Malathion(0.019)	Malathion (sum of malathion and malaaxon expressed as malathion)(0.019)	Chlorpyrifos(0.017)		
GR-001-14-1690	GR	5	Malathion (sum of malathion and malaaxon expressed as malathion)(0.08)	Cypermethrin (sum)(0.13)	Chlorpyrifos(0.013)	Carbaryl(0.029)	Malathion(0.08)

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-1688					
GR-001-14-1690					

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Peaches**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-001-14-1005	GR	3	Fenbuconazole(0.028)	Etofenprox(0.053)	Tebuconazole(0.028)	
GR-001-14-1041	GR	5	Tebuconazole(0.065)	Chlorpyrifos(0.01)	Etofenprox(0.056)	Phosmet(0.1)
GR-001-14-634	GR	2	Acetamiprid(0.021)	Imidacloprid(0.031)		
GR-001-14-709	GR	2	Tebuconazole(0.077)	Lambda-Cyhalothrin(0.014)		
GR-001-14-802	GR	5	Thiophanate-methyl(0.33)	Chlorpyrifos(0.08)	Carbendazim and benomyl(0.031)	Lambda-Cyhalothrin(0.013)
GR-001-14-809	GR	2	Deltamethrin(0.059)	Etofenprox(0.18)		
GR-001-14-826	GR	6	Tebuconazole(0.069)	Chlorpyrifos(0.14)	Deltamethrin(0.048)	Diphenylamine(0.067)
GR-001-14-841	GR	4	Tebuconazole(0.018)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.015)	Chlorpyrifos(0.099)	Phosmet(0.015)
GR-001-14-994	GR	4	Etofenprox(0.18)	Chlorpyrifos(0.063)	Boscalid(0.32)	Pyraclostrobin(0.063)
GR-001-14-995	GR	3	Tebuconazole(0.029)	Boscalid(0.34)	Pyraclostrobin(0.041)	
<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-1005						
GR-001-14-1041	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.1)					
GR-001-14-634						
GR-001-14-709						
GR-001-14-802	Trifloxystrobin(0.013)					
GR-001-14-809						
GR-001-14-826	Lambda-Cyhalothrin(0.021)	Thiacloprid(0.075)				
GR-001-14-841						
GR-001-14-994						
GR-001-14-995						

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Peaches**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-002-14-178	GR	2	Chlorpyrifos(0.05)	Tebuconazole(0.24)		
GR-002-14-194	GR	6	Thiophanate-methyl(0.01)	Carbendazim and benomyl(0.02)	Methoxyfenozide(0.04)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.03)
GR-002-14-196	GR	2	Cyfluthrin (sum)(0.04)	Spirodiclofen(0.06)		
GR-002-14-197	GR	3	Etofenprox(0.07)	Chlorpyrifos(0.01)	Tebuconazole(0.05)	
GR-002-14-199	GR	2	Fenbuconazole(0.02)	Chlorpyrifos(0.02)		
GR-002-14-200	GR	3	Boscalid(0.06)	Chlorpyrifos(0.07)	Tebuconazole(0.03)	
GR-002-14-215	GR	2	Tebuconazole(0.1)	Etofenprox(0.22)		
GR-002-14-221	GR	3	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.07)	Lambda-Cyhalothrin(0.05)	Tebuconazole(0.05)	
GR-002-14-222	GR	7	Lambda-Cyhalothrin(0.02)	Imidacloprid(0.01)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.04)	Fenbuconazole(0.02)

  

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-002-14-178						
GR-002-14-194	Tebuconazole(0.16)	Carbendazim(0.02)				
GR-002-14-196						
GR-002-14-197						
GR-002-14-199						
GR-002-14-200						
GR-002-14-215						
GR-002-14-221						
GR-002-14-222	Cyprodinil(0.09)	Propargite(0.32)	Indoxacarb as sum of the isomers S and R(0.01)			

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Peaches**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-002-14-254	GR	2	Tebuconazole(0.07)	Etofenprox(0.15)		
GR-002-14-255	GR	4	Thiophanate-methyl(0.02)	Etofenprox(0.05)	Carbendazim and benomyl(0.03)	Carbendazim(0.03)
GR-003-14-119	GR	3	Phosmet(0.16)	Chlorpyrifos(0.012)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.16)	
GR-003-14-153	GR	6	Tebuconazole(0.033)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.02)	Phosmet(0.02)	Fludioxonil(0.17)
GR-003-14-154	GR	3	Tebuconazole(0.21)	Phosmet(0.083)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.083)	
GR-003-14-193	GR	3	Chlorpyrifos(0.102)	Boscalid(0.088)	Iprodione(0.079)	
GR-005-14-073	GR	2	Lambda-Cyhalothrin(0.025)	Chlorpyrifos(0.022)		
GR-005-14-075	GR	2	Chlorpyrifos(0.05)	Boscalid(0.083)		

  

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-002-14-254						
GR-002-14-255						
GR-003-14-119						
GR-003-14-153	Cyprodinil(0.034)	Boscalid(0.18)				
GR-003-14-154						
GR-003-14-193						
GR-005-14-073						
GR-005-14-075						

**To avoid duplicates residues marked as part of sum are excluded**

*Product=Peaches*

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-005-14-082	GR	2	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.02)	Phosmet(0.02)		
GR-005-14-092	GR	2	Boscalid(0.087)	Chlorpyrifos(0.039)		
GR-005-14-096	GR	4	Deltamethrin(0.096)	Cyfluthrin (sum)(0.626)	Boscalid(4.265)	beta-Cyfluthrin(0.626)
GR-006-14-094	GR	2	Chlorpyrifos(0.1)	Lambda-Cyhalothrin(0.023)		
GR-006-14-120	GR	2	Chlorpyrifos(0.013)	Deltamethrin(0.013)		

  

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-005-14-082						
GR-005-14-092						
GR-005-14-096						
GR-006-14-094						
GR-006-14-120						



**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Pears**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-14-1299	GR	6	Thiophanate-methyl(0.51)	Spirodiclofen(0.062)	Carbendazim and benomyl(0.065)	Fenoxycarb(0.12)	Phosmet(0.77)
GR-001-14-1339	GR	3	Thiophanate-methyl(0.083)	Imidacloprid(0.052)	Carbendazim and benomyl(0.015)		
GR-001-14-134	GR	5	Imazalil(0.53)	Carbendazim and benomyl(0.097)	Chlorpyrifos(0.025)	Thiophanate-methyl(0.18)	Fenoxycarb(0.02)
GR-001-14-1417	GR	5	Fenoxycarb(0.052)	Chlorpyrifos(0.013)	Diflubenzuron(0.019)	Imidacloprid(0.014)	Tebuconazole(0.01)
GR-001-14-1451	GR	5	Fenoxycarb(0.01)	Chlorpyrifos(0.11)	Lambda-Cyhalothrin(0.015)	Thiophanate-methyl(0.1)	Carbendazim and benomyl(0.022)
GR-001-14-1481	GR	3	Tebuconazole(0.028)	Pyraclostrobin(0.02)	Fenoxycarb(0.018)		
GR-001-14-156	GR	6	Pyraclostrobin(0.02)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.026)	Phosmet(0.026)	Dimethoate (sum)(0.016)	Dimethoate(0.028)
<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>		
GR-001-14-1299	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.77)						
GR-001-14-1339							
GR-001-14-134							
GR-001-14-1417							
GR-001-14-1451							
GR-001-14-1481							
GR-001-14-156	Boscalid(0.15)						

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Pears**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-14-181	GR	5	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.023)	Phosmet(0.023)	Methoxyfenozide(0.042)	Imidacloprid(0.028)	Carbendazim and benomyl(0.052)
GR-001-14-182	ES	6	Lambda-Cyhalothrin(0.029)	Imazalil(0.19)	Folpet(0.65)	Imidacloprid(0.15)	Captan/Folpet (sum)(0.65)
GR-001-14-254	AR	2	Acetamiprid(0.095)	Carbendazim and benomyl(1.11)			
GR-001-14-382	GR	7	Thiophanate-methyl(0.085)	Imazalil(0.71)	Cyprodinil(0.017)	Carbendazim and benomyl(0.092)	Azoxystrobin(0.016)
GR-001-14-476	GR	2	Thiacloprid(0.04)	Methoxyfenozide(0.31)			
GR-001-14-626	GR	2	Carbendazim and benomyl(1.11)	Acetamiprid(0.095)			
GR-001-14-745	AR	4	Thiacloprid(0.018)	Thiabendazole(0.031)	Pyrimethanil(1)	Ethoxyquin(0.031)	
GR-001-14-746	AR	4	Thiabendazole(0.41)	Pyrimethanil(0.18)	Ethoxyquin(0.022)	Acetamiprid(0.015)	
GR-001-14-747	AR	3	Pyrimethanil(0.23)	Acetamiprid(0.014)	Thiabendazole(0.41)		
<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>		
GR-001-14-181							
GR-001-14-182	Paclobutrazol(0.027)						
GR-001-14-254							
GR-001-14-382	Diphenylamine(0.016)	Pyraclostrobin(0.014)					
GR-001-14-476							
GR-001-14-626							
GR-001-14-745							
GR-001-14-746							
GR-001-14-747							

**To avoid duplicates residues marked as part of sum are excluded**

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table E2: Full listing of samples containing more than one residue by product**  
*All samples from National and EU programmes, surveillance and enforcement*

**Product=Pears**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-14-748	AR	2	Thiabendazole(0.31)	Ethoxyquin(0.023)			
GR-001-14-749	AR	4	Thiacloprid(0.039)	Thiabendazole(0.35)	Acetamiprid(0.029)	Ethoxyquin(0.1)	
GR-001-14-769	AR	3	Thiacloprid(0.011)	Pyrimethanil(0.65)	Thiabendazole(0.67)		
GR-001-14-770	AR	3	Pyrimethanil(0.57)	Acetamiprid(0.044)	Thiabendazole(0.39)		
GR-001-14-807	GR	6	Spinosyn D(0.012)	Spinosyn A(0.029)	Pyraclostrobin(0.033)	Chlorpyrifos(0.01)	Boscalid(0.1)
GR-002-14-089	GR	2	Carbendazim(0.03)	Carbendazim and benomyl(0.03)			
GR-002-14-115	ZA	3	Malathion(0.01)	Malathion (sum of malathion and malaoxon expressed as malathion)(0.01)	Thiacloprid(0.02)		
GR-002-14-156	AR	3	Thiacloprid(0.02)	Thiabendazole(0.16)	Acetamiprid(0.01)		
<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>		
GR-001-14-748							
GR-001-14-749							
GR-001-14-769							
GR-001-14-770							
GR-001-14-807	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.041)						
GR-002-14-089							
GR-002-14-115							
GR-002-14-156							

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Pears**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-002-14-305	GR	4	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.05)	Fenoxycarb(0.01)	Chlorpyrifos(0.01)	Dodine(0.04)	
GR-002-14-320	GR	10	Thiophanate-methyl(0.18)	Spinosyn A(0.07)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.07)	Pyraclostrobin(0.07)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.04)
GR-002-14-321	IT	3	Chlorpyrifos(0.06)	Captan(0.57)	Boscalid(0.5)		
GR-002-14-388	GR	2	Pyraclostrobin(0.08)	Boscalid(0.16)			
GR-002-14-389	GR	8	Thiophanate-methyl(0.16)	Pyraclostrobin(0.06)	Imidacloprid(0.04)	Diphenylamine(0.12)	Diflubenzuron(0.16)
GR-003-14-170	GR	4	Tebuconazole(0.032)	Phosmet(0.023)	Chlorpyrifos(0.037)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.023)	
GR-005-14-101	GR	2	Chlorpyrifos(0.095)	Boscalid(0.05)			
<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>		
GR-002-14-305							
GR-002-14-320	Cyfluthrin (sum)(0.05)	Chlorpyrifos(0.03)	Carbendazim and benomyl(0.13)	Boscalid(0.13)	Carbendazim(0.13)		
GR-002-14-321							
GR-002-14-388							
GR-002-14-389	Carbendazim(0.11)	Boscalid(0.15)	Carbendazim and benomyl(0.11)				
GR-003-14-170							
GR-005-14-101							

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Pears**

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
GR-005-14-125	GR	2	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.145)	Phosmet(0.145)			
GR-005-14-149	GR	3	Chlorpyrifos(0.016)	Boscalid(0.07)	Trifloxystrobin(0.042)		
GR-006-14-140	GR	3	Lambda-Cyhalothrin(0.022)	Iprodione(0.48)	Chlorpyrifos(0.064)		
GR-006-14-162	GR	2	Deltamethrin(0.022)	Chlorpyrifos(0.058)			
GR-006-14-169	GR	2	Trifloxystrobin(0.033)	Lambda-Cyhalothrin(0.02)			
GR-006-14-218	GR	2	Deltamethrin(0.012)	Cyfluthrin (sum)(0.013)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9	Compound10
GR-005-14-125					
GR-005-14-149					
GR-006-14-140					
GR-006-14-162					
GR-006-14-169					
GR-006-14-218					

**Product=Peas (with pods)**

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3
GR-001-14-637	GR	2	Thiophanate-methyl(0.14)	Carbendazim and benomyl(0.086)	

  

LABSAMPCODE	Compound4	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10
GR-001-14-637							

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Peppers**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-14-319	BD	3	Imidacloprid(0.014)	Difenoconazole(0.026)	Clothianidin(0.01)		
GR-001-14-564	TR	2	Tebuconazole(0.055)	Pyriproxyfen(0.014)			
GR-001-14-602	TR	2	Chlorpyrifos(0.17)	Acetamiprid(0.028)			
GR-002-14-002	TR	9	Triadimenol(0.01)	Triadimefon (sum of Triadimefon and Triadimenol)(0.01)	Tebuconazole(0.02)	Pyrimethanil(0.01)	Fenhexamid(0.01)
GR-002-14-005	TR	4	Triadimenol(0.03)	Triadimefon (sum of Triadimefon and Triadimenol)(0.03)	Tebuconazole(0.29)	Azoxystrobin(0.09)	
GR-002-14-011	TR	3	Pyraclostrobin(0.03)	Buprofezin(0.03)	Boscalid(0.11)		
GR-002-14-013	TR	2	Pyraclostrobin(0.02)	Boscalid(0.07)			
GR-002-14-014	TR	4	Spinosyn A(0.12)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.12)	Pyraclostrobin(0.01)	Boscalid(0.07)	

  

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-319					
GR-001-14-564					
GR-001-14-602					
GR-002-14-002	Captan(0.2)	Boscalid(0.02)	Azoxystrobin(0.08)	Acetamiprid(0.02)	
GR-002-14-005					
GR-002-14-011					
GR-002-14-013					
GR-002-14-014					

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Peppers**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-002-14-019	TR	6	Triadimenol(0.06)	Triadimefon (sum of Triadimefon and Triadimenol)(0.06)	Pyrimethanil(0.02)	Pyraclostrobin(0.05)	Boscalid(0.26)
GR-002-14-020	TR	4	Tebuconazole(0.03)	Pyraclostrobin(0.01)	Boscalid(0.11)	Azoxystrobin(0.1)	
GR-002-14-022	TR	2	Boscalid(0.02)	Acetamiprid(0.01)			
GR-002-14-023	TR	2	Imidacloprid(0.19)	Boscalid(0.02)			
GR-002-14-024	TR	4	Imidacloprid(0.07)	Chlorpyrifos(0.01)	Boscalid(0.02)	Acetamiprid(0.05)	
GR-002-14-025	TR	5	Triadimenol(0.05)	Triadimefon (sum of Triadimefon and Triadimenol)(0.05)	Pyriproxyfen(0.01)	Hexythiazox(0.05)	Azoxystrobin(0.05)
GR-002-14-026	TR	4	Pyrimethanil(0.02)	Fenhexamid(0.21)	Boscalid(0.01)	Acetamiprid(0.07)	
GR-002-14-027	TR	2	Pyrimethanil(0.01)	Boscalid(0.01)			
GR-002-14-030	TR	2	Pyraclostrobin(0.12)	Boscalid(0.53)			
<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>		
GR-002-14-019	Acetamiprid(0.02)						
GR-002-14-020							
GR-002-14-022							
GR-002-14-023							
GR-002-14-024							
GR-002-14-025							
GR-002-14-026							
GR-002-14-027							
GR-002-14-030							

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Peppers**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-002-14-032	TR	6	Triadimenol(0.03)	Triadimefon (sum of Triadimefon and Triadimenol)(0.03)	Pyriproxyfen(0.01)	Pyrimethanil(0.02)	Boscalid(0.01)
GR-002-14-033	TR	4	Triadimenol(0.06)	Pyraclostrobin(0.05)	Boscalid(0.19)	Triadimefon (sum of Triadimefon and Triadimenol)(0.06)	
GR-002-14-034	TR	2	Pyraclostrobin(0.17)	Boscalid(0.77)			
GR-002-14-036	TR	2	Pyrimethanil(0.05)	Boscalid(0.04)			
GR-002-14-040	TR	2	Pyraclostrobin(0.05)	Boscalid(0.39)			
GR-002-14-043	TR	4	Trifloxystrobin(0.02)	Pyraclostrobin(0.03)	Chlorpyrifos-methyl(0.01)	Boscalid(0.16)	
GR-002-14-049	TR	8	Triadimenol(0.07)	Triadimefon (sum of Triadimefon and Triadimenol)(0.07)	Tebuconazole(0.3)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.01)	Hexythiazox(0.02)
GR-002-14-063	TR	2	Pyraclostrobin(0.06)	Fludioxonil(0.05)			

  

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-002-14-032	Acetamiprid(0.06)				
GR-002-14-033					
GR-002-14-034					
GR-002-14-036					
GR-002-14-040					
GR-002-14-043					
GR-002-14-049	Fludioxonil(0.03)	Boscalid(0.02)	Spinosyn A(0.01)		
GR-002-14-063					

**To avoid duplicates residues marked as part of sum are excluded**



**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Peppers**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-002-14-092	TR	6	Pyriproxyfen(0.02)	Pirimiphos-methyl(0.59)	Chlorpyrifos-methyl(0.07)	Boscalid(0.03)	Acetamiprid(0.05)
GR-002-14-104	TR	6	Triadimenol(0.02)	Tebuconazole(0.06)	Pyraclostrobin(0.04)	Fludioxonil(0.04)	Boscalid(0.19)
GR-002-14-116	TR	6	Triadimenol(0.04)	Triadimefon (sum of Triadimefon and Triadimenol)(0.04)	Pirimiphos-methyl(0.36)	Imidacloprid(0.05)	Azoxystrobin(0.04)
GR-002-14-131	GR	2	Bupirimate(0.04)	Azoxystrobin(0.01)			
GR-002-14-173	GR	3	Thiametoxam(0.08)	Clothianidin(0.02)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.1)		
GR-002-14-189	GR	3	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)(0.21)	Methomyl(0.21)	Cyfluthrin (sum)(0.05)		
<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>		
GR-002-14-092	Chlorpyrifos(0.01)						
GR-002-14-104	Triadimefon (sum of Triadimefon and Triadimenol)(0.02)						
GR-002-14-116	Acetamiprid(0.03)						
GR-002-14-131							
GR-002-14-173							
GR-002-14-189							

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

<b>Product=Peppers</b>							
<b>LABSAMPCODE</b>	<b>ORIGCOUNTRY</b>	<b>NoResidues</b>	<b>Compound1</b>	<b>Compound2</b>	<b>Compound3</b>	<b>Compound4</b>	<b>Compound5</b>
GR-002-14-223	GR	2	Spinosyn A(0.02)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.02)			
GR-002-14-233	GR	3	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.03)	Thiametoxam(0.03)	Acetamiprid(0.04)		
GR-002-14-239	GR	5	Thiacloprid(0.09)	Fluopicolide(0.05)	Dimethoate (sum)(0.11)	Dimethoate(0.07)	Omethoate(0.04)
GR-002-14-246	GR	4	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.12)	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)(0.25)	Methomyl(0.25)	Thiametoxam(0.12)	
GR-002-14-252	GR	3	Formetanate(0.52)	Formetanate(0.52)	Imidacloprid(0.01)		
GR-002-14-263	GR	2	Pyraclostrobin(0.03)	Boscalid(0.05)			
GR-002-14-295	MK	2	Cypermethrin (sum)(0.02)	Chlorpyrifos(0.01)			
<b>LABSAMPCODE</b>	<b>Compound6</b>	<b>Compound7</b>	<b>Compound8</b>	<b>Compound9</b>	<b>Compound10</b>		
GR-002-14-223							
GR-002-14-233							
GR-002-14-239							
GR-002-14-246							
GR-002-14-252							
GR-002-14-263							
GR-002-14-295							

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Plums**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
GR-001-14-474	GR	2	Pyrimethanil(0.54)	Iprodione(1)	
GR-002-14-219	GR	2	Cyfluthrin (sum)(0.03)	Chlorpyrifos(0.02)	
GR-002-14-229	GR	4	Thiophanate-methyl(0.01)	Chlorpyrifos(0.08)	Carbendazim and benomyl(0.02)
GR-002-14-230	GR	5	Thiophanate-methyl(0.01)	Chlorpyrifos(0.12)	Carbendazim and benomyl(0.03)
GR-002-14-284	GR	4	Thiophanate-methyl(0.01)	Propargite(0.02)	Carbendazim and benomyl(0.01)
GR-003-14-260	GR	2	Chlorpyrifos(0.02)	Boscalid(0.1)	
GR-005-14-081	GR	2	beta-Cyfluthrin(0.05)	Cyfluthrin (sum)(0.05)	
GR-005-14-085	GR	2	Captan/Folpet (sum)(0.196)	Captan(0.196)	
GR-005-14-104	GR	2	Chlorpyrifos(0.113)	Boscalid(0.111)	

  

<i>LABSAMPCODE</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-474							
GR-002-14-219							
GR-002-14-229	Carbendazim(0.02)						
GR-002-14-230	Carbendazim(0.03)	Boscalid(0.03)					
GR-002-14-284	Carbendazim(0.01)						
GR-003-14-260							
GR-005-14-081							
GR-005-14-085							
GR-005-14-104							

**To avoid duplicates residues marked as part of sum are excluded**

**Product=Potatoes**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-14-1189	GR	2	Imidacloprid(0.018)	Chlorpyrifos(0.014)			
GR-001-14-121	GR	3	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.012)	Flutolanil(0.057)	Chlorpyrifos(0.092)		
GR-002-14-037	EG	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.01)	Metalaxyl(0.01)			
GR-003-14-233	GR	2	Pirimiphos-methyl(0.11)	Chlorpyrifos(0.21)			

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-1189					
GR-001-14-121					
GR-002-14-037					
GR-003-14-233					

**Product=Pulses, Dry**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-001-14-1174	GR	5	Malathion (sum of malathion and malaoxon expressed as malathion)(0.098)	Malathion(0.098)	Cypermethrin (sum)(0.2)	Chlorpyrifos(0.013)

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-1174	Carbaryl(0.14)					

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Spinach**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>				
GR-001-14-1276	GR	3	Linuron(0.026)	Dithiocarbamates(2)	Cypermethrin (sum)(0.61)				
GR-001-14-1390	GR	2	Deltamethrin(0.089)	Cypermethrin (sum)(0.022)					
GR-001-14-1420	GR	2	Deltamethrin(0.036)	Boscalid(0.35)					
GR-006-14-196	GR	3	Deltamethrin(0.063)	Cypermethrin (sum)(1)	Chlorpyrifos(0.039)				
GR-006-14-208	GR	2	Deltamethrin(0.048)	Chlorpyrifos(0.042)					
GR-006-14-214	GR	2	Cypermethrin (sum)(0.097)	Chlorpyrifos(0.074)					
GR-007-14-166	GR	2	Cypermethrin (sum)(0.47)	Cypermethrin(0.47)					
GR-009-14-048	GR	3	Linuron(0.021)	Cypermethrin (sum)(0.039)	Chlorpyrifos(0.023)				
<i>LABSAMPCODE</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>		
GR-001-14-1276									
GR-001-14-1390									
GR-001-14-1420									
GR-006-14-196									
GR-006-14-208									
GR-006-14-214									
GR-007-14-166									
GR-009-14-048									

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Strawberries**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
GR-001-14-1737	EG	4	Spinosyn A(0.023)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.023)	Chlorpyrifos(0.027)
GR-001-14-183	GR	4	Pyraclostrobin(0.21)	Iprodione(1.18)	Boscalid(0.84)
GR-001-14-387	GR	6	Spinosyn A(0.056)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.075)	Penconazole(0.016)
GR-001-14-390	GR	2	Clofentezine(0.31)	Azoxystrobin(0.72)	
GR-001-14-393	GR	7	Azoxystrobin(0.039)	Boscalid(0.61)	Pyraclostrobin(0.082)
GR-001-14-396	GR	2	Cyprodinil(0.8)	Azoxystrobin(0.01)	
GR-001-14-397	GR	3	Cyprodinil(0.019)	Bupirimate(0.11)	Azoxystrobin(0.21)
GR-001-14-398	GR	2	Penconazole(0.051)	Azoxystrobin(0.54)	
GR-001-14-399	GR	2	Cyprodinil(0.22)	Azoxystrobin(0.021)	
GR-001-14-402	GR	3	Cyprodinil(0.044)	Boscalid(0.05)	Azoxystrobin(0.29)
GR-001-14-403	GR	6	Spinosyn A(0.013)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.013)	Pyraclostrobin(0.27)

<i>LABSAMPCODE</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-1737	Carbendazim and benomyl(0.017)						
GR-001-14-183	Azoxystrobin(0.15)						
GR-001-14-387	Spinosyn D(0.019)	Boscalid(0.072)	Azoxystrobin(0.04)				
GR-001-14-390							
GR-001-14-393	Penconazole(0.011)	Myclobutanil(0.012)	Etoxazole(0.04)	Cyprodinil(0.017)			
GR-001-14-396							
GR-001-14-397							
GR-001-14-398							
GR-001-14-399							
GR-001-14-402							
GR-001-14-403	Dimethomorph(0.21)	Boscalid(1.3)	Azoxystrobin(0.012)				

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Strawberries**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
GR-001-14-424	GR	2	Penconazole(0.019)	Azoxystrobin(0.34)	
GR-001-14-425	GR	2	Myclobutanil(0.18)	Boscalid(0.012)	
GR-001-14-426	GR	5	Spinosyn A(0.013)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.013)	Pyraclostrobin(0.013)
GR-001-14-428	GR	6	Spinosyn D(0.016)	Spinosyn A(0.063)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.079)
GR-001-14-432	GR	5	Spinosyn A(0.027)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.027)	Pyraclostrobin(0.047)
GR-001-14-444	GR	2	Myclobutanil(0.082)	Azoxystrobin(0.012)	
GR-001-14-445	GR	4	Ethirimol(0.035)	Cyprodinil(0.017)	Bupirimate(0.025)
GR-001-14-446	GR	2	Clofentezine(0.17)	Azoxystrobin(0.4)	
GR-001-14-447	GR	9	Spinosyn D(0.031)	Spinosyn A(0.13)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.16)
GR-001-14-457	GR	4	Spinosyn A(0.029)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.029)	Pyraclostrobin(0.15)

<i>LABSAMPCODE</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-424							
GR-001-14-425							
GR-001-14-426	Boscalid(0.13)		Azoxystrobin(0.011)				
GR-001-14-428	Pyraclostrobin(0.068)		Penconazole(0.059)	Boscalid(0.28)			
GR-001-14-432	Penconazole(0.059)		Boscalid(0.2)				
GR-001-14-444							
GR-001-14-445	Azoxystrobin(0.031)						
GR-001-14-446							
GR-001-14-447	Pyraclostrobin(0.074)		Penconazole(0.11)	Myclobutanil(0.032)	Etoxazole(0.044)	Cyprodinil(0.014)	Boscalid(0.37)
GR-001-14-457	Boscalid(0.62)						

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Strawberries**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>						
GR-001-14-458	GR	4	Pyraclostrobin(0.064)	Penconazole(0.063)	Boscalid(0.16)						
GR-001-14-459	GR	4	Spinosyn A(0.067)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.067)	Pyraclostrobin(0.18)						
GR-001-14-461	GR	4	Spinosyn A(0.01)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.01)	Pyraclostrobin(0.029)						
GR-001-14-462	GR	5	Spinosyn D(0.039)	Spinosyn A(0.19)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.23)						
GR-001-14-468	GR	4	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.075)	Thiametoxam(0.075)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.03)						
GR-001-14-469	GR	5	Spinosyn D(0.045)	Spinosyn A(0.18)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.22)						
GR-001-14-471	GR	3	Penconazole(0.28)	Chlorpyrifos(0.033)	Azoxystrobin(0.37)						
GR-002-14-065	GR	4	Pyraclostrobin(0.08)	Formetanate(3.66)	Formetanate(3.66)						
GR-002-14-070	GR	3	Fludioxonil(0.07)	Fenhexamid(0.96)	Cyprodinil(0.01)						
<i>LABSAMPCODE</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>				
GR-001-14-458	Azoxystrobin(0.02)										
GR-001-14-459	Boscalid(0.68)										
GR-001-14-461	Azoxystrobin(0.073)										
GR-001-14-462	Penconazole(0.048)	Azoxystrobin(0.12)									
GR-001-14-468	Azoxystrobin(0.059)										
GR-001-14-469	Pyraclostrobin(0.19)	Boscalid(0.69)									
GR-001-14-471											
GR-002-14-065	Boscalid(0.4)										
GR-002-14-070											

**To avoid duplicates residues marked as part of sum are excluded**



**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Strawberries**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>				
GR-002-14-076	GR	3	Formetanate(4.97)	Formetanate(4.97)	Chlorpyrifos(0.01)				
GR-002-14-087	GR	6	Pyraclostrobin(0.06)	Fludioxonil(0.06)	Cyprodinil(0.06)				
GR-002-14-090	GR	10	Triadimenol(0.16)	Triadimefon (sum of Triadimefon and Triadimenol)(0.16)	Pyraclostrobin(0.02)				
GR-002-14-091	GR	7	Triadimenol(0.08)	Triadimefon (sum of Triadimefon and Triadimenol)(0.08)	Fludioxonil(0.04)				
GR-002-14-094	GR	10	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.03)	Pyraclostrobin(0.14)	Penconazole(0.05)				
GR-002-14-095	GR	3	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.05)	Metalaxyl(0.05)	Boscalid(0.03)				
GR-002-14-096	GR	5	Triadimefon (sum of Triadimefon and Triadimenol)(0.14)	Formetanate(0.04)	Formetanate(0.04)				
GR-002-14-101	GR	4	Penconazole(0.06)	Imidacloprid(0.04)	Formetanate(1.36)				
<i>LABSAMPCODE</i>			<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-002-14-076									
GR-002-14-087			Boscalid(0.38)	Azoxystrobin(0.19)	Penconazole(0.02)				
GR-002-14-090			Penconazole(0.02)	Formetanate(0.02)	Formetanate(0.02)	Fludioxonil(0.19)	Boscalid(0.15)	Azoxystrobin(0.1)	Cyprodinil(0.54)
GR-002-14-091			Cyprodinil(0.23)	Boscalid(0.07)	Azoxystrobin(0.27)	Penconazole(0.02)			
GR-002-14-094			Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.02)	Metalaxyl(0.02)	Fludioxonil(0.13)	Cyprodinil(0.13)	Boscalid(0.6)	Clofentezine(0.27)	Spinosyn A(0.03)
GR-002-14-095									
GR-002-14-096			Azoxystrobin(0.01)	Triadimenol(0.14)					
GR-002-14-101			Formetanate(1.36)						

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Strawberries**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>						
GR-002-14-102	GR	7	Triadimenol(0.11)	Triadimefon (sum of Triadimefon and Triadimenol)(0.11)	Penconazole(0.01)						
GR-002-14-103	GR	5	Triadimefon (sum of Triadimefon and Triadimenol)(0.13)	Formetanate(0.02)	Formetanate(0.02)						
GR-002-14-110	GR	3	Penconazole(0.12)	Myclobutanil(0.01)	Imidacloprid(0.06)						
GR-002-14-111	GR	4	Fludioxonil(0.12)	Cyprodinil(0.07)	Boscalid(0.02)						
GR-002-14-122	GR	7	Spinosyn A(0.02)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.02)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.01)						
GR-002-14-124	GR	5	Pyraclostrobin(0.01)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.01)	Metalaxyl(0.01)						
GR-002-14-149	GR	6	Triadimenol(0.15)	Spinosyn A(0.02)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.02)						
GR-003-14-016	GR	5	Penconazole(0.105)	Fludioxonil(0.32)	Boscalid(0.218)						
<i>LABSAMPCODE</i>	<i>Compound4</i>		<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>			
GR-002-14-102	Cyprodinil(0.34)		Boscalid(0.03)	Azoxystrobin(0.15)	Fludioxonil(0.16)						
GR-002-14-103	Azoxystrobin(0.01)		Triadimenol(0.13)								
GR-002-14-110											
GR-002-14-111	Azoxystrobin(0.43)										
GR-002-14-122	Metalaxyl(0.01)		Fludioxonil(0.12)	Cyprodinil(0.24)	Myclobutanil(0.02)						
GR-002-14-124	Azoxystrobin(0.09)		Boscalid(0.06)								
GR-002-14-149	Boscalid(0.04)		Azoxystrobin(0.11)	Triadimefon (sum of Triadimefon and Triadimenol)(0.15)							
GR-003-14-016	Azoxystrobin(0.444)		Bupirimate(0.055)								

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Strawberries**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>						
GR-003-14-026	GR	2	Boscalid(0.023)	Bupirimate(0.02)							
GR-003-14-027	GR	2	Penconazole(0.018)	Myclobutanil(0.1)							
GR-003-14-028	GR	2	Fludioxonil(0.05)	Azoxystrobin(0.25)							
GR-003-14-031	GR	4	Penconazole(0.12)	Boscalid(2.06)	Azoxystrobin(0.2)						
GR-003-14-032	GR	3	Bupirimate(0.101)	Boscalid(1.402)	Azoxystrobin(0.906)						
GR-003-14-033	GR	4	Penconazole(0.033)	Fludioxonil(0.044)	Cyprodinil(0.098)						
GR-003-14-034	GR	2	Fludioxonil(0.058)	Cyprodinil(0.225)							
GR-006-14-036	GR	2	Penconazole(0.014)	Azoxystrobin(0.14)							
GR-006-14-064	GR	3	Penconazole(0.022)	Bupirimate(0.015)	Azoxystrobin(0.028)						
<i>LABSAMPCODE</i>	<i>Compound4</i>		<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>			
GR-003-14-026											
GR-003-14-027											
GR-003-14-028											
GR-003-14-031	Pyraclostrobin(0.44)										
GR-003-14-032											
GR-003-14-033	Boscalid(0.275)										
GR-003-14-034											
GR-006-14-036											
GR-006-14-064											

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Table and Wine grapes**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
GR-001-14-1222	GR	2	Ethirimol(0.018)	Chlorpyrifos(0.022)				
GR-001-14-563	GR	5	Tebuconazole(0.068)	Pyraclostrobin(0.088)	Methoxyfenozide(0.15)	Cyprodinil(0.18)	Boscalid(0.79)	
GR-001-14-607	GR	3	Tebuconazole(0.035)	Fenhexamid(0.5)	Cyprodinil(0.029)			
GR-001-14-806	GR	2	Penconazole(0.067)	Fenhexamid(0.46)				
GR-009-14-030	GR	5	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.018)	Thiametoxam(0.018)	Myclobutanil(0.037)	Methoxyfenozide(0.012)	Fenhexamid(0.11)	
GR-009-14-031	GR	5	Thiametoxam(0.018)	Tetraconazole(0.037)	Myclobutanil(0.042)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.018)	Metalaxyl(0.11)	
GR-009-14-034	GR	3	Penconazole(0.024)	Fenamidone(0.01)	Dimethomorph(0.13)			
GR-009-14-035	GR	3	Tebuconazole(0.015)	Spiroxamine(0.036)	Myclobutanil(0.02)			
GR-009-14-039	GR	2	Tetraconazole(0.021)	Myclobutanil(0.022)				

<i>LABSAMPCODE</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-1222				
GR-001-14-563				
GR-001-14-607				
GR-001-14-806				
GR-009-14-030				
GR-009-14-031				
GR-009-14-034				
GR-009-14-035				
GR-009-14-039				

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Table grapes**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-001-14-1003	GR	3	Quinoxifen(0.023)	Indoxacarb as sum of the isomers S and R(0.013)	Chlorpyrifos(0.017)	
GR-001-14-1004	GR	2	Quinoxifen(0.018)	Chlorpyrifos(0.037)		
GR-001-14-1035	GR	3	Methoxyfenozide(0.079)	Lambda-Cyhalothrin(0.01)	Chlorpyrifos(0.018)	
GR-001-14-1270	GR	4	Tebuconazole(0.041)	Myclobutanil(0.032)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.033)	Chlorpyrifos(0.024)
GR-001-14-1296	GR	3	Trifloxystrobin(0.03)	Myclobutanil(0.047)	Methoxyfenozide(0.19)	
GR-001-14-1336	GR	2	Methiocarb sulfoxide(0.028)	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)(0.026)		
GR-001-14-989	GR	4	Myclobutanil(0.015)	Indoxacarb as sum of the isomers S and R(0.034)	Chlorpyrifos(0.033)	Boscalid(0.048)
<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-1003						
GR-001-14-1004						
GR-001-14-1035						
GR-001-14-1270						
GR-001-14-1296						
GR-001-14-1336						
GR-001-14-989						

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Table grapes**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-002-14-231	GR	2	Triadimenol(0.02)	Triadimefon (sum of Triadimefon and Triadimenol)(0.02)		
GR-002-14-232	GR	2	Spiroxamine(0.08)	Methoxyfenozide(0.01)		
GR-002-14-269	GR	3	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.02)	Thiametoxam(0.02)	Chlorpyrifos(0.06)	
GR-002-14-302	GR	8	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.03)	Thiametoxam(0.03)	Tetraconazole(0.05)	Myclobutanil(0.04)
GR-002-14-303	GR	8	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.01)	Thiametoxam(0.01)	Tetraconazole(0.01)	Penconazole(0.05)
GR-002-14-304	GR	2	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.02)	Thiametoxam(0.02)		

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-002-14-231						
GR-002-14-232						
GR-002-14-269						
GR-002-14-302	Methoxyfenozide(0.11)	Indoxacarb as sum of the isomers S and R(0.08)	Cypermethrin (sum)(0.06)	Chlorpyrifos(0.01)		
GR-002-14-303	Myclobutanil(0.05)	Methoxyfenozide(0.08)	Indoxacarb as sum of the isomers S and R(0.05)	Chlorpyrifos(0.03)		
GR-002-14-304						

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Table grapes**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-002-14-343	GR	2	Fludioxonil(0.13)	Cyprodinil(0.28)		
GR-003-14-159	GR	2	Penconazole(0.091)	Boscalid(0.021)		
GR-003-14-160	GR	2	Penconazole(0.036)	Boscalid(0.11)		
GR-003-14-191	GR	3	Chlorpyrifos-methyl(0.12)	Chlorpyrifos(0.13)	Boscalid(2.75)	
GR-003-14-199	GR	7	Penconazole(0.042)	Myclobutanil(0.03)	Metalaxyl(0.07)	Dimethomorph(0.14)
GR-003-14-200	GR	8	Quinoxyfen(0.03)	Pyrimethanil(0.52)	Metalaxyl(0.07)	Cypermethrin (sum)(0.06)
GR-003-14-226	GR	6	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.12)	Metalaxyl(0.12)	Cyfluthrin (sum)(0.08)	Chlorpyrifos-methyl(0.22)

  

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-002-14-343						
GR-003-14-159						
GR-003-14-160						
GR-003-14-191						
GR-003-14-199	Chlorpyrifos-methyl(0.15)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.07)	Boscalid(0.055)			
GR-003-14-200	Cypermethrin(0.06)	Chlorpyrifos(0.02)	Boscalid(0.25)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.07)		
GR-003-14-226	Cyfluthrin(0.08)	Penconazole(0.03)				

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Table grapes**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-003-14-228	GR	5	Pyrimethanil(0.04)	Cyfluthrin (sum)(0.08)	Cyfluthrin(0.08)	Chlorpyrifos-methyl(0.06)
GR-003-14-229	GR	2	Cyfluthrin (sum)(0.02)	Cyfluthrin(0.02)		
GR-003-14-239	GR	4	Cypermethrin (sum)(0.04)	Cypermethrin(0.04)	Cyfluthrin (sum)(0.07)	Cyfluthrin(0.07)
GR-003-14-265	GR	7	Penconazole(0.02)	Indoxacarb as sum of the isomers S and R(0.24)	Cyprodinil(0.24)	Cyfluthrin (sum)(0.02)
GR-005-14-087	GR	2	Cypermethrin (sum)(0.063)	Cypermethrin(0.063)		
GR-006-14-125	GR	3	Tetraconazole(0.028)	Myclobutanil(0.016)	Iprodione(0.096)	
GR-006-14-145	GR	3	Myclobutanil(0.03)	Iprodione(0.13)	Deltamethrin(0.038)	
GR-006-14-160	GR	2	Chlorpyrifos(0.069)	Deltamethrin(0.026)		
GR-006-14-166	GR	3	Myclobutanil(0.15)	Deltamethrin(0.036)	Chlorpyrifos(0.15)	
GR-006-14-181	GR	2	Myclobutanil(0.018)	Chlorpyrifos(0.021)		
GR-006-14-193	GR	3	Tetraconazole(0.014)	Deltamethrin(0.049)	Chlorpyrifos(0.056)	
GR-006-14-204	GR	4	Deltamethrin(0.12)	Cypermethrin (sum)(0.011)	Chlorpyrifos(0.33)	Lambda-Cyhalothrin(0.018)
<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-003-14-228	Boscalid(1.3)					
GR-003-14-229						
GR-003-14-239						
GR-003-14-265	Cyfluthrin(0.02)	Boscalid(0.43)	Fludioxonil(0.12)			
GR-005-14-087						
GR-006-14-125						
GR-006-14-145						
GR-006-14-160						
GR-006-14-166						
GR-006-14-181						
GR-006-14-193						
GR-006-14-204						

**To avoid duplicates residues marked as part of sum are excluded**



**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Table olives**

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
GR-005-14-132	GR	2	Cypermethrin (sum)(0.093)	Cypermethrin(0.093)		

  

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10
GR-005-14-132						

**Product=Tea**

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
GR-001-14-1317	CN	2	Imidacloprid(0.014)	Acetamiprid(0.023)				

  

LABSAMPCODE	Compound7	Compound8	Compound9	Compound10
GR-001-14-1317				

**Product=Tea, Coffee, Herbal infusions and Cocoa**

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
GR-001-14-288	GR	3	Iprodione(0.07)	Imidacloprid(0.079)	Acetamiprid(0.011)			

  

LABSAMPCODE	Compound7	Compound8	Compound9	Compound10
GR-001-14-288				

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Tomatoes**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-001-14-1736	EG	4	Thiophanate-methyl(0.014)	Flusilazole(0.013)	Dimethomorph(0.044)	Difenoconazole(0.041)
GR-001-14-238	GR	3	Pyraclostrobin(0.068)	Iprodione(0.41)	Dimethomorph(0.065)	
GR-001-14-343	GR	2	Thiophanate-methyl(0.096)	Carbendazim and benomyl(0.014)		
GR-001-14-610	GR	4	Iprodione(0.071)	Fenhexamid(0.02)	Cyprodinil(0.017)	Acetamiprid(0.021)
GR-001-14-635	GR	4	Pyriproxyfen(0.027)	Iprodione(0.045)	Cyprodinil(0.037)	Acetamiprid(0.064)
GR-001-14-708	GR	2	Dimethomorph(0.012)	Acetamiprid(0.041)		
GR-002-14-132	GR	8	Thiophanate-methyl(0.24)	Iprovalicarb(0.02)	Fludioxonil(0.08)	Dimethomorph(0.05)
GR-002-14-301	MK	3	Omethoate(0.07)	Dimethoate(0.05)	Dimethoate (sum)(0.13)	
GR-002-14-307	MK	2	Thiacloprid(0.01)	Acetamiprid(0.01)		
GR-002-14-371	AL	3	Chlorpyrifos(0.39)	Buprofezin(0.06)	Acetamiprid(0.08)	
GR-003-14-062	GR	4	Iprodione(0.11)	Fludioxonil(0.07)	Cyprodinil(0.14)	Boscalid(0.16)
GR-005-14-014	GR	3	Iprodione(0.026)	Boscalid(0.154)	Chlorpyrifos(0.017)	
GR-005-14-016	GR	3	Fenhexamid(0.126)	Boscalid(0.088)	Iprodione(0.118)	

  

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-001-14-1736						
GR-001-14-238						
GR-001-14-343						
GR-001-14-610						
GR-001-14-635						
GR-001-14-708						
GR-002-14-132	Cyprodinil(0.1)	Carbendazim and benomyl(0.05)	Carbendazim(0.05)	Boscalid(0.13)		
GR-002-14-301						
GR-002-14-307						
GR-002-14-371						
GR-003-14-062						
GR-005-14-014						
GR-005-14-016						

**To avoid duplicates residues marked as part of sum are excluded**

*Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM*  
**Table E2: Full listing of samples containing more than one residue by product**  
*All samples from National and EU programmes, surveillance and enforcement*

**Product=Tomatoes**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-005-14-026	GR	2	Iprodione(0.166)	Indoxacarb as sum of the isomers S and R(0.039)		
GR-005-14-046	GR	2	Fenhexamid(0.317)	Trifloxystrobin(0.04)		

  

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-005-14-026						
GR-005-14-046						

*To avoid duplicates residues marked as part of sum are excluded*

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Vine leaves (grape leaves)**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-14-609	GR	5	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.049)	Thiametoxam(0.049)	Tebuconazole(0.048)	Penconazole(0.32)	Myclobutanil(0.011)
GR-001-14-664	GR	6	Thiophanate-methyl(4.3)	Tebuconazole(0.22)	Myclobutanil(2)	Dimethomorph(0.026)	Cypermethrin (sum)(0.12)
GR-001-14-667	GR	2	Tetraconazole(0.28)	Cypermethrin (sum)(0.42)			
GR-001-14-815	GR	7	Spiroxamine(0.063)	Quinoxifen(0.75)	Pyraclostrobin(0.026)	Penconazole(0.011)	Fenoxycarb(0.082)
GR-001-14-832	GR	4	Tebuconazole(0.022)	Pyraclostrobin(0.022)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.077)	Azoxystrobin(30.5)	
GR-002-14-127	GR	2	Trifloxystrobin(0.69)	Dimethomorph(1.12)			
GR-002-14-128	GR	2	Kresoxim-methyl(0.79)	Imidacloprid(0.38)			
<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>		
GR-001-14-609							
GR-001-14-664	Carbendazim and benomyl(2)						
GR-001-14-667							
GR-001-14-815	Famoxadone(2.5)	Chlorpyrifos(0.067)					
GR-001-14-832							
GR-002-14-127							
GR-002-14-128							

**To avoid duplicates residues marked as part of sum are excluded**

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Vine leaves (grape leaves)**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-002-14-300	GR	2	Carbendazim and benomyl(0.03)	Carbendazim(0.03)			
GR-003-14-069	GR	4	Myclobutanil(0.21)	Dimethomorph(0.31)	Captan(0.33)	Cyprodinil(0.02)	
GR-003-14-074	GR	7	Myclobutanil(0.26)	Iprodione(3.6)	Fludioxonil(0.49)	Famoxadone(0.82)	Dimethomorph(2.8)
GR-003-14-075	GR	7	Triadimenol(0.34)	Triadimefon (sum of Triadimefon and Triadimenol)(0.34)	Myclobutanil(0.69)	Dimethomorph(0.37)	Cyprodinil(0.06)
GR-003-14-095	GR	3	Triadimenol(0.37)	Triadimefon (sum of Triadimefon and Triadimenol)(0.37)	Boscalid(0.14)		

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-002-14-300					
GR-003-14-069					
GR-003-14-074	Cyprodinil(5.6)	Kresoxim-methyl(0.21)			
GR-003-14-075	Fludioxonil(0.03)	Trifloxystrobin(1.3)			
GR-003-14-095					

**Pesticide monitoring 2014 Greece on February 10, 2016 at 04:51:06 PM**  
**Table E2: Full listing of samples containing more than one residue by product**  
**All samples from National and EU programmes, surveillance and enforcement**

**Product=Wine grapes**

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-002-14-297	GR	5	Pyrimethanil(0.02)	Lambda-Cyhalothrin(0.02)	Fluopicolide(0.01)	Etofenprox(0.03)
GR-002-14-298	GR	4	Lambda-Cyhalothrin(0.01)	Fluopicolide(0.01)	Fenhexamid(0.06)	Boscalid(0.6)
GR-002-14-299	GR	4	Lambda-Cyhalothrin(0.02)	Fluopicolide(0.03)	Fenhexamid(0.03)	Boscalid(0.8)
GR-005-14-113	GR	2	Cypermethrin (sum)(0.081)	Cypermethrin(0.081)		
GR-005-14-122	GR	2	Fenhexamid(0.216)	Chlorpyrifos(0.013)		
GR-006-14-179	GR	3	Fenhexamid(0.16)	Deltamethrin(0.044)	Chlorpyrifos(1.1)	
GR-010-14-111	GR	2	Thiophanate-methyl(0.15)	Fenhexamid(0.055)		
GR-010-14-118	GR	3	Fenhexamid(0.018)	Dimethomorph(0.022)	Thiophanate-methyl(0.08)	
GR-010-14-119	GR	2	Thiophanate-methyl(0.112)	Iprodione(0.03)		
<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>
GR-002-14-297	Boscalid(0.02)					
GR-002-14-298						
GR-002-14-299						
GR-005-14-113						
GR-005-14-122						
GR-006-14-179						
GR-010-14-111						
GR-010-14-118						
GR-010-14-119						

**To avoid duplicates residues marked as part of sum are excluded**

<i>SAMPCOUNTRY</i>	<i>LABCODE</i>	<i>SETID</i>	<i>FILENAMEORIGINAL</i>	<i>Laboratory Accreditation</i>	<i>Method Status</i>	<i>Determinations</i>	<i>TRANSMISSIONTIME</i>
GR	GR-001	36845	AnalyticalMeasure1.xml	Accredited		8	10FEB16:13:17:10
GR	GR-001	36845	AnalyticalMeasure1.xml	Accredited	ISO/IEC17025	99992	10FEB16:13:17:10
GR	GR-001	36846	AnalyticalMeasure2.xml	Accredited	ISO/IEC17025	60290	10FEB16:13:49:20
GR	GR-002	36846	AnalyticalMeasure2.xml	Accredited	ISO/IEC17025	14266	10FEB16:13:49:20
GR	GR-002	36846	AnalyticalMeasure2.xml	Accredited	Internally validated	25444	10FEB16:13:49:20
GR	GR-002	36847	AnalyticalMeasure3.xml	Accredited	ISO/IEC17025	20423	10FEB16:14:18:10
GR	GR-002	36847	AnalyticalMeasure3.xml	Accredited	Internally validated	36474	10FEB16:14:18:10
GR	GR-003	36847	AnalyticalMeasure3.xml	Accredited	ISO/IEC17025	11074	10FEB16:14:18:10
GR	GR-003	36847	AnalyticalMeasure3.xml	Accredited	Internally validated	32029	10FEB16:14:18:10
GR	GR-003	36848	AnalyticalMeasure4.xml	Accredited	ISO/IEC17025	6678	10FEB16:15:00:36
GR	GR-003	36848	AnalyticalMeasure4.xml	Accredited	Internally validated	19301	10FEB16:15:00:36
GR	GR-004	36848	AnalyticalMeasure4.xml	Accredited	ISO/IEC17025	390	10FEB16:15:00:36
GR	GR-004	36848	AnalyticalMeasure4.xml	Accredited	Internally validated	13105	10FEB16:15:00:36
GR	GR-005	36848	AnalyticalMeasure4.xml	Accredited	ISO/IEC17025	6082	10FEB16:15:00:36
GR	GR-005	36848	AnalyticalMeasure4.xml	Accredited	Internally validated	14110	10FEB16:15:00:36
GR	GR-006	36848	AnalyticalMeasure4.xml	Accredited	ISO/IEC17025	3553	10FEB16:15:00:36
GR	GR-006	36848	AnalyticalMeasure4.xml	Accredited	Internally validated	16089	10FEB16:15:00:36
GR	GR-007	36848	AnalyticalMeasure4.xml	Accredited	ISO/IEC17025	936	10FEB16:15:00:36
GR	GR-007	36848	AnalyticalMeasure4.xml	Accredited	Internally validated	19756	10FEB16:15:00:36
GR	GR-007	36849	AnalyticalMeasure5.xml	Accredited	Internally validated	1996	10FEB16:15:11:37
GR	GR-008	36849	AnalyticalMeasure5.xml	Accredited	ISO/IEC17025	1049	10FEB16:15:11:37
GR	GR-008	36849	AnalyticalMeasure5.xml	Accredited	Internally validated	6590	10FEB16:15:11:37
GR	GR-009	36849	AnalyticalMeasure5.xml	Accredited	ISO/IEC17025	230	10FEB16:15:11:37
GR	GR-009	36849	AnalyticalMeasure5.xml	Accredited	Internally validated	1101	10FEB16:15:11:37
GR	GR-010	36849	AnalyticalMeasure5.xml	Accredited	ISO/IEC17025	28070	10FEB16:15:11:37